



FEEL THE SW
DIFFERENCE.®

DESIGNED TO ENHANCE WORKER PERFORMANCE.



PF-12TL

POWDER-FREE NITRILE EXTENDED-CUFF EXAMINATION
GLOVES WITH SUSTAINABLE ECOTEK TECHNOLOGY

**ENGINEERED FOR LIFE SCIENCE, THESE
DURABLE GLOVES PROTECT FROM CHEMICALS
WITHOUT SACRIFICING GRIP OR DEXTERITY**

- EcoTek® Sustainable Technology*
- Tested for use with chemotherapy drugs
- Extended-cuff for additional protection
- Silicone-free to prevent contamination
- Exceeds 1.5 AQL laboratory standards

PF

PF-12TL

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 10.7g (large size)	 12.0"	 6.2 mil	EcoTek® Clean Washed Air Inspected	 TEAL


ECOTEK



Fully textured
surface for wet
and dry grip

Extended-cuff
for added coverage
and protection

Tear-resistant
beaded cuff for
easy donning



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347
Trademarks and registered trademarks are the property of SW and its affiliates.
©2024 SW. All rights reserved.



TECHNICAL DATA



PF-12TL

POWDER-FREE NITRILE EXTENDED-CUFF EXAMINATION
GLOVES WITH SUSTAINABLE ECOTEK TECHNOLOGY

PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	PowerForm®	
GRADE	Powder-Free Exam	
MATERIAL	Nitrile	
THICKNESS FINGER	7.1mil	0.18mm
PALM	6.2mil	0.16mm
CUFF	4.3mil	0.11mm
COLOR	Teal	
SURFACE	Fully Textured	
LENGTH	12.0"	305mm
WEIGHT	10.7g	
FIT TYPE	Ambidextrous	
CUFF TYPE	Beaded	
WATERTIGHT AQL	1.5	
ORIGIN COUNTRY	China	

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE STRENGTH:	21 MPa	20 MPa
ELONGATION:	575%	4560%

INTEGRATED TECHNOLOGIES

ECOTEK Sustainable Technology: Product has been tested per ASTM D5526*

100% Air Inspected


Clean Washed



* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN ISO 21420:2020	EU 2016/425
EN 455-2000-2015	CAT III Complex Design
ASTM D6319-19	UL NFPA 1999-2018
ASTM D6978-05 (2019)	FDA 21 CFR 177.2600
ASTM F1671-13	
ASTM F739-12	
Reach EU 1907/2006	



Please visit [swssglobal.com/symbols](https://www.swssglobal.com/symbols) for information on standards used on this document.

ORDERING

VWR SKU NO.	MFG NO.	SIZE	PALM WIDTH	PACKAGING
76051-194	N127361	XS 5½ – 6	3.0" 76mm	50 gloves per box 10 boxes per case
76051-196	N127362	S 6½ – 7	3.4" 85mm	50 gloves per box 10 boxes per case
76051-198	N127363	M 7½ – 8	3.8" 96mm	50 gloves per box 10 boxes per case
76051-200	N127364	L 8½ – 9	4.5" 114mm	50 gloves per box 10 boxes per case
76051-202	N127365	XL 9½ – 10	4.9" 125mm	50 gloves per box 10 boxes per case
76051-204	N127366	2XL 10½ – 11	5.2" 133mm	50 gloves per box 10 boxes per case

APPLICATIONS

Chemical Handling
Clinical
First Responder EMS
Handling and Packaging Class 1
Medical Devices
Laboratory
Light Chemical Mixing
Pharma Production

Keep out of sunlight. Store in a cool, dry place.
Keep away from sources of ozone or ignition.



R_N12736X1121



VWR.COM

Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada unless otherwise noted, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit [vwr.com](https://www.vwr.com) to view our privacy policy, trademark owners, and additional disclaimers. © 2024 Avantor, Inc. All rights reserved.

0424 Lit. No. 190212W

* EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to cs@swssglobal.com.