



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 07/28/2015

Version 1.6

SECTION 1. Identification

Product identifier

Product number	137000
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP
CAS-No.	64-19-7

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Pharmaceutical production
-----------------	---------------------------

Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 01821, United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 3, H226
Corrosive to Metals, Category 1, H290
Skin corrosion, Category 1A, H314
Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H226 Flammable liquid and vapor.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P234 Keep only in original container.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.
Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P390 Absorb spillage to prevent material damage.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P406 Store in corrosive resistant stainless steel container with a resistant inner liner.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	CH ₃ COOH	C ₂ H ₄ O ₂ (Hill)
Molar mass	60.05 g/mol	

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

acetic acid (>= 90 % - <= 100 %)

64-19-7

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, bronchitis, Shortness of breath, gastric spasms, Nausea, Vomiting,
Circulatory collapse, shock
Risk of corneal clouding.
Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

Acetic acid vapors

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep container tightly closed in a dry and well-ventilated place.

Store at +15°C to +25°C (+59°F to +77°F).

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 137000 Version 1.6
Product name Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE®
bio Ph Eur,BP,JP,USP

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>acetic acid 64-19-7</i>			
ACGIH	Time Weighted Average (TWA):	10 ppm	
	Short Term Exposure Limit (STEL):	15 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	10 ppm 25 mg/m ³	
	Short Term Exposure Limit (STEL):	15 ppm 37 mg/m ³	
OSHA_TRANS	PEL:	10 ppm 25 mg/m ³	
Z1A	Time Weighted Average (TWA):	10 ppm 25 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: butyl-rubber
Glove thickness: 0.7 mm
Break through time: > 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0.6 mm
Break through time: > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	stinging
Odor Threshold	0.2 - 100.1 ppm
pH	2.5 at 50 g/l 20 °C (20 °C)
Melting point	17 °C
Boiling point/boiling range	116 - 118 °C (116 - 118 °C) at 1,013 hPa
Flash point	39 °C (39 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	Not applicable
Lower explosion limit	4 %(V)
Upper explosion limit	19.9 %(V)
Vapor pressure	15.4 hPa at 20 °C (20 °C)
Relative vapor density	2.07

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

Density	1.05 g/cm ³ at 20 °C (20 °C)
Relative density	No information available.
Water solubility	1,000 g/l at 25 °C (25 °C)
Partition coefficient: n-octanol/water	log Pow: -0.17 (experimental) (Lit.) Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	Distillable in an undecomposed state at normal pressure.
Viscosity, dynamic	1.22 mPa.s at 20 °C (20 °C)
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Ignition temperature	485 °C (485 °C)
Viscosity, kinematic	1.17 mm ² /s at 20 °C (20 °C)
Corrosion	May be corrosive to metals.
Refractive index	1.37 at 20 °C (20 °C)

SECTION 10. Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of explosion with:

peroxi compounds, perchloric acid, fuming sulfuric acid, phosphorus halides, hydrogen peroxide, chromium(VI) oxide, potassium permanganate, Peroxides, Strong oxidizing agents

Risk of ignition or formation of inflammable gases or vapors with:

Metals, Iron, Zinc, magnesium, Mild steel

Possible formation of:

Hydrogen

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

Violent reactions possible with:

strong alkalis, anhydrides, Aldehydes, alkali hydroxides, nonmetallic halides, ethanolamine, Acetaldehyde, Alcohols, halogen-halogen compounds, chlorosulfonic acid, chromosulfuric acid, Potassium hydroxide, Nitric acid

Conditions to avoid

Temperatures < 63 °F.
Heating.

Incompatible materials

various metals

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Eyes
Skin
Respiratory system
teeth

Acute oral toxicity

LD50 Rat: 3,310 mg/kg (RTECS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach., Nausea, Vomiting, Risk of aspiration upon vomiting., Pulmonary failure possible after aspiration of vomit.

Acute inhalation toxicity

LCLO Rat: 39.95 mg/l; 4 h
(RTECS)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract, Pneumonia, bronchitis, Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed.

Corrosive to respiratory system.

Skin irritation

Rabbit
Result: Causes burns.
(IUCLID)

Causes severe burns.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

137000

Version 1.6

Product name

Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE®
bio Ph Eur,BP,JP,USP

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Causes serious eye damage. Risk of corneal clouding.

Risk of blindness!

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Systemic effects:

Shortness of breath, gastric spasms, shock, Circulatory collapse, acidosis

Possible damages:

Damage to:

Kidney

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

Toxicity to fish

LC50 *Lepomis macrochirus* (Bluegill sunfish): 75 mg/l; 96 h (Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC5 *E.sulcatum*: 78 mg/l; 72 h neutral (maximum permissible toxic concentration) (Lit.)

EC50 *Daphnia magna* (Water flea): 47 mg/l; 24 h (Lit.)

Toxicity to algae

IC5 *Scenedesmus quadricauda* (Green algae): 4,000 mg/l; 16 h (maximum permissible toxic concentration) (Lit.)

Toxicity to bacteria

EC5 *Pseudomonas putida*: 2,850 mg/l; 16 h neutral (maximum permissible toxic concentration) (Lit.)

microtox test EC50 *Photobacterium phosphoreum*: 11 mg/l; 15 min (IUCLID)

Persistence and degradability

Biodegradability

99 %; 30 d

OECD Test Guideline 301D
(HSDB)

Readily biodegradable.

95 %; 5 d

OECD Test Guideline 302B

Readily eliminated from water

Biochemical Oxygen Demand (BOD)

880 mg/g (5 d)

(Lit.)

Ratio BOD/ThBOD

BOD5 76 %

(IUCLID)

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0.17

(experimental)

(Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 2789
Proper shipping name	ACETIC ACID, GLACIAL
Class	8 (3)
Packing group	II
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 2789
Proper shipping name	ACETIC ACID, GLACIAL
Class	8 (3)
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 2789
Proper shipping name	ACETIC ACID, GLACIAL
Class	8 (3)
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-E S-C

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

137000

Version 1.6

Product name

Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE®
bio Ph Eur,BP,JP,USP

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients

acetic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

acetic acid

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

acetic acid

Pennsylvania Right To Know

Ingredients

acetic acid

New Jersey Right To Know

Ingredients

acetic acid

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	137000	Version 1.6
Product name	Acetic acid (glacial) 100% suitable for biopharmaceutical production EMPROVE® bio Ph Eur,BP,JP,USP	

Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P210 Keep away from heat.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapor.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 07/28/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the M*Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*