

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v)  
(654)

MSDS Number : 000000011931

Product Use Description : Laboratory Use

Manufacturer or supplier's details : Honeywell International Inc.  
101 Columbia Road  
Morristown, NJ 07962-1057

For more information call : 1-800-368-0050  
+1-231-726-3171  
(Monday-Friday, 9:00am-5:00pm)

**In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414**  
: **Transportation (CHEMTREC): 1-800-424-9300 or +1-703-**  
: **527-3887**  
:  
: (24 hours/day, 7 days/week)

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Form : liquid, clear

Color : colourless

Odor : ether-like

**Classification of the substance or mixture**

Classification of the substance or mixture : Flammable liquids, Category 2  
Acute toxicity, Category 4, Oral  
Skin corrosion, Category 1B  
Serious eye damage, Category 1

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Specific target organ toxicity - single exposure, Category 1,  
Central nervous system, Respiratory system  
Specific target organ toxicity - repeated exposure, Category 2,  
Central nervous system, Respiratory system, Kidney, Blood,  
Liver

**GHS Label elements, including precautionary statements**

Symbol(s)



Signal word

: Danger

Hazard statements

: Highly flammable liquid and vapour.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
Causes damage to organs.  
May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves/ eye protection/ face protection.

**Response:**  
IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****00000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/ physician.  
Wash contaminated clothing before reuse.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:**

Store in a well-ventilated place. Keep cool.  
Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : Mixture

Chemical Name	CAS-No.	Concentration
Acetonitrile	75-05-8	75.00 %
1-Methylimidazole	616-47-7	25.00 %

**SECTION 4. FIRST AID MEASURES**

Inhalation : Call a physician immediately. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present.

Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****00000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

immediately. Wash contaminated clothing before re-use. Call a physician immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

**Notes to physician**

Treatment : Treat as cyanide poisoning. Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at least 48 hours.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Alcohol-resistant foam  
Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during firefighting : Flammable.  
Vapours may form explosive mixtures with air.  
Vapours are heavier than air and may spread along floors.  
Vapors may travel to areas away from work site before igniting/flashing back to vapor source.  
In case of fire hazardous decomposition products may be produced such as:  
Hydrogen cyanide (hydrocyanic acid)  
Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions : Wear personal protective equipment.  
Immediately evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not swallow.  
Do not breathe vapours or spray mist.  
Do not get in eyes, on skin, or on clothing.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Discharge into the environment must be avoided.  
Do not flush into surface water or sanitary sewer system.  
Do not allow run-off from fire fighting to enter drains or water courses.
- Methods for cleaning up : Ventilate the area.  
No sparking tools should be used.  
Use explosion-proof equipment.  
Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

**SECTION 7. HANDLING AND STORAGE****Handling**

- Handling : Wear personal protective equipment.  
Use only in well-ventilated areas.  
Keep container tightly closed.  
Do not smoke.  
Do not swallow.  
Do not breathe vapours or spray mist.  
Do not get in eyes, on skin, or on clothing.
- Advice on protection against fire and explosion : Keep away from fire, sparks and heated surfaces.  
Take precautionary measures against static discharges.  
Ensure all equipment is electrically grounded before beginning transfer operations.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Use explosion-proof equipment.  
Keep product and empty container away from heat and sources of ignition.  
No sparking tools should be used.  
No smoking.

**Storage**

Requirements for storage areas and containers : Store in area designed for storage of flammable liquids.  
Protect from physical damage.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep away from heat and sources of ignition.  
Keep away from direct sunlight.  
Store away from incompatible substances.  
Container hazardous when empty.  
Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering measures : Use with local exhaust ventilation.  
Prevent vapour buildup by providing adequate ventilation during and after use.

Eye protection : Do not wear contact lenses.  
Wear as appropriate:  
Safety glasses with side-shields  
If splashes are likely to occur, wear:  
Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves  
Gloves must be inspected prior to use.  
Replace when worn.

Skin and body protection : Wear as appropriate:  
Solvent-resistant apron

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Flame retardant antistatic protective clothing  
 If splashes are likely to occur, wear:  
 Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory equipment.  
 For rescue and maintenance work in storage tanks use self-contained breathing apparatus.  
 Use NIOSH approved respiratory protection.

Hygiene measures : When using, do not eat, drink or smoke.  
 Wash hands before breaks and immediately after handling the product.  
 Keep working clothes separately.  
 Remove and wash contaminated clothing before re-use.  
 Do not swallow.  
 Do not breathe vapours or spray mist.  
 Do not get in eyes, on skin, or on clothing.

**Exposure Guidelines**

Components	CAS-No.	Value	Control parameters	Update	Basis
Acetonitrile	75-05-8	TWA : time weighted average	(20 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Acetonitrile	75-05-8	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2008	ACGIH:US. ACGIH Threshold Limit Values
Acetonitrile	75-05-8	REL : Recomm ended exposure limit (REL):	34 mg/m3 (20 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****00000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Acetonitrile	75-05-8	PEL : Permissible exposure limit	70 mg/m <sup>3</sup> (40 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Acetonitrile	75-05-8	TWA : time weighted average	70 mg/m <sup>3</sup> (40 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Acetonitrile	75-05-8	STEL : Short term exposure limit	105 mg/m <sup>3</sup> (60 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	: liquid, clear
Color	: colourless
Odor	: ether-like
pH	: Note: not applicable
Melting point/freezing point	: -43.8 °C Note: The physical data is that of the main component.
Boiling point/boiling range	: 86.6 °C Note: The physical data is that of the main component.
Flash point	: 43 °F (6 °C) Method: closed cup Note: The physical data is that of the main component.



**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Lower explosion limit	:	3 %(V)
Upper explosion limit	:	16 %(V)
Vapor pressure	:	97.3 hPa at 20 °C(68 °F)Note: The physical data is that of the main component.
Vapor density	:	1.42 Note: (Air = 1.0)
Density	:	0.827 g/cm <sup>3</sup> at 20 °C
Water solubility	:	Note: completely soluble
Ignition temperature	:	524 °C

**SECTION 10. STABILITY AND REACTIVITY**

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	Heat, flames and sparks. Keep away from direct sunlight.
Incompatible materials to avoid	:	Acids Bases Oxidizing agents Reducing agents Sulfites Perchlorates May attack many plastics, rubbers and coatings.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:  
Hydrogen cyanide (hydrocyanic acid)  
Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), dense black smoke.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity  
Acetonitrile : LD50: 2,460 mg/kg  
Species: rat

1-Methylimidazole : LD50: 1,130 mg/kg  
Species: rat

Acute inhalation toxicity  
Acetonitrile : LC50: 16000 ppm  
Exposure time: 4 h  
Species: rat

Acute dermal toxicity  
Acetonitrile : LD50: > 2,000 mg/kg  
Species: rabbit

1-Methylimidazole : LD50: 400 - 600 mg/kg  
Species: rabbit

Skin irritation  
1-Methylimidazole : Species: rabbit  
Result: Causes burns.  
Classification: Corrosive

Eye irritation  
Acetonitrile : Species: rabbit  
Result: Irritating to eyes.

1-Methylimidazole : Species: rabbit  
Result: Risk of serious damage to eyes.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Classification: Corrosive

1-Methylimidazole : Test Method: Ames test  
Result: negative

**SECTION 12. ECOLOGICAL INFORMATION**

Toxicity to fish  
Acetonitrile : flow-through test  
LC50: 1,640 mg/l  
Exposure time: 96 h  
Species: Pimephales promelas (fathead minnow)

1-Methylimidazole : static test  
LC50: 100 - 220 mg/l  
Exposure time: 96 h  
Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates  
1-Methylimidazole : static test  
EC50: 268 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)

Toxicity to algae  
1-Methylimidazole : EC50: 180 mg/l  
Exposure time: 72 h  
Species: Algae

Toxicity to bacteria  
1-Methylimidazole : EC50: 1,100 mg/l  
Exposure time: 17 h  
Species: Bacteria

Biodegradability  
1-Methylimidazole : Result: Not readily biodegradable.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****00000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

Value: < 30 %  
Method: OECD 302 B

**Further information on ecology****SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

**SECTION 14. TRANSPORT INFORMATION**

**DOT** UN/ID No. : UN 2924  
Proper shipping name : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
(Acetonitrile, 1-Methylimidazole)  
Class : 3  
Packing group : II  
Hazard Labels : 3 (8)

**IATA** UN/ID No. : UN 2924  
Description of the goods : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
(Acetonitrile, 1-METHYLIMIDAZOLE)  
Class : 3  
Packaging group : II  
Hazard Labels : 3 (8)  
Packing instruction (cargo aircraft) : 363  
Packing instruction (passenger aircraft) : 352  
Packing instruction (passenger aircraft) : Y340

**IMDG** UN/ID No. : UN 2924  
Description of the goods : FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
(ACETONITRILE, 1-METHYLIMIDAZOLE)  
Class : 3  
Packaging group : II  
Hazard Labels : 3 (8)  
EmS Number : F-E, S-C  
Marine pollutant : no

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

**SECTION 15. REGULATORY INFORMATION****Inventories**

US. Toxic Substances Control Act	:	On TSCA Inventory
Australia. Industrial Chemical (Notification and Assessment) Act	:	On the inventory, or in compliance with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	:	All components of this product are on the Canadian DSL.
Japan. Kashin-Hou Law List	:	On the inventory, or in compliance with the inventory
Korea. Toxic Chemical Control Law (TCCL) List	:	On the inventory, or in compliance with the inventory
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	:	On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances	:	On the inventory, or in compliance with the inventory
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	:	On the inventory, or in compliance with the inventory
TSCA 12B	:	US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
		Acetonitrile 75-05-8

**National regulatory information**

: The following component(s) of this product is/are subject to

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****000000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

GHS : release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

Reportable quantity: 5000 lbs  
: Acetonitrile 75-05-8

**SARA 302 Components** : The following components are subject to reporting levels established by SARA Title III, Section 302:  
: Acrylonitrile 107-13-1

**SARA 313 Components** : The following components are subject to reporting levels established by SARA Title III, Section 313:  
: Acetonitrile 75-05-8

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**California Prop. 65** : WARNING! This product contains a chemical known to the State of California to cause cancer.  
Acrylonitrile 107-13-1

**Massachusetts RTK** : Acetonitrile 75-05-8

**New Jersey RTK** : Acetonitrile 75-05-8

**Pennsylvania RTK** : Acetonitrile 75-05-8

**WHMIS Classification** : B2: Flammable liquid  
E: Corrosive Material  
D1A: Very Toxic Material Causing Immediate and Serious Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects  
This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

**Cap Mix B (20% N-Methylimidazole/ 80% Acetonitrile, v/v) (654)****00000011931**

Version 1.4

Revision Date 04/15/2014

Print Date 12/26/2014

**SECTION 16. OTHER INFORMATION**

	<b>HMIS III</b>	<b>NFPA</b>
Health hazard	: 3*	3
Flammability	: 3	3
Physical Hazard	: 0	
Instability	:	0

\* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

**Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 03/22/2011

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group