

Part of Thermo Fisher Scientific

# **Material Safety Data Sheet**

## 1. Product and company identification

Product name : Brij 35 (30% Solution)

Supplier : Thermo Fisher Scientific Manufacturer
Pierce Biotechnology

P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 or 800.874.3723

Product No. : 0020150

MSDS # : 0074

Validation date : 4/1/2010.

Print date : 4/1/2010 : MSDS Specialist

In case of emergency : CHEMTREC: Use of

800.424.9300 Substance/Preparation

OUTSIDE US: 202.483.7616

: Thermo Fisher Scientific Pierce Biotechnology P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 800.874.3723

: Refer to the instruction booklet for proper and intended use.
Otherwise, contact supplier for

specific applications.

#### 2. Hazards identification

Physical state : Liquid. [Clear viscous liquid.]

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Emergency overview : WARNING

CAUSES EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN

DAMAGE.

Harmful if swallowed. Severely irritating to eyes. Slightly irritating to the skin. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Do not incest. Do not get in eyes. Avoid contact with skin and clothing. Contains material that

can cause target organ damage. Wash thoroughly after handling.

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

 Ingestion
 : Harmful if swallowed.

 Skin
 : Slightly irritating to the skin.

Eves : Severely irritating to eyes, Risk of serious damage to eyes,

Potential chronic health effects

Chronic effects : Contains material that can cause target organ damage.

 Carcinogenicity
 : No known significant effects or critical hazards.

 Mutagenicity
 : No known significant effects or critical hazards.

 Teratogenicity
 : No known significant effects or critical hazards.

4/1/2010.

ces Division 3747 N. Meridian Rd. Rockford, IL (815) 968-0747 www.thermo.com/pi PO Box 117 61105 (815) 968-7316 Fax



Brij 35 (30% Solution)

#### 2. Hazards identification

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Target organs : Contains material which causes damage to the following organs: the nervous system,

skin, eyes

Contains material which may cause damage to the following organs: kidneys, lungs,

liver, bladder, gastrointestinal tract, central nervous system (CNS).

#### Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.

Skin : Adverse symptoms may include the following:

irritation

Eyes : Adverse symptoms may include the following:

pain or irritation watering redness

Medical conditions : Pre-existing digestive disorders and disorders involving any other target organs

aggravated by over-

exposure

mentioned in this MSDS as being at risk may be aggravated by over-exposure to this

produ

The preparation is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xn; R22 Xi; R41, R38

Human health hazards : Harmful if swallowed. Risk of serious damage to eyes. Irritating to skin.

See toxicological information (section 11)

# 3. Composition/information on ingredients

**United States** 

 Name
 CAS number
 %

 Brij 35
 9002-92-0
 25 - 45

**Europe** 

Substance/preparation : Preparation

 Ingredient name
 CAS number
 %
 EC number
 Classification

 Brij 35
 9002-92-0
 25 - 45
 500-002-6
 Xn; R22
 [1] Xi; R41, R38

There are no ingredients or additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

4/1/2010. 2/9

3747 N. Meridian Rd. Rockford, IL (815) 968-0747 www.thermo.com/pier Pierce PO Box 117 61105 (815) 968-7316 Fax



Brij 35 (30% Solution)

#### First aid measures

Inhalation

Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-tomouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact

: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention. Chemical burns must be treated promptly by a physician.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See section 11 for more detailed information on health effects and symptoms.

## Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

**Extinguishing media** 

: Use an extinguishing agent suitable for the surrounding fire. Suitable

Not suitable

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

**Hazardous combustion** 

products equipment for fire-fighters : Decomposition products may include the following materials:

carbon oxides

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental release measures

Personal precautions

Special protective

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

3/9 4/1/2010.

3747 N. Meridian Rd. PO Box 117



Brij 35 (30% Solution)

#### Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store between the following temperatures: 20 to 25°C (68 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# **Exposure controls/personal protection**

No exposure limit value known.

Consult local authorities for acceptable exposure limits. Recommended monitoring

procedures

**Engineering measures** 

; If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

4/9 4/1/2010.

3747 N. Meridian Rd. PO Box 117

Rockford, IL 61105



Brij 35 (30% Solution)

#### Exposure controls/personal protection

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

Skin

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists.

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## Physical and chemical properties

Physical state : Liquid. [Clear viscous liquid.]

Color : Colorless. : 5 to 7 pН Relative density : 1.03

Solubility : Easily soluble in the following materials: cold water and hot water.

## 10. Stability and reactivity

Chemical stability

: The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

Conditions to avoid Incompatible materials : No specific data.

Hazardous decomposition

: No specific data.

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced. products

Possibility of hazardous reactions

: Will not occur.

# 11. Toxicological information

#### **United States**

Acute toxicity

Product/ingredient name Result Species Dose Exposure LD50 Dodecan-1-ol, ethoxylated Rat 125 mg/kg Intraperitoneal LD50 Intravenous Rat 27 mg/kg LD50 Oral Rat 1000 ma/ka LD50 Oral Rat 8600 mg/kg

LD50 Subcutaneous

Conclusion/Summary : Not available.

Chronic toxicity

Conclusion/Summary

: Not available.

4/1/2010.

5/9

953 mg/kg

Rat



Brij 35 (30% Solution)

### 11. Toxicological information

Carcinogenicity

Conclusion/Summary : Not available

Classification

**OSHA** Product/ingredient name **ACGIH** IARC **EPA** NIOSH NTP Dodecan-1-ol, ethoxylated None. None.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Europe

Chronic effects : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Teratogenicity **Developmental effects** : No known significant effects or critical hazards. Fertility effects : No known significant effects or critical hazards.

## 12. Ecological information

**Environmental effects** 

: No known significant effects or critical hazards.

**United States** 

Aquatic ecotoxicity

Conclusion/Summary

: Not available.

: No known significant effects or critical hazards. Other adverse effects

# 13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

4/1/2010. 6/9

Rockford, IL 61105



Brij 35 (30% Solution)

#### 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*
DOT Classification	Not regulated.	-	-	-
IATA-DGR Class	Not regulated	-	-	-

PG\* : Packing group

## 15. Regulatory information

**United States** 

**HCS Classification** : Irritating material Target organ effects

U.S. Federal regulations

: United States inventory (TSCA 8b); All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Dodecan-1-ol, ethoxylated SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Dodecan-1-ol, ethoxylated: Immediate (acute) health hazard, Delayed (chronic) health

hazard

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Canada

WHMIS (Canada) : Not controlled under WHMIS (Canada).

Canadian lists : CEPA Toxic substances: None of the components are listed.

> Canadian ARET: None of the components are listed. Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

Canada inventory

: Canada inventory: At least one component is not listed.

EU regulations

Hazard symbol or symbols



Risk phrases R22- Harmful if swallowed.

R41- Risk of serious damage to eyes.

R38- Irritating to skin.

Thermo

Brij 35 (30% Solution)

## 15 . Regulatory information

Safety phrases

S24/25- Avoid contact with skin and eves.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

International regulations

International lists

: Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Korea inventory (KECI): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Japan inventory (ENCS): All components are listed or exempted.


#### 16 . Other information

Label requirements

: CAUSES EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. MAY CAUSE SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN

DAMAGE.

**Hazardous Material** Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

**National Fire Protection** Association (U.S.A.)



: 4/1/2010. Date of printing Date of issue : 4/1/2010.

Date of previous issue : No previous validation.

Version : 1

Indicates information that has changed from previously issued version.

Xi - Irritant

Full text of R-phrases

referred to in sections 2 and

3 - Europe

Full text of classifications

referred to in sections 2 and

3 - Europe

R41- Risk of serious damage to eyes.

: R22- Harmful if swallowed. R38- Irritating to skin. : Xn - Harmful

Notice to reader

4/1/2010. 8/9

4/1/2010.

7/9

Rockford, IL 61105

