

Product Specification

Meets F.C.C. Requirements, Meets U.S.P Requirements, GMP Manufactured Product

Test	Specification
USP – Identification	Passes Test
USP – Congealing Temperature (solidification point)	≥ 15.6 °C
USP – Nonvolatile Residue (USP), mg/20 mL	≤ 1.0
USP – Chloride (Cl)	Passes Test
USP – Sulfate (SO ₄)	Passes Test
USP – Readily Oxidizable Substances	Passes Test
USP – Assay (CH ₃ COOH)	99.5 – 100.5 %
FCC – Identification	Passes Test
FCC – Congealing Temperature (solidification point)	≥ 15.6 °C
FCC – Nonvolatile Residue (FCC)	≤ 0.005 %
FCC – Readily Oxidizable Substances	Passes Test
FCC – Assay (CH ₃ COOH)	99.5 – 100.5 %
FCC – Lead (Pb)	≤ 0.5 mg/kg

GMP Manufactured Product
Food GMP Manufactured Product
Bulk Food Chemical
Bulk Pharmaceutical Chemical

CAUTION: For Manufacturing, processing or repackaging

Residual Solvents: No Class 1, 2 or 3 residual solvents are used in or produced by the production process.

Preserve in tight containers, and store at room temperature

Elemental Impurities (USP 232, EP 5.20) – Information on elemental impurities for this product is available on the associated Product Regulatory Data Sheet and elemental impurity profile report.

Storage Condition: IMPORTANT: Material will freeze if stored below 17 °C (63°F).

Packaging Site: Phillipsburg Mfg Ctr & DC