

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version 2.0

SECTION 1.Identification

Product identifier

Product number DX1543

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry

OmniSolv®

Synonyms DMA

CAS-No. 127-19-5

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 4, H227

Acute toxicity, Category 4, Inhalation, H332

Acute toxicity, Category 4, Dermal, H312

Eye irritation, Category 2A, H319

Reproductive toxicity, Category 1B, H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Hazard Statements

H360 May damage fertility or the unborn child.

H227 Combustible liquid.

H312 + H332 Harmful in contact with skin or if inhaled.

H319 Causes serious eye irritation.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P322 Specific measures (see supplemental first aid instructions on this label).

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula CH₃CON(CH₃)₂ C₄H₉NO (Hill)

Synonyms DMA

Molar mass 87.12 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

N,N-Dimethylacetamide (>= 90 % - <= 100 %)

127-19-5

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Inhalation

After inhalation: fresh air. If breathing stops: immediately apply artificial respiration, if necessary oxygen. Immediately call in physician.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, inebriation, muscle twitching, hallucinations, narcosis, Coma

Indication of any immediate medical attention and special treatment needed

Subsequently administer: Activated charcoal Laxative: Sodium sulfate (1 tablespoon/1/4 I water).

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number Version 2.0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

N,N-Dimethylacetamide 127-19-5

ACGIH Time Weighted Average 10 ppm

(TWA):

Skin designation: Can be absorbed through the skin.

NIOSH/GUIDE Recommended 10 ppm

35 mg/m³ exposure limit (REL):

Skin designation: Can be absorbed through the skin.

OSHA_TRANS PEL: 10 ppm

35 mg/m³

Skin designation: Can be absorbed through the skin.

Z1A Time Weighted Average 10 ppm

35 mg/m³ (TWA):

Skin designation (Final

Rule Limit applies):

Can be absorbed through the skin.

Engineering measures

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eve/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
i ilyolodi otato	nquiu

Color colorless

Odor amine-like

Odor Threshold 44.4 ppm

pH ca. 4

at 200 g/l 68 °F (20 °C)

Melting point -20 °C

Boiling point/boiling range 329 - 331 °F (165 - 166 °C)

at 1,013 hPa

Flash point 147 °F (64 °C)

at 1,013 hPa

Method: c.c.

Evaporation rate No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2.0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Flammability (solid, gas) Not applicable

Lower explosion limit 1.7 %(V)

Upper explosion limit 11.5 %(V)

Vapor pressure 1.76 hPa

at 68 °F (20 °C)

Relative vapor density 3.01

Density 0.94 g/cm³

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

log Pow: -0.77 (experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature 653 °F (345 °C)

Method: DIN 51794

Decomposition temperature No information available.

Viscosity, dynamic 1.02 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 752 °F (400 °C)

Method: DIN 51794

SECTION 10. Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Halogenated hydrocarbon, nitrates

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Conditions to avoid

Heating.

Incompatible materials

various plastics

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Skin

Liver

Central nervous system

Acute oral toxicity

LD50 Rat: 5,830 mg/kg (ECHA)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Skin irritation

Rabbit

Result: slight irritation

(ECHA)

Possible damages: slight irritation

Eye irritation

Rabbit

Result: Eye irritation

OECD Test Guideline 405

Causes serious eye irritation.

Sensitization

Sensitization test: Guinea pig

Result: negative

(ECHA)

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

CMR effects

Teratogenicity:

May damage the unborn child.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2.0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

After absorption of toxic quantities:

inebriation, muscle twitching, hallucinations, narcosis, Coma

Damage to:

Liver, Kidney, Central nervous system

This substance should be handled with particular care.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): > 500 mg/l; 96 h

DIN 38412 T15 (IUCLID)

Toxicity to daphnia and other aquatic invertebrates EC50 Daphnia magna (Water flea): > 500 mg/l; 48 h

DIN 38412 (External MSDS)

semi-static test NOEC Americamysis bahia (Mysid): 320 mg/l; 96 h (ECHA)

Toxicity to algae

IC50 Desmodesmus subspicatus (green algae): > 500 mg/l; 72 h

DIN 38412 (IUCLID)

Toxicity to bacteria

EC50 Bacteria: > 2,000 mg/l; 30 min

Robra-Test (External MSDS)

EC10 activated sludge: > 1,995 mg/l; 30 min (IUCLID)

Persistence and degradability

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Biodegradability > 90 %; 28 d

OECD Test Guideline 302B

Easily eliminable.

Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -0.77

(experimental)

(Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

N,N-Dimethylacetamide

Pennsylvania Right To Know

Ingredients

N,N-Dimethylacetamide

New Jersey Right To Know

Ingredients

N,N-Dimethylacetamide

California Prop 65 Components

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

Ingredients

N,N-Dimethylacetamide

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number DX1543 Version 2. 0

Product name N,N-Dimethylacetamide For HPLC and Spectrophotometry OmniSolv®

Danger

Hazard Statements

H227 Combustible liquid.

H312 + H332 Harmful in contact with skin or if inhaled.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

Precautionary Statements

Prevention

P201 Obtain special instructions before use.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Restricted to professional users.

Full text of H-Statements referred to under sections 2 and 3.

H312 Harmful in contact with skin.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360 May damage fertility or the unborn child.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.