# **Honeywell**

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

### **SECTION 1. IDENTIFICATION**

Product name : Acetonitrile

Number : 00000011306

Product Use Description : Solvent

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442

For more information call : 1-800-368-0050

+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

:

: (24 hours/day, 7 days/week)

### **SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview** 

Form : liquid

Color : colourless

Odor : sweet ether-like

Page 1 / 16

# **Honeywell**

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

### Classification of the substance or mixture

Classification of the substance : Flammable liquids, Category 2

or mixture

Flammable liquids, Category 2
 Acute toxicity, Category 4, Oral
 Acute toxicity, Category 4, Inhalation

Eye irritation, Category 2A

Specific target organ toxicity - single exposure, Category 1,

Central nervous system

### GHS Label elements, including precautionary statements

Symbol(s) :







Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.

Harmful if swallowed or if inhaled Causes serious eye irritation. Causes damage to organs.

Precautionary statements : Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection/ face protection.

Response:

Page 2 / 16

# Honeywell

### **Acetonitrile**

### LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/ physician. Rinse mouth.

If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : C2H3N

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
Acetonitrile	75-05-8	100.00 %

Page 3 / 16

# **Honeywell**

### Acetonitrile

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

#### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician.

Ingestion : Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Immediate medical attention is required.

### Notes to physician

Indication of immediate medical attention and special treatment needed, if

necessary

: Treat as cyanide poisoning. Symptoms of poisoning may not appear for several hours. Keep under medical supervision for at

least 48 hours.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical

Alcohol-resistant foam

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors.

Page 4 / 16

# Honeywell

### Acetonitrile

### LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as:

Hydrogen cyanide (hydrocyanic acid)

Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided.

Do not flush into surface water or sanitary sewer system.

Do not allow run-off from fire fighting to enter drains or water

courses.

Methods and materials for containment and cleaning

up

Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Page 5 / 16

# **Honeywell**

### **Acetonitrile**

# LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

### **SECTION 7. HANDLING AND STORAGE**

#### Handling

Precautions for safe

handling

: Wear personal protective equipment. Use only in well-ventilated areas.

Keep container tightly closed.

Do not smoke.

Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Advice on protection against :

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

No smoking.

### Storage

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Page 6 / 16

# Honeywell

## **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Do not wear contact lenses.

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection : Solvent-resistant gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear as appropriate:

Solvent-resistant apron

Flame retardant antistatic protective clothing.

If splashes are likely to occur, wear:

Protective suit

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : When using do not eat, drink or smoke.

Wash hands before breaks and immediately after handling the

product.

Keep working clothes separately.

Remove and wash contaminated clothing before re-use.

Do not breathe vapours or spray mist.

Avoid contact with skin, eyes and clothing.

**Exposure Guidelines** 

Components	CAS-No.	Value	Control	Upda	Basis
			parameters	te	

# Honeywell

# **Acetonitrile**

LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

		T	T 4		T
Acetonitrile	75-05-8	TWA : Time weighted average	(20 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Acetonitrile	75-05-8	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2008	ACGIH:US. ACGIH Threshold Limit Values
			_		
Acetonitrile	75-05-8	REL: Recomm ended exposure limit (REL):	34 mg/m3 (20 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
	1				T =
Acetonitrile	75-05-8	PEL: Permissi ble exposure limit	70 mg/m3 (40 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Acetonitrile	75-05-8	TWA: Time weighted average	70 mg/m3 (40 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
					T
Acetonitrile	75-05-8	STEL: Short term exposure limit	105 mg/m3 (60 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Page 8 / 16

# **Honeywell**

### **Acetonitrile**

# LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

Color : colourless

Odor : sweet ether-like

Odor threshold : Note: no data available

pH : Note: Not applicable

Melting point/range : -46 °C

Boiling point/boiling range : 82 °C at 1,013 hPa

Flash point : 43 °F (6 °C)

Method: open cup

Evaporation rate : 5

Method: Compared to Butyl acetate.

Lower explosion limit : 3 %(V)

Upper explosion limit : 16 %(V)

Vapor pressure : 97.3 hPa

at 20 °C(68 °F)

Vapor density : 1.42 Note: (Air = 1.0)

Density : 0.7822 g/cm3 at 20 °C

Water solubility : Note: completely soluble

Page 9 / 16

# Honeywell

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : 524 °C

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

Molecular weight : 41 g/mol

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

: Heat, flames and sparks. Keep away from direct sunlight.

Incompatible materials : Acids

Bases

Oxidizing agents Reducing agents

Sulfites Perchlorates

May attack many plastics, rubbers and coatings.

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as:

Hydrogen cyanide (hydrocyanic acid)

Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

Page 10 / 16

# Honeywell

### **Acetonitrile**

# LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: 617 mg/kg

Species: Mouse, male and female Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 3587 ppm, vapour

Exposure time: 4 h

Species: Mouse, male and female Method: OECD Test Guideline 403

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Exposure time: 4 h

Eye irritation : Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Sensitisation : Buehler Test

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

# Honeywell

### **Acetonitrile**

# LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

Further information : STOT - single exposure: The substance or mixture is classified

as specific target organ toxicant, single exposure, category 1. May cause convulsions. May cause neurotoxic effects. Based

on Human Evidence.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity effects**

Toxicity to fish : flow-through test

LC50: 1,640 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to algae

Acetonitrile : static test

NOEC: 400 mg/l Exposure time: 72 h

Species: Phaeodactylum tricornutum

static test

ErC50: 9,696 mg/l Exposure time: 72 h

Species: Phaeodactylum tricornutum

### Further information on ecology

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

### **SECTION 14. TRANSPORT INFORMATION**

Page 12 / 16

# Honeywell

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

DOT UN/ID No. : UN 1648

> Proper shipping name : ACETONITRILE

Class 3 Packing group Ш Hazard Labels 3

IATA UN/ID No. : UN 1648

> Description of the goods : ACETONITRILE

: 3 Class Packaging group : 11 Hazard Labels : 3 Packing instruction (cargo : 364

aircraft)

Packing instruction : 353

(passenger aircraft)

Packing instruction : Y341

(passenger aircraft)

**IMDG** UN/ID No. : UN 1648

Description of the goods : ACETONITRILE

: 3 Class Packaging group : II Hazard Labels : 3 EmS Number : F-E, S-D Marine pollutant : no

#### SECTION 15. REGULATORY INFORMATION

#### **Inventories**

US. Toxic Substances

: On TSCA Inventory

Control Act

Australia. Industrial Chemical (Notification and : On the inventory, or in compliance with the inventory

Assessment) Act

Canada. Canadian : All components of this product are on the Canadian DSL

Page 13 / 16

# Honeywell

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

**Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

### **National regulatory information**

US. EPA CERCLA

Hazardous Substances (40

CFR 302)

The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 5000 lbs

Acetonitrile 75-05-8

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313 Components** : The following components are subject to reporting levels

> established by SARA Title III, Section 313: 75-05-8

Acetonitrile

SARA 311/312 Hazards : Fire Hazard

> Acute Health Hazard Chronic Health Hazard

> > Page 14 / 16

# Honeywell

### **Acetonitrile**

## LP014-4P

Version 2.2 Revision Date 08/10/2018 Print Date 10/17/2019

CERCLA Reportable

Quantity

: 5000 lbs

California Prop. 65

**WARNING:**This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Acrylonitrile 107-13-1

Massachusetts RTK : Acetonitrile 75-05-8

New Jersey RTK : Acetonitrile 75-05-8

Pennsylvania RTK : Acetonitrile 75-05-8

### **SECTION 16. OTHER INFORMATION**

	HMIS III	NFPA
Health hazard	: 2*	2
Flammability	: 3	3
Physical Hazard	: 0	
Instability	:	0

### \* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process,

Page 15 / 16

SAFETY DATA SHEET		Honeywell		
Acetonitrile				
LP014-4P				
Version 2.2	Revision Date 08/10/2018	Print Date 10/17/2019		
the user. This information should Changes since the last version a versions.  Previous Issue Date: 11/30/2018	d not constitute a guarantee for any are highlighted in the margin. This	version replaces all previous		
Page 16 / 16				