

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
105599	N/A	Hach Company	ROWGHS	English	1

Total Enclosures: 1

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00007

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sulfamic Acid

Catalog Number: 105599

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00007

Chemical Name: Sulfamic Acid

CAS Number: 5329-14-6

Additional CAS No. (for hydrated forms): Not applicable

Chemical Formula: H₃NO₃S

Chemical Family: Inorganic Acid

Intended Use: Laboratory Use

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 Acute Toxicity: Acute Tox. 4-Orl Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Irrit. 2 Hazardous to the Aquatic Environment: Aquatic Chronic 3

GHS Label Elements:

WARNING



Hazard statements: May be corrosive to metals. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. Do no eat, drink or smoke when using this product. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Absorb spillage to prevent material damage.

HMIS:

Health: 1

Flammability: 1

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 1

Reactivity: 1

Symbol: Not applicable

WHMIS Hazard Classification: Class E - Corrosive material

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sulfamic Acid

CAS Number: 5329-14-6

Chemical Formula: H₃NO₃S

GHS Classification: Met. Corr. 1, H290; Acute Tox 4 -Orl, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 3, H412;

Percent Range (Trade Secret): > 99.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Corrosive

Hazardous Components according to GHS: No

Magnesium Sulfate

CAS Number: 7487-88-9

Chemical Formula: MgSO₄

GHS Classification: Not applicable

Percent Range (Trade Secret): < 1.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician if irritation develops.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Call physician if irritation develops.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition. Material is not classified as flammable according to GHS criteria.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Dry chemical. Water.

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: chlorine / chlorine compounds metal nitrates metal nitrites nitric acid

Hazardous Combustion Products: Toxic fumes of: ammonia nitrogen oxides. sulfur oxides.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: If permitted by regulation, Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain

with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin. Do not breathe dust. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: oxidizers alkalies chlorine/chlorinated metals. Protect from: heat moisture

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves. In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin. Do not breathe: dust. Wash thoroughly after handling. Keep away from: alkalies metals. Protect from: heat moisture

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White crystals

Physical State: Solid

Molecular Weight: 97.10

Odor: Odorless

Odor Threshold: Not applicable

pH: 1% soln = 1.18

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.814 in/yr

Aluminum: 0.212 in/yr

Specific Gravity/ Relative Density (water = 1; air = 1): 2.15

Viscosity: Not determined

Solubility:

Water: 1:2 ratio at 80 °C (176 °F)

Acid: Soluble

Other: Slightly soluble in alcohol, methanol.

Partition Coefficient (n-octanol / water): Not determined

Coefficient of Water / Oil: None reported

Melting Point: Product decomposes at 205 °C (401 °F)

Decomposition Temperature: Not determined

Boiling Point: Not applicable

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition. Material is not classified as flammable according to GHS criteria.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: chlorates metal nitrates metal nitrites nitric acid
Incompatible with: alkalis oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: ammonia nitrogen oxides sulfur oxides

Conditions to Avoid: Heating to decomposition. Excess moisture

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available

Toxicologically Synergistic Products: None reported

Acute Toxicity: Route Data Given Below Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data
ATE Oral LD50 = 1054 mg/kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Skin Rabbit = irritating

Eye Damage: Irritating to eyes.

Eye rabbit = irritating

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Data insufficient for classification
Genetic Toxicity "in vitro", Ames Test = Negative

IARC Listed: No

NTP Listed: No

O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: Harmful May cause: irritation of the mouth and esophagus gastrointestinal tract irritation

Inhalation: May cause: irritation of nose and throat

Skin Absorption: None Reported

Chronic Effects: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: 96 hr Pimephales promelas LC50 = 42.2 mg/L

No ecological data available for this product. Do not place in landfill. Recycle appropriately. Do not release into the environment. Mobility in soil: Highly mobile No bioaccumulation potential

CEPA Categorization: Persistent Not Bioaccumulative Not inherently toxic to aquatic organisms

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Otherwise, Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

Empty Containers: Working in a well-ventilated area, Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Sulphamic Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN2967

Packing Group: III

T.D.G.:

Proper Shipping Name: Sulphamic Acid

--

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 2967

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sulphamic Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN2967

Packing Group: III

I.M.O.:

Proper Shipping Name: Sulphamic Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN2967

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable
Clean Water Act (40 CFR 116.4): Not applicable
RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.
Identification of Prop. 65 Ingredient(s): Not applicable
California Perchlorate Rule CCR Title 22 Chap 33: Not applicable
Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes
CAS Number: 5329-14-6
Canadian Inventory Status: DSL Listed: Yes
EEC Inventory Status: EINECS Listed: Yes
Australian Inventory (AICS) Status: Listed
New Zealand Inventory (NZIoC) Status: Listed
Korean Inventory (KECI) Status: Listed
Japan (ENCs) Inventory Status: Listed
China (PRC) Inventory (MEP) Status: Listed

16. OTHER INFORMATION

References: Vendor Information. NIOSH Registry of Toxic Effects of Chemical Substances, 1985-86. Cincinnati: U.S. Department of Health and Human Services, April, 1987. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Outside Testing. Technical Judgment. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 04
Month: March
Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department 515 232-2533 (3350)

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.