



MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 02/05/2013

Version 1.0

SECTION 1. Identification

Product identifier

Product number 818533
Product name Dipropylene glycol monomethyl ether (mixture of isomeres) for synthesis

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821, United States of America | SDS Phone Support: +1-978-715-1335 | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)
e-mail: mm_sds@merckgroup.com

Emergency telephone 800-424-9300 CHEMTREC (USA)
+1-703-527-3887 CHEMTREC (International)
24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS-Labeling

Not a dangerous substance according to GHS.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	$(\text{CH}_3\text{O})\text{C}_3\text{H}_6\text{OC}_3\text{H}_6(\text{OH})$	$\text{C}_7\text{H}_{16}\text{O}_3$ (Hill)
CAS-No.	34590-94-8	
Molar mass	148.2 g/mol	

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

methoxypropoxy propanol (>= 90 % - <= 100 %)

34590-94-8

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

narcosis

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible material, Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapors possible in the event of fire.

Forms explosive mixtures with air on intense heating.

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>methoxypropoxy propanol 34590-94-8</i>			
ACGIH	Time Weighted Average (TWA): Skin designation:	100 ppm	Can be absorbed through the skin.
NIOSH/GUIDE	Short Term Exposure Limit (STEL):	150 ppm	
	Recommended exposure limit (REL):	100 ppm 600 mg/m ³	
	Short Term Exposure Limit (STEL):	150 ppm 900 mg/m ³	
OSHA_TRANS	Skin designation:		Can be absorbed through the skin.
	PEL:	100 ppm 600 mg/m ³	
Z1A	Skin designation:		Can be absorbed through the skin.
	Short Term Exposure Limit (STEL):	150 ppm 900 mg/m ³	
	Time Weighted Average (TWA):	100 ppm 600 mg/m ³	
	Skin designation (Final Rule Limit applies):		Can be absorbed through the skin.

Engineering measures

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	ether-like
Odor Threshold	No information available.
pH	6 - 7 at 200 g/l 68 °F (20 °C)
Melting point	< -50 °C
Pour point	-83 °C
Boiling point/boiling range	363 °F (184 °C)
Flash point	174 °F (79 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1.1 %(V)
Upper explosion limit	14 %(V)

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 818533 Version 1.0
Product name Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

Vapor pressure	0.75 hPa at 77 °F (25 °C)
Relative vapor density	5.14
Relative density	0.95 g/cm ³ at 68 °F (20 °C)
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	log Pow: -0.064 (calculated) (External MSDS) Bioaccumulation is not expected (log Pow <1).
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	3.57 mPa.s at 77 °F (25 °C)
Explosive properties	No information available.
Ignition temperature	401 °F (205 °C) DIN 51794

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

Chemical stability

Reacts with air to form peroxides.

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid

Strong heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials

no information available

Hazardous decomposition products

no information available

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

Target Organs

Eyes

Respiratory system

Central nervous system

Acute oral toxicity

LD50 rat: 5,135 mg/kg (RTECS)

Acute inhalation toxicity

LC50 rat: 55 - 60 mg/l; 4 h (External MSDS)

Acute dermal toxicity

LD50 rabbit: 9,500 mg/kg

(IUCLID)

absorption

Skin irritation

rabbit

Result: No irritation

(IUCLID)

Eye irritation

rabbit

Result: slight irritation

(IUCLID)

Sensitization

Patch test: human

Result: negative

(IUCLID)

Genotoxicity in vitro

Ames test

Ames test

Result: negative

(IUCLID)

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

OSHA	human carcinogen by IARC. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

After absorption of large quantities:

narcosis

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): > 10,000 mg/l; 96 h (External MSDS)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 1,919 mg/l; 48 h

(Hommel)

Toxicity to bacteria

EC10 Pseudomonas putida: 4,168 mg/l; 18 h (IUCLID)

EC20 activated sludge: > 1,000 mg/l

OECD Test Guideline 209

Persistence and degradability

Biodegradability

93 %; 13 d

OECD Test Guideline 301E

Readily biodegradable.

Biochemical Oxygen Demand (BOD)

650 mg/g (20 d)

(External MSDS)

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0.064

(calculated)

(External MSDS) Bioaccumulation is not expected (log Pow <1).

Mobility in soil

No information available.

Other adverse effects

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

Additional ecological information

Biological effects:

Toxicity to bacteria

Further information on ecology

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

Not classified as dangerous in the meaning of transport regulations.

Air transport (IATA)

Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Combustible Liquid

Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard

Chronic Health Hazard

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

MATERIAL SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number

818533

Version 1.0

Product name

Dipropylene glycol monomethyl ether (mixture of isomers) for synthesis

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

Massachusetts Right To Know

Ingredients

methoxypropoxy propanol

Pennsylvania Right To Know

Ingredients

methoxypropoxy propanol

New Jersey Right To Know

Ingredients

methoxypropoxy propanol

Notification status

TSCA: On TSCA Inventory

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Date of issue:02/05/2013

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.
