

Part of Thermo Fisher Scientifi

The world leader in serving science

Material Safety Data Sheet

Protein G UltraLink® Resin

1. Product and company identification

: Protein G UltraLink® Resin **Product name**

: Thermo Fisher Scientific Supplier Pierce Biotechnology

P.O. Box 117 Rockford, IL 61105 **United States** 815.968.0747 or 800.874.3723

OUTSIDE US:

703.527.3887

Pierce Biotechnology P.O. Box 117 Rockford, IL 61105 United States 815.968.0747 or 800.874.3723

: Thermo Fisher Scientific

Code : 0053125 0053126 0053127 1900174

MSDS# : 3078 Validation date : 7/18/2011. **Print date** : 7/18/2011. Responsible name : MSDS Specialist

: CHEMTREC: In case of emergency 800.424.9300 **Material uses**

Manufacturer

Refer to the instruction booklet for proper and intended use. Otherwise, contact supplier for specific applications.

1/

Product type : Liquid.

2. Hazards identification

Emergency overview

Physical state : Liquid. [Suspension.] Color : White. Off-white. : WARNING! Signal word

Hazard statements : CAUSES RESPIRATORY TRACT AND EYE IRRITATION.

Precautionary measures : Avoid breathing vapor or mist. Use only with adequate ventilation. Avoid contact with eyes. Keep container tightly closed. Wash thoroughly after handling.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

: Dermal contact. Eye contact. Inhalation. Ingestion. Routes of entry

Potential acute health effects

Inhalation : Severely irritating to the respiratory system. Ingestion : No known significant effects or critical hazards. Skin : No known significant effects or critical hazards.

: Severely irritating to eyes. Risk of serious damage to eyes Eves

Potential chronic health effects

Chronic effects : No known significant effects or critical hazards.

7/18/2011.

Rockford, IL (815) 968-0747 www.thermo.com (815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G Ultral ink® Resin

2. Hazards identification

Carcinogenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. Teratogenicity **Developmental effects** : No known significant effects or critical hazards. Fertility effects : No known significant effects or critical hazards.

: Contains material which does not cause damage to the following organs: central nervous Target organs

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : No specific data. Skin : No specific data.

Eyes : Adverse symptoms may include the following:

pain or irritation watering redness : None known.

Medical conditions aggravated by over-

exposure

See toxicological information (Section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
Azlactone Acrylamide Copolymer	-	45 - 65

7/18/2011.

Canada		
Name	CAS number	%
Azlactone Acrylamide Copolymer	-	45 - 65

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Eye contact : Check for and remove any contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical

attention immediately.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention immediately.

Inhalation : Move exposed person to fresh air. If not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

immediately.

Ingestion : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person. Get medical

2/

attention immediately.

Life Science Research Rockford, IL (815) 968-0747 www.thermo.com

(815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G Ultral ink® Resin

4. First aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product : In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable : Use an extinguishing agent suitable for the surrounding fire.

Not suitable Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Hazardous thermal

: No specific data.

decomposition products

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Pierce Biotechnology Inc.

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8)

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7/18/2011. 3/

61105

3747 N. Meridian Road

Rockford, IL (815) 968-0747

(815) 968-7316 Fax

www.thermo.com

Protein G UltraLink® Resin

7. Handling and storage

Handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container

Storage

: Store between the following temperatures: 2 to 8°C (35.6 to 46.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Canada

Occupational exposure limits

No exposure limit value known.

Consult local authorities for acceptable exposure limits.

procedures

Recommended monitoring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location

Personal protection

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

Eves

7/18/2011.

: Safety evewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure the comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Life Science Research

Rockford, IL (815) 968-0747 www.thermo.com (815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G Ultral ink® Resin

8. Exposure controls/personal protection

9. Physical and chemical properties

Physical state : Liquid. [Suspension.] Color : White. Off-white.

Dispersibility properties : Partially dispersible in the following materials: cold water and hot water.

Solubility : Insoluble in the following materials: cold water and hot water.

10. Stability and reactivity

Chemical stability : The product is stable Conditions to avoid : No specific data. Incompatible materials : No specific data.

: Under normal conditions of storage and use, hazardous decomposition products should Hazardous decomposition products

not be produced.

Possibility of hazardous : Under normal conditions of storage and use, hazardous reactions will not occur.

reactions

11. Toxicological information

Acute toxicity

Conclusion/Summary : To the best of our knowledge, the toxicological properties of this product have not been

thoroughly investigated.

Chronic toxicity

: Not available. Conclusion/Summary

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitizer

Conclusion/Summary : Not available

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Canada

Acute toxicity

Conclusion/Summary : To the best of our knowledge, the toxicological properties of this product have not been

thoroughly investigated

Chronic toxicity

Conclusion/Summary : Not available.

Irritation/Corrosion

Conclusion/Summary : Not available

Sensitizer

7/18/2011.

Rockford, IL (815) 968-0747

www.thermo.com (815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G UltraLink® Resin

11. Toxicological information

Conclusion/Summary

: Not available

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available

Teratogenicity

Conclusion/Summary : Not available

Reproductive toxicity

Conclusion/Summary : Not available.

12. Ecological information

Ecotoxicity : No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

Conclusion/Summary : Not available

Persistence/degradability

Conclusion/Summary : Not available

Canada

5/

Aquatic ecotoxicity

Conclusion/Summary : Not available

Persistence/degradability

Conclusion/Summary : Not available

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

for additional handling information and protection of employees.

7/18/2011.

Life Science Research Rockford, IL (815) 968-0747 www.thermo.com (815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G Ultral ink® Resin

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*
DOT Classification	Not regulated.	-	-	-
IATA-DGR Class	Not regulated.	-	-	-

PG* : Packing group

15. Regulatory information

HCS Classification : Irritating material

U.S. Federal regulations

: TSCA 8(a) PAIR: Glycols, polyethylene, mono(p-(1,1,3,3-tetramethylbutyl)phenyl) ether;

Glycols, polyethylene, mono(p-(1,1,3,3-tetramethylbutyl)phenyl) ether

TSCA 8(a) IUR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No

products were found.

: Not listed

Clean Water Act (CWA) 311: disodium hydrogenorthophosphate

Clean Air Act Section 112(b) Hazardous Air

Pollutants (HAPs)

Clean Air Act Section 602 : Not listed

Class I Substances

Clean Air Act Section 602 : Not listed

Class II Substances

DEA List I Chemicals : Not listed

(Precursor Chemicals)

DEA List II Chemicals

(Essential Chemicals)

State regulations

Massachusetts : None of the components are listed. New York : None of the components are listed. **New Jersey** : None of the components are listed. Pennsylvania : None of the components are listed.

: Not listed

California Prop. 65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer. WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	 Maximum acceptable dosage
			level

7/18/2011.

Rockford, IL (815) 968-0747 www.thermo.com 3747 N. Meridian Road (815) 968-7316 Fax Pierce Biotechnology Inc. 61105

7/

Protein G UltraLink® Resin

15. Regulatory information

1,4-Dioxane	Yes.	No.	30 µg/day (ingestion)	No.
			30 μg/day	
			(inhalation)	
Ethylene oxide	Yes.	Yes.	2 μg/day (ingestion)	20 µg/day (ingestion)
				20 μg/day
				(inhalation)

United States inventory

: Not determined.

(TSCA 8b) Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

Canadian NPRI : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

Canada inventory : Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

International lists : Australia inventory (AICS): Not determined.

China inventory (IECSC): Not determined. Japan inventory: Not determined. Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

16. Other information

Label requirements : CAUSES RESPIRATORY TRACT AND EYE IRRITATION.

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Date of printing : 7/18/2011. Date of issue : 7/18/2011.

Date of previous issue : No previous validation.

Version

7/18/2011.

Prepared by : MSDS Specialist

Rockford, IL (815) 968-0747 www.thermo.com Life Science Research

(815) 968-7316 Fax Pierce Biotechnology Inc. 3747 N. Meridian Road 61105

Protein G UltraLink® Resin

16. Other information

▼Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

7/18/2011. 9/:

Rockford, IL (815) 968-0747 www.thermo.com (815) 968-7316 Fax

PO Box 117 3747 N. Meridian Road

Pierce Biotechnology Inc.