

Revision Date: 12.11.2020

SAFETY DATA SHEET

1. Identification

Product identifier: Cyclohexane

Other means of identification

Product No.: 4878, 9206, 9258, 9292, V552, 11219, 29713, 29744, IMB9438

Recommended use and restriction on use

Recommended use: For Laboratory, Research or Manufacturing Use.

Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200

Radnor, PA 19087

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: Product Information Compliance E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard identification

Hazard Classification

Physical Hazards

Flammable liquids Category 2
Static-accumulating flammable liquid Category 1

Health Hazards

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2B
Specific Target Organ Toxicity - Category 3¹

Single Exposure

Aspiration Hazard Category 1

Target Organs

1.Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 1

environment

Unknown toxicity - Environment



Revision Date: 12.11.2020

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

100 %

0 %

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Highly flammable liquid and vapor.

Static accumulating flammable liquid can become electrostatically charged

even in bonded and grounded equipment.

Sparks may ignite liquid and vapor. May cause flash fire or explosion. Causes skin and eye irritation. May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

[electrical/ventilating/lighting] equipment. Use non-sparking tools. Take

action to prevent static discharges. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/eye protection/face protection. These alone may be

insufficient to remove static electricity.

Response: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT

induce vomiting. IF ON SKIN (or hair): Take off immediately all

contaminated clothing and wash it before reuse. Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. In case of fire: Use water spray, foam, dry powder or

carbon dioxide for extinction. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked

up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.



Revision Date: 12.11.2020

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged

even in bonded and grounded equipment.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	Content in percent (%)*
Cyclohexane		110-82-7	99,00 - 100,00%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do NOT induce

vomiting.

Inhalation: Move to fresh air. Get medical attention if symptoms persist.

Skin Contact: Wash with soap and water. If skin irritation occurs: Get medical

advice/attention. Take off immediately all contaminated clothing. Wash

contaminated clothing before reuse.

Eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin. Narcotic effect.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed. Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: Flammable liquid and vapor.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from

the chemical:

Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations. Heat may cause the

containers to explode.



Revision Date: 12.11.2020

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unauthorized personnel away. Keep upwind. Use personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. See Section 8 of the SDS for Personal Protective Equipment.

Methods and material for containment and cleaning up:

In case of leakage, eliminate all ignition sources. Take precautionary measures against static discharges. Stop leak if possible without any risk. Use non-sparking tools. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Prevent entry into waterways, sewer, basements or confined areas. Stop leak if you can do so without risk. Inform authorities if large amounts are involved.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take precautionary measures against static discharges. Ground and bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Keep away from food, drink and animal feeding stuffs. Keep container tightly closed in a cool, well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
-------------------	------	-----------------------	--------



Revision Date: 12.11.2020

Cyclohexane	TWA	100 ppm 344 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Cyclohexane	TWA	100 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Cyclohexane	TWA	100 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Cyclohexane	TWA	100 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Cyclohexane	8 HR ACL	100 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	150 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Cyclohexane	TWA	300 ppm 1.030 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Cyclohexane	TWA	100 ppm	US. ACGIH Threshold Limit Values (2011)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls

to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Provide eyewash station and safety shower.

9. Physical and chemical properties

Appearance

Physical state:LiquidForm:LiquidColor:Colorless

Odor: Strong petroleum/solvent

Odor threshold: No data available. pH: No data available.

Melting point/freezing point: $6,47 \, ^{\circ}\text{C}$ Initial boiling point and boiling range: $80,7 \, ^{\circ}\text{C}$

Flash Point: -18 °C (Closed Cup)

Evaporation rate: 2,6 (ether=1)

Flammability (solid, gas): Class IB Flammable Liquid



Revision Date: 12.11.2020

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 8,4 %(V)
Flammability limit - lower (%): 1,3 %(V)

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure: 12,92 kPa (25 °C) 103 hPa (20 °C)

 Vapor density:
 2,98 (Air=1)

 Density:
 0,78 g/ml (20 °C)

 Relative density:
 0,7781 (20 °C)

Solubility(ies)

Solubility in water: 0,055 g/l (25 °C)
Solubility (other): ethanol: Miscible ether: Miscible acetone: Miscible

benzene: Miscible

Partition coefficient (n-octanol/water): 3,44 Auto-ignition temperature: 260 °C

Decomposition temperature:No data available. **Viscosity:**No data available.

Other information

Minimum ignition energy: 0,22 mJ

Molecular weight: 84,18 g/mol (C6H12)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition

Products:

Thermal decomposition may release oxides of carbon.

11. Toxicological information

Information on likely routes of exposure

Inhalation: May cause irritation to the respiratory system. May cause drowsiness or

dizziness.

Skin Contact: Causes skin irritation.

Eye contact: Causes eye irritation.

Ingestion: May be harmful if swallowed.



Revision Date: 12.11.2020

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 29.820 mg/kg

Dermal

Product: LD 50 (Rabbit): > 2.000 mg/kg

Inhalation

Product: LC 50 (Rat): > 5540 ppm

LC 50 (Rat): > 32.880 mg/m3

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes skin irritation.

Serious Eye Damage/Eye Irritation

Product: Causes eye irritation.

Respiratory or Skin Sensitization

Product: Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH Carcinogen List:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: Inhalation - vapor: Narcotic effect., Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: May be fatal if swallowed and enters airways.



Revision Date: 12.11.2020

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Cyclohexane LC 50 (Bluegill (Lepomis macrochirus), 96 h): 24,99 - 44,69 mg/l

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 3,961 - 5,181 mg/l

Aquatic Invertebrates

Product: EC 50 (Daphnia magna, 48 h): 0,9 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: There are no data on the degradability of this product.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

Product: Log Kow: 3,44

Mobility in soil: The product is insoluble in water and will spread on the water surface.

Other adverse effects: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.



Revision Date: 12.11.2020

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

TDG

UN Number: UN 1145

UN Proper Shipping Name: CYCLOHEXANE

Transport Hazard Class(es)

Class: 3
Label(s): 3
Packing Group: II
Marine Pollutant: Yes

Special precautions for user: Not determined.

IMDG

UN Number: UN 1145

UN Proper Shipping Name: CYCLOHEXANE

Transport Hazard Class(es)

 Class:
 3

 Label(s):
 3

 EmS No.:
 F-E, S-D

Packing Group: II
Marine Pollutant: Yes

Special precautions for user: Marine pollutants packaged in single or combination packagings

containing a net quantity per single or inner packaging of 5 L or less for liquids are not subject to any other provisions of the IMDG Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. In case of marine pollutants also meeting criteria for inclusion in another hazard class, all provisions of this Code relevant to any

additional hazards continue to apply.

IATA

UN Number: UN 1145 UN Proper Shipping Name: Cyclohexane

Transport Hazard Class(es):

Class: 3
Label(s): 3
Packing Group: II
Marine Pollutant: Yes

Special precautions for user: Marine pollutants when transported in single or combination

packagings containing a net quantity per single or inner packaging of 5 L or less for liquids are not subject to any other provisions of the IATA regulations relevant to marine pollutants provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1

and 5.0.2.8.

Cargo aircraft only: Allowed.

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable

15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1)

Not Regulated

Export Control List (CEPA 1999, Schedule 3)

Not Regulated



Revision Date: 12.11.2020

National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Not Regulated

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI Cyclohexane

Greenhouse Gases

Not Regulated

Controlled Drugs and Substances Act

CA CDSI Not Regulated

CA CDSII Not Regulated

CA CDSIII Not Regulated

CA CDSIV Not Regulated

CA CDSV Not Regulated

CA CDSVII Not Regulated

CA CDSVIII Not Regulated

Precursor Control Regulations

Not Regulated

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable



Revision Date: 12.11.2020

Inventory Status:

Australia AICS: Canada DSL Inventory List:

China Inv. Existing Chemical Substances:

Japan (ENCS) List: Japan ISHL Listing:

Korea Existing Chemicals Inv. (KECI):

Mexico INSQ:

New Zealand Inventory of Chemicals:

Philippines PICCS:

Taiwan Chemical Substance Inventory:

US TSCA Inventory: EINECS, ELINCS or NLP: On or in compliance with the inventory On or in compliance with the inventory

16. Other information

Revision Date: 12.11.2020

Version #: 2.0

Source of information: Sources of information used in preparing this SDS included one or more of

the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other

manufacturer's SDSs and other sources, as appropriate.

Further Information: No data available.

Disclaimer: The information provided in this Safety Data Sheet (SDS) was prepared

based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE

MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT,

PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS

LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER

AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.