

Sodium Acetate, Anhydrous
U.S.P. - F.C.C.



Material No.: 3473-R
Revision No.: 0

Product Specification

Meets U.S.P Requirements, Meets F.C.C. Requirements, GMP Manufactured Product

Test	Specification
USP - Assay (CH ₃ COONa) (dried basis)	99.0 - 101.0 %
USP - Calcium and Magnesium	Passes Test
USP - Chloride (Cl)	≤ 0.035 %
USP - Identification	Passes Test
USP - Insoluble Matter	≤ 0.05 %
USP - Loss on Drying at 120°C	≤ 1.0 %
USP - pH of 3% Solution at 25°C	7.5 - 9.2
USP - Potassium	Passes Test
USP - Residual Acetic Acid, For Information Only	
USP - Sulfate (SO ₄)	≤ 0.005 %
FCC - Assay (CH ₃ COONa) (dried basis)	99.0 - 101.0 %
FCC - Alkalinity	≤ 0.2 %
FCC - Identification	Passes Test
FCC - Lead (Pb)	≤ 2 mg/kg
FCC - Loss on Drying at 120°C	≤ 1.0 %
FCC - Potassium Compounds	Passes Test

For questions on this Product Specification please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700

Sodium Acetate, Anhydrous
U.S.P. - F.C.C.



Material No.: 3473-R

Test	Specification
------	---------------

GMP Manufactured Product
Food GMP Manufactured Product
Bulk Food Chemical
Bulk Pharmaceutical Chemical
CAUTION: For Manufacturing, processing or repackaging
The Class 3 solvent, acetic acid, is used to produce this product. Residual concentration is controlled to <0.5%.
Elemental Impurities (USP 232, EP 5.20) - Information on elemental impurities for this product is available on the associated Product Regulatory Data Sheet and elemental impurity profile report.

Packaging Site: Phillipsburg Mfg Ctr & DC


Jamie Ethier
Vice President Global Quality

For questions on this Product Specification please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials, LLC
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700