

Your lab. On the move. Spectroquant® Move 100 mobile colorimeter



Results. On the move.

Spectroquant® Move 100

Accurate analysis – anywhere

The Spectroquant® Move 100 is all you need for rapid, reliable water analysis when working on site. That's because this small, portable colorimeter covers every important parameter of drinking and waste water analysis in one instrument. With a choice of over 100 pre-programmed and 35 user-defined methods, you will always have the most suitable test for accurate results – on the spot. This means no delays, no risk of sample deterioration, and no need for additional instruments.

Always working

The Spectroquant® Move 100 is specially crafted to withstand the demands of on-site water analysis. The casing is dust tight and water-proof acc. to IP 68 classification. The design of this easy-to-handle colorimeter also excludes any moving parts, thus adding to the instrument's robustness.

Secure results

Developed for use with EMD Millipore's high-quality Spectroquant® test kits, the Spectroquant® Move 100 guarantees rapid and reliable results. Thanks to our enhanced Quality Certificate documentation for the test kits, and Spectroquant® Verification Standard, this complete package greatly simplifies Analytical Quality Assurance (AQA).

Support. On the move.

Spectroquant® Data Transfer: Store and print results

Using modern infrared technology, Spectroquant® Data Transfer allows you to easily and quickly transmit or print your measurement data from the Spectroquant® Move 100 Colorimeter.

The package includes data transfer software, which is compatible with Windows XP, Windows Vista and Windows 7. Measurements may be saved on your PC as a .xls or .txt file.

Alternatively, the data can be printed out using a USB printer¹ or a printer with a serial plug-in² connected to the Spectroquant® Data Transfer.

¹ with printer language HPPCL, version 5 and below

² any ASCII printer



Quality. On the move.

Spectroquant® Move 100

Advantages:

- **Convenient:** Easily analyze drinking and waste water with one instrument that's pre-programmed for over 100 parameters
- **Comprehensive:** Always obtain accurate results using a wide choice of measuring ranges to suit your needs
- **Robust:** Useable even in wet or dusty environment thanks to IP 68 classification
- **Reliable:** Secure your results using simplified Analytical Quality Assurance and enhanced documentation



Move up to performance.

Technical specifications

| | |
|------------------------|---|
| Display | Backlit graphic-display |
| Interfaces | IR interface for data transfer RJ45 connector for internet updates |
| Optics | LED, interference filter, photosensor, transparent measurement chamber Wavelengths: 430, 530, 560, 580, 610 and 660 nm |
| Wavelength accuracy | ± 1 nm |
| Photometric accuracy | 1.000 Abs ± 0.020 Abs 2.600 Abs ± 0.052 Abs (± 2 % FS) (measured with standard solutions – T = 20 – 25°C) |
| Photometric resolution | 0.005 A |
| Operation | Acid and solvent resistant tactile film keyboard |
| Power supply | 4 batteries (Type AA/LR 6); lifetime: approx. 26 hours continuous use or 3,500 tests |
| Weight | approx. 450 g |
| Dimensions | approx. 210 x 95 x 45 mm (instrument) approx. 395 x 295 x 106 mm (case) |
| IP classification | Dust and waterproof acc. to IP 68 |
| Storage capacity | approx. 1,000 data sets |

Ordering information

| Product | Content | VWR Cat. No. |
|---|--|----------------|
| Spectroquant® Move 100 Colorimeter | Instrument in light carrying case, 4 batteries, 3 round vials each 24 and 16 mm ø, 1 adapter for 16 mm vials, screw driver, guarantee certificate, certificate of compliance, instruction manual | EM1.73632.0001 |
| Spectroquant® Data Transfer | Instrument, USB cable, 4 batteries, screwdriver, CD-ROM, operating instructions, guarantee certificate | EM1.73633.0001 |
| Spectroquant® Verification Standard | 6 sealed cells containing stable, colored solutions for measuring the absorbance at 430 nm, 530 nm, 560 nm, 580 nm, 610 nm and 660 nm plus 1 sealed blank cell, quality certificate, user instructions | EM1.19302.0001 |
| Update cable for Spectroquant® Move 100 Colorimeter | This cable enables to update the latest Software on Spectroquant® Move 100 | EM1.73634.0001 |



www.vwr.com/emdmillipore

EMD Millipore and the M logo are registered trademarks of Merck KGaA, Darmstadt, Germany.
© 2015 Merck KGaA, Darmstadt, Germany. All rights reserved.



Prices and product details are current when published; subject to change without notice. | Certain products may be limited by federal, state, provincial, or local regulations. | VWR makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC. All prices are in US dollars unless otherwise noted. Offers valid in US, void where prohibited by law or company policy, while supplies last. | VWR, the VWR logo and variations on the foregoing are registered (®) or unregistered trademarks and service marks, of VWR International, LLC and its related companies. All other marks referenced are registered by their respective owner(s). | Visit vwr.com to view our privacy policy, trademark owners and additional disclaimers. ©2016 VWR International, LLC. All rights reserved.

0916 Lit. No. 051804W

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose. Spectroquant® is a trademark of Merck KGaA, Darmstadt, Germany.