



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/27/2015

Version 1.2

SECTION 1. Identification

Product identifier

Catalog No. 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,
United States of America | General Inquiries: +1-978-715-4321 |
Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)
+1-703-527-3887 CHEMTREC (International)
24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290
Skin corrosion, Category 1A, H314
Serious eye damage, Category 1, H318
For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

Precautionary Statements

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P321 Specific treatment (see supplemental first aid instructions on this label).
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in corrosive resistant stainless steel container with a resistant liner.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of acids.

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

sulphuric acid (>= 30 % - < 50 %)

7664-93-9

phosphoric acid (>= 30 % - < 50 %)

7664-38-2

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice

First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhea
Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

Sulfur oxides, Oxides of phosphorus

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7 and 10).
Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595).
Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>sulphuric acid (7664-93-9)</i>			
ACGIH	Time Weighted Average (TWA):	0.2 mg/m ³	Form of exposure: Thoracic fraction.
NIOSH/GUIDE	Recommended exposure limit (REL):	1 mg/m ³	
OSHA_TRANS	PEL:	1 mg/m ³	
Z1A	Time Weighted Average (TWA):	1 mg/m ³	
<i>phosphoric acid (7664-38-2)</i>			
ACGIH	Time Weighted Average (TWA):	1 mg/m ³	
	Short Term Exposure Limit (STEL):	3 mg/m ³	
NIOSH/GUIDE	Recommended exposure limit (REL):	1 mg/m ³	
	Short Term Exposure Limit (STEL):	3 mg/m ³	
OSHA_TRANS	PEL:	1 mg/m ³	
Z1A	Short Term Exposure Limit (STEL):	3 mg/m ³	
	Time Weighted Average (TWA):	1 mg/m ³	

Engineering measures

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Acid-resistant protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
pH	at 68 °F (20 °C) strongly acid
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	109713	Version1.2
Product name	Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO ₃ -N 0.4 - 110.7 mg/l NO ₃ ⁻ Spectroquant® NO ₃ -1	

Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	ca.1.73 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 77 °F (25 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	No information available.
Corrosion	May be corrosive to metals.

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

Conditions to avoid

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

no information available

Incompatible materials

animal/vegetable tissues, Metals
Gives off hydrogen by reaction with metals.

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

teeth

Mucous membranes

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

Group 1: Carcinogenic to humans

sulphuric acid 7664-93-9

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known carcinogen.

sulphuric acid 7664-93-9

ACGIH

A2: Suspected human carcinogen

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

sulphuric acid

7664-93-9

Further information

After inhalation of vapors/aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting, and diarrhea. After a latency period of several weeks possibly pyloric stenosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

sulphuric acid

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

phosphoric acid

Acute dermal toxicity

LD50 Rabbit: 2,740 mg/kg (IUCLID)

Skin irritation

Rabbit

Result: Causes burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Sensitization

Patch test: human

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

Mobility in soil

No information available.

Additional ecological information

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Endangers drinking-water supplies if allowed to enter soil or water. Neutralization possible in waste water treatment plants. Does not cause biological oxygen deficit. Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies. Discharge into the environment must be avoided.

Ingredients

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h
OECD Test Guideline 202

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

phosphoric acid

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 138 mg/l; 96 h (External MSDS)

Toxicity to bacteria

EC50 activated sludge: 270 mg/l(IUCLID)

Biodegradability

Does not cause biological oxygen deficit.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --

Air transport (IATA)

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

UN number UN 3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --
Special precautions for user no

Sea transport (IMDG)

UN number UN 3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --
Special precautions for user yes
EmS F-A S-B

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

sulphuric acid

7664-93-9

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-1

Version1.2

SARA 302

The following components are subject to reporting levels established by SARA Title III, Section 302:

Ingredients

sulphuric acid 7664-93-9

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients

sulphuric acid
phosphoric acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

sulphuric acid
phosphoric acid

DEA List I

Not listed

DEA List II

Listed

Ingredients

sulphuric acid 7664-93-9

US State Regulations

Massachusetts Right To Know

Ingredients

sulphuric acid
phosphoric acid

Pennsylvania Right To Know

Ingredients

sulphuric acid
phosphoric acid

New Jersey Right To Know

Ingredients

sulphuric acid
phosphoric acid

California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

Ingredients

sulphuric acid

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	109713	Version1.2
Product name	Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO ₃ -N 0.4 - 110.7 mg/l NO ₃ ⁻ Spectroquant® NO ₃ -1	

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.
KOREA:	Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	109713	Version1.2
Product name	Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO ₃ -N 0.4 - 110.7 mg/l NO ₃ ⁻ Spectroquant® NO ₃ -1	

Revision Date 01/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.



SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/27/2015

Version 1.2

SECTION 1. Identification

Product identifier

Catalog No. 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,
United States of America | General Inquiries: +1-978-715-4321 |
Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)
+1-703-527-3887 CHEMTREC (International)
24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 3, H226
Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Warning

Hazard Statements

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous propanolic solution.

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

2-Propanol (>= 10 % - < 30 %)

67-63-0

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Most important symptoms and effects, both acute and delayed

irritant effects, respiratory paralysis, Drowsiness, Dizziness, Unconsciousness, narcosis, inebriation, Headache, drowsiness, Coma
Drying-out effect resulting in rough and chapped skin.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at elevated temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at +15°C to +25°C (+59°F to +77°F).

The data applies to the entire pack.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
<i>2-Propanol (67-63-0)</i>			
ACGIH	Time Weighted Average (TWA):	200 ppm	
	Short Term Exposure Limit (STEL):	400 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	400 ppm	
		980 mg/m ³	
	Short Term Exposure Limit (STEL):	500 ppm	
		1,225 mg/m ³	
OSHA_TRANS	PEL:	400 ppm	
		980 mg/m ³	
Z1A	Short Term Exposure Limit (STEL):	500 ppm	
		1,225 mg/m ³	
	Time Weighted Average (TWA):	400 ppm	
		980 mg/m ³	

Engineering measures

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended.
Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	light yellow
Odor	of solvents
Odor Threshold	No information available.
pH	5.0 - 5.5 at 77 °F (25 °C) (undiluted)
Melting point	No information available.
Boiling point	No information available.
Flash point	84 °F (29 °C) Method: DIN 51755 Part 1
Evaporation rate	No information available.
Flammability (solid, gas)	Not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	109713	Version1.2
Product name	Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO ₃ -N 0.4 - 110.7 mg/l NO ₃ ⁻ Spectroquant® NO ₃ -2	

Relative vapor density	No information available.
Density	0.97 g/cm ³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

SECTION 10. Stability and reactivity

Reactivity

Vapor/air-mixtures are explosive at intense warming.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of ignition or formation of flammable gases or vapors with:

Alkali metals, Alkaline earth metals, Aluminum

Exothermic reaction with:

Oxidizing agents, Nitric acid, Aldehydes, Amines, fuming sulfuric acid, Iron

Risk of explosion with:

chlorates, Phosgene, organic nitro compounds, hydrogen peroxide, nitrogen oxides

Conditions to avoid

Heating.

Incompatible materials

rubber, various plastics

Hazardous decomposition products

no information available

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

Acute oral toxicity

Acute toxicity estimate: > 2,000 mg/kg

Calculation method

Acute toxicity estimate: > 2,000 mg/kg

Calculation method

Acute inhalation toxicity

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

Acute dermal toxicity

Acute toxicity estimate : > 2,000 mg/kg

Calculation method

Skin irritation

slight irritation

Drying-out effect resulting in rough and chapped skin.

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

NTP carcinogen by OSHA.
No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information

Systemic effects:

After absorption:

Headache, Dizziness, inebriation, Unconsciousness, narcosis

After uptake of large quantities:

respiratory paralysis, Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

2-Propanol

Acute oral toxicity

LDLO human: 3,570 mg/kg (RTECS)

LD50 Rat: 5,045 mg/kg (RTECS)

Acute dermal toxicity

LD50 Rabbit: 12,800 mg/kg (RTECS)

Eye irritation

Rabbit

Result: Eye irritation
(RTECS)

Sensitization

Sensitization test: Guinea pig

Result: negative
(IUCLID)

Germ cell mutagenicity

Genotoxicity in vivo

In vivo micronucleus test

Result: negative
(IUCLID)

Genotoxicity in vitro

Ames test

Result: negative
(IUCLID)

Carcinogenicity

Did not show carcinogenic effects in animal experiments. (IUCLID)

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Reproductive toxicity

No impairment of reproductive performance in animal experiments. (IUCLID)

Teratogenicity

Did not show teratogenic effects in animal experiments. (IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

Ingredients

2-Propanol

Toxicity to fish

LC50 *Lepomis macrochirus* (Bluegill sunfish): 1,400 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC5 *E.sulcatum*: 4,930 mg/l; 72 h (maximum permissible toxic concentration) (Lit.)

EC50 *Daphnia magna* (Water flea): 13,299 mg/l; 48 h (IUCLID)

Toxicity to algae

IC50 *Desmodesmus subspicatus* (green algae): > 1,000 mg/l; 72 h (IUCLID)

Toxicity to bacteria

EC5 *Pseudomonas putida*: 1,050 mg/l; 16 h (Lit.)

Biodegradability

95 %; 21 d

OECD Test Guideline 301E

Readily biodegradable.

Theoretical oxygen demand (ThOD)

2,400 mg/g

(Lit.)

Ratio BOD/ThBOD

BOD5 49 %

(IUCLID)

Ratio COD/ThBOD

96 %

(Lit.)

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --
Special precautions for user no

Sea transport (IMDG)

UN number UN 3264
Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Class 8
Packing group II
Environmentally hazardous --
Special precautions for user yes
EmS F-A S-B

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number	109713	Version1.2
Product name	Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO ₃ -N 0.4 - 110.7 mg/l NO ₃ ⁻ Spectroquant® NO ₃ -2	

Ingredients

2-Propanol 67-63-0

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients

Xylenol
pentyl acetate

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

Xylenol
pentyl acetate

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

2-Propanol

Pennsylvania Right To Know

Ingredients

2-Propanol

New Jersey Right To Know

Ingredients

2-Propanol

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

SECTION 16. Other information

SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 109713
Product name Nitrate Test Method: photometric, DMP 0.10 - 25.0 mg/l NO₃-N
0.4 - 110.7 mg/l NO₃⁻ Spectroquant®
NO₃-2

Version1.2

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word

Warning

Hazard Statements

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.

Precautionary Statements

Prevention

P210 Keep away from heat.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.