

# SAFETY DATA SHEET

Creation Date 15-Apr-2014 Revision Date 15-Apr-2014 Revision Number 1

### 1. Identification

Product Name Eosin-Y Alcoholic

Cat No.: 71204, 71211, 71225, V71211, V71204, V71225

Synonyms Eosin-Y Alcoholic

Recommended Use Laboratory chemicals

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

4481 Campus Drive Kalamazoo, MI 49008 Tel: (800) 522-7270 **Emergency Telephone Number** 

Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 1
Specific target organ toxicity (single exposure) Category 1

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure)

Target Organs - Kidney, Liver, Blood.

Category 2

### **Label Elements**

### Signal Word

Danger

#### **Hazard Statements**

Extremely flammable liquid and vapor May cause drowsiness or dizziness Causes damage to organs May cause damage to organs through prolonged or repeated exposure



\_\_\_\_\_

### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

### Response

IF exposed: Call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

### Other hazards

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

# 3. Composition / information on ingredients

#### Haz/Non-haz

Component	CAS-No	Weight %
Ethyl alcohol	64-17-5	52 - 55
Water	7732-18-5	37 - 40
Isopropyl alcohol	67-63-0	2-4
Methyl alcohol	67-56-1	2-4
Acetic acid	64-19-7	< 1
Acid red 87	17372-87-1	< 1.0

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention

is required.

\_\_\_\_\_

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Call a physician or Poison Control Center immediately.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Notes to Physician Treat symptomatically.

### 5. Fire-fighting measures

Suitable Extinguishing Media CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire

with water spray.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point 22°C / 71.6°F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available.

UpperNo data availableLowerNo data available

Sensitivity to Mechanical

**Impact** 

No information available

Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors or dust may form explosive mixture with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), formaldehyde.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

HealthFlammabilityInstabilityPhysical hazards340N/A

### 6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Remove all sources of

ignition. Evacuate personnel to safe areas. Take precautionary measures against static

discharges. Do not get in eyes, on skin, or on clothing.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

Information.

Methods for Containment and Clean

Up

Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal.

### 7. Handling and storage

# 7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges.

**Storage** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m³ TWA: 1000 ppm TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Isopropyl alcohol	TWA: 200 ppm STEL: 400 ppm	(Vacated) TWA: 400 ppm (Vacated) TWA: 980 mg/m³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m³ TWA: 400 ppm TWA: 980 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Methyl alcohol	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m³ Skin TWA: 200 ppm TWA: 260 mg/m³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Acetic acid	TWA: 10 ppm STEL: 15 ppm	(Vacated) TWA: 10 ppm (Vacated) TWA: 25 mg/m³ TWA: 10 ppm TWA: 25 mg/m³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm STEL: 37 mg/m³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm
·	TWA: 1880 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	• •
Isopropyl alcohol	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
	TWA: 985 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm
	STEL: 500 ppm	STEL: 500 ppm	
	STEL: 1230 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
,	TWA: 262 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	STEL: 250 ppm	Skin
	STEL: 328 mg/m <sup>3</sup>	STEL: 310 mg/m <sup>3</sup>	
	Skin		
Acetic acid	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
	TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm
	STEL: 15 ppm	STEL: 15 ppm	
	STEL: 37 mg/m <sup>3</sup>	STEL: 37 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's

eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN **Respiratory Protection** 

149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures** 

# Physical and chemical properties

**Physical State** Liquid **Appearance** Light orange

Odor No information available **Odor Threshold** No information available. No information available. Melting Point/Range No data available **Boiling Point/Range** No information available.

Flash Point 22°C / 71.6°F

**Evaporation Rate** No information available. Flammability (solid, gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available

**Vapor Pressure** No information available. **Vapor Density** No information available. **Relative Density** No information available. Solubility No information available. Partition coefficient: n-octanol/water No data available

**Autoignition Temperature** 

No information available. **Decomposition temperature** No information available. No information available. **Viscosity** 

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available.

Stable under normal conditions. Stability

**Conditions to Avoid** Incompatible products. Heat, flames and sparks.

**Incompatible Materials** Acid chlorides, Strong oxidizing agents, Strong acids, Strong bases, Acid anhydrides, Metals,

Peroxides

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), formaldehyde

**Hazardous Polymerization** Hazardous polymerization does not occur

**Hazardous Reactions** None under normal processing

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** No acute toxicity information is available for this product

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50

**Dermal LD50**Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Vapor LC50**Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral LD50 Dermal		LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)	Not listed	20000 ppm/10H ( Rat )
Water	-	Not listed	Not listed
Isopropyl alcohol	5840 mg/kg (Rat)	13900 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4 h
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg(Rabbit)	64000 ppm (Rat) 4 h 83.2 mg/L (Rat) 4 h
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

Toxicologically Synergistic

**Products** 

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Irritation
 Irritating to eyes and skin

 Sensitization
 No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	Group 1	Not listed	A3	X	Not listed
Water	7732-18-5	Not listed				
Isopropyl alcohol	67-63-0	Not listed				
Methyl alcohol	67-56-1	Not listed				
Acetic acid	64-19-7	Not listed				
Acid red 87	17372-87-1	Not listed				

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

ACGIH: (American Conference of Governmental Industrial

Hygienists)

Symptoms / effects,

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available.

**Reproductive Effects** Adverse reproductive effects have occurred in humans..

Developmental Effects Developmental effects have occurred in experimental animals. Component substance is listed

on California Proposition 65 as a developmental hazard.

**Teratogenicity** Teratogenic effects have occurred in humans..

STOT - single exposure Central nervous system (CNS).

**STOT - repeated exposure** Kidney, Liver, Blood.

**Aspiration hazard** No information available.

both acute and delayed tiredness, nausea and vomiting.

**Endocrine Disruptor Information** No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.. The toxicological properties

have not been fully investigated.. See actual entry in RTECS for complete information.

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

# 12. Ecological information

### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
Isopropyl alcohol	1000 mg/L EC50 > 96 h 1000 mg/L EC50 > 72 h	1400000 μg/L LC50 96 h = 35390 mg/L EC50		13299 mg/L EC50 = 48 h 9714 mg/L EC50 = 24 h
Methyl alcohol	Not listed	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	EC50 > 10000 mg/L 24h
Acetic acid	-	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	phosphoreum: EC50 = 8.8 mg/L/96h pomis macrochirus: LC50 = 75 mg/L/96h phosphoreum: EC50 = 8.8 mg/L/15 min phosphoreum: EC50 = 8.8 mg/L/25 min phosphoreum: EC50 = 8.8 mg/L/25 min phosphoreum: EC50 = 8.8 mg/L/5 min	
Acid red 87	Not listed	LC50= 1200 mg/L/48h (Oryzias latipes)	Not listed	Not listed

**Persistence and Degradability** No information available. No information available

Mobility

**Bioaccumulation/ Accumulation** 

Component	log Pow
Ethyl alcohol	-0.32
Isopropyl alcohol	0.05
Methyl alcohol	-0.74
Acetic acid	-0.2
A = : d = = d 0.7	1.00

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Methyl alcohol - 67-56-1	U154	-

# 14. Transport information

DOT

**UN-No** UN1170

**ETHANOL SOLUTION Proper Shipping Name** 

**Hazard Class** 3 **Packing Group** Ш

# 14. Transport information

### **TDG**

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION Hazard Class 3

Ш

**IATA** 

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3 Packing Group II

IMDG/IMO

**UN-No** UN1170

Proper Shipping Name ETHANOL SOLUTION

Hazard Class 3
Packing Group ||

# 15. Regulatory information

#### International Inventories

**Packing Group** 

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ethyl alcohol	X	Х	-	200-578-6	-		Х	Х	Х	Χ	Х
Water	X	Х	-	231-791-2	-		Х	-	Х	Χ	Х
Isopropyl alcohol	X	X	-	200-661-7	-		X	X	Χ	X	Χ
Methyl alcohol	X	X	-	200-659-6	-		X	X	Χ	X	Χ
Acetic acid	X	Х	-	200-580-7	-		Х	Х	Х	Χ	Х
Acid red 87	Х	Х	-	241-409-6	-		Х	Х	Х	X	Х

### Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### **U.S. Federal Regulations**

TSCA 12(b) Not applicable

### **SARA 313**

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	2-4	1.0
Methyl alcohol	67-56-1	2-4	1.0

### SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	X	5000 lb	-	-

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Methyl alcohol	X		-

# **OSHA** Occupational Safety and Health Administration Not applicable

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Methyl alcohol	5000 lb	-	
Acetic acid	5000 lb	-	

### **California Proposition 65**

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Component	CAS-No	California Prop. 65	Prop 65 NSRL
Ethyl alcohol	64-17-5	Developmental	-
Methyl alcohol	67-56-1	Methanol	-

### State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	X	X	X	X	Х
Isopropyl alcohol	X	X	X	-	Х
Methyl alcohol	X	X	X	X	X
Acetic acid	X	X	X	-	X

### **U.S.** Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

# **Other International Regulations**

Mexico - Grade Serious risk, Grade 3

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class B2 Flammable liquid

D1B Toxic materials
D2A Very toxic materials



### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com Richard Allan Scientific

A Subsidiary of Thermo Fisher Scientific

Tel: (800) 522-7270

 Creation Date
 15-Apr-2014

 Revision Date
 15-Apr-2014

 Print Date
 15-Apr-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**