

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version 1.2

SECTION 1.Identification

Product identifier

Product number 800423

Product name 3-Amino-1-propanol for synthesis

CAS-No. 156-87-6

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Acute toxicity, Category 4, Oral, H302 Skin corrosion, Category 1B, H314 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula H₂NCH₂CH₂CH₂OH C₃H₉NO (Hill)

Molar mass 75.11 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

3-Amino-1-propanol (>= 90 % - <= 100 %)

156-87-6

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, irritant effects, Cough, Shortness of breath

Risk of blindness!

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible material, Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® OH-, Art. No. 101596).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Contains no substances with occupational exposure limit values.

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor amine-like

Odor Threshold No information available.

pH 11.6

at 10 g/l 68 °F (20 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number Product name	800423 3-Amino-1-propanol for synthesis	Version 1.2
Melting point	11 °C	
Boiling point/boiling range	369 - 374 °F (187 - 190 °C)	
Flash point	214 °F (101 °C) Method: DIN 51758	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	2.5 %(V)	
Upper explosion limit	10.6 %(V)	
Vapor pressure	16 hPa at 176 °F (80 °C)	
	1.6 hPa at 104 °F (40 °C)	
Relative vapor density	No information available.	
Density	0.99 g/cm³ at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	at 68 °F (20 °C) soluble	
Partition coefficient: n- octanol/water	log Pow: -1.04 (25 °C) (External MSDS) Bioaccumulation is not expected.	
Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Ignition temperature	707 °F (375 °C) Method: DIN 51794	
Viscosity, kinematic	29.9 mm²/s at 73 °F (23 °C)	
Corrosion	May be corrosive to metals.	

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

SECTION 10. Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Exothermic reaction with:

Strong oxidizing agents, acids

Conditions to avoid

Strong heating (decomposition).

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials

no information available

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact

Acute oral toxicity

LD50 Rat: 1,300 mg/kg (External MSDS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation

of the esophagus and the stomach.

absorption

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Corrosive to respiratory system.

Acute dermal toxicity
LD50 Rat: > 2,000 mg/kg

(External MSDS)

absorption

Skin irritation

Rabbit

Result: Causes burns.

(External MSDS)

Causes skin burns.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

Causes burns.

Eye irritation

Causes serious eye damage.

Risk of blindness!

Sensitization

In animal experiments:

Result: negative (External MSDS)

Genotoxicity in vitro

Ames test Result: negative

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): > 100 - 220 mg/l; 96 h (External MSDS)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): > 500 mg/l; 48 h (External MSDS)

Toxicity to algae

IC50 Desmodesmus subspicatus (green algae): 65 mg/l; 72 h (External MSDS)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

Toxicity to bacteria

EC50 Pseudomonas putida: > 96 mg/l; 17 h (External MSDS)

Persistence and degradability

Biodegradability

> 60 %

(External MSDS)
Easily eliminable.

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1.04 (25 °C)

(External MSDS) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1-

PROPANOL)

Class 8
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1-

PROPANOL)

Class 8
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

UN number UN 2735

Proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. (3-AMINO-1-

PROPANOL)

Class 8
Packing group II
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

3-Amino-1-propanol

Pennsylvania Right To Know

Ingredients

3-Amino-1-propanol

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: This product contains one or several components listed in the

Canadian NDSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/26/2015

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 800423 Version 1.2

Product name 3-Amino-1-propanol for synthesis

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.