

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 06/10/2014

Version 1.1

SECTION 1. Identification

Product identifier

Product number FX0437

Product name Formic Acid Solution

Formic A

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225 Acute toxicity, Category 4, Oral, H302 Acute toxicity, Category 4, Inhalation, H332 Acute toxicity, Category 4, Dermal, H312

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Formic A

H319 Causes serious eye irritation.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of organic compounds

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

acetonitrile (>= 90 % - <= 100 %)

75-05-8

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration.

Oxygen if necessary. Immediately call in physician.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Consult a physician.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects

irritant effects, Nausea, Vomiting, Convulsions, Shortness of breath, Unconsciousness, respiratory arrest, cardiac arrest

May cause headache and dizziness.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Formic A

The following applies to cyanogen compounds/ nitriles in general: utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration. Cardiovascular disorders, dyspnoea, unconsciousness.

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

acetonitrile 75-05-8

ACGIH Time Weighted Average 20 ppm

(TWA):

Skin designation: Can be absorbed through the skin.

NIOSH/GUIDE Recommended 20 ppm

exposure limit (REL): 34 mg/m³

OSHA_TRANS PEL: 40 ppm 70 mg/m³

70 mg/m

Z1A Time Weighted Average 40 ppm (TWA): 70 mg/m³

Short Term Exposure 60 ppm Limit (STEL): 105 mg/m³

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor No strong odor known.

Odor Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point 42.6 °F (5.9 °C)

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with:

Strong bases, strong reducing agents

Risk of explosion with:

nitrates, perchlorates, perchloric acid

conc. sulfuric acid, with, Heat.

Risk of ignition or formation of inflammable gases or vapors with:

Oxidizing agents, Nitric acid

nitrogen dioxide, with, Catalyst

Generates dangerous gases or fumes in contact with:

Acids

Conditions to avoid

Warming.

Incompatible materials

rubber, various plastics

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact

Target Organs

Respiratory system

cardiovascular system

Central nervous system

Liver

Kidneys

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

-in Acetonitrile 0.1% (v/v)

Acute oral toxicity

absorption

Symptoms: Nausea, Vomiting

Acute toxicity estimate: 617.62 mg/kg

Calculation method

Acute inhalation toxicity

absorption

Symptoms: Possible damages:, mucosal irritations

Acute toxicity estimate: 11.01 mg/l; 4 h

Calculation method

Acute dermal toxicity

absorption

Acute toxicity estimate: 1,101 mg/kg

Calculation method

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

After absorption: Systemic effects:

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Shortness of breath, Headache, Dizziness, Nausea, Convulsions, Unconsciousness, respiratory arrest, cardiac arrest

Symptoms may be delayed.

The following applies to cyanogen compounds/ nitriles in general: utmost caution! Release of hydrocyanic acid is possible - blockade of cellular respiration. Cardiovascular disorders, dyspnoea, unconsciousness.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

acetonitrile

Acute oral toxicity LD50 mouse: 617 mg/kg OECD Test Guideline 401

Acute inhalation toxicity

LC50 mouse: 6.022 mg/l; 4 h; vapor

OECD Test Guideline 403

Acute dermal toxicity
LD50 rabbit: > 2,000 mg/kg

OECD Test Guideline 402 (Regulation (EC) No 1272/2008, Annex VI)

Skin irritation

rabbit

Result: No skin irritation OECD Test Guideline 404

Eye irritation

rabbit

Result: Eye irritation OECD Test Guideline 405

Sensitization

Buehler Test guinea pig

Result: negative

Method: OECD Test Guideline 406

Repeated dose toxicity

rat

male and female Inhalation

vapor

91 c

NOAEL: 0.681 mg/l (External MSDS)

Germ cell mutagenicity Genotoxicity in vivo

In vivo micronucleus test

mouse

Result: negative

Method: OECD Test Guideline 474

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative (External MSDS)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

sin Acetonitrile 0.1% (v/v)

Mutagenicity (mammal cell test): MOUSE LYMPHOMA TEST

Result: negative

Method: OECD Test Guideline 476

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Ingredients

acetonitrile

Toxicity to fish

semi-static test LC50 Oryzias latipes (Orange-red killifish): > 100 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 Daphnia magna (Water flea): > 1,000 mg/l; 48 h

OECD Test Guideline 202

semi-static test NOEC Daphnia magna (Water flea): 960 mg/l; 21 d

OECD Test Guideline 202

Toxicity to algae

static test EC50 Pseudokirchneriella subcapitata (green algae): > 1,000 mg/l; 72 h

OECD Test Guideline 201

static test NOEC Pseudokirchneriella subcapitata (green algae): > 1,000 mg/l; 72 h

OECD Test Guideline 201

 $IC5 \;\; Scene desmus \; quadricauda \; (Green \; algae): \;\; 7,300 \; mg/l; \;\; 8 \; d \;\; (IUCLID) \; (maximum \; permissible \; toxic \; description \;$

concentration)

Toxicity to bacteria

EC5 Pseudomonas putida: 680 mg/l; 16 h (IUCLID) (maximum permissible toxic concentration)

Biodegradability

70 %; 21 d

OECD Test Guideline 302B

Readily biodegradable.

Bioaccumulation

Bioconcentration factor (BCF): 0.3

Lepomis macrochirus (Bluegill sunfish) (Does not significantly accumulate in organisms.)

Distribution among environmental compartments

Adsorption/Soil log Koc: 1.21 Mobile in soils (Lit.)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Stability in water
DT50
> 9,999 d
at pH: 7

(calculated) Hydrolyzes slowly.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (CONT. ACETONITRILE)

Class 3
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (CONT. ACETONITRILE)

Class 3
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (CONT. ACETONITRILE)

Class 3
Packing group II
Environmentally hazardous -Special precautions for user yes

EmS F-E S-E

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Target organ effects Harmful if swallowed.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Eye irritant Flammable

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

acetonitrile 75-05-8 *99.9* %

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: *Ingredients*

Formic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

Formic acid

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

acetonitrile

Pennsylvania Right To Know

Ingredients

acetonitrile

New Jersey Right To Know

Ingredients

acetonitrile

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number FX0437 Version 1.1

Product name Formic Acid Solution

Solution

Formic Acid Solution

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 06/10/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.