Material Safety Data Sheet Hematoxylin Harris, Hg Free

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product code:

Supplier:

Hematoxylin Harris, Hg Free 7000, 7001,

Astral Diagnostics Inc. 800-441-0366 Technical Service Monday-Friday: 8:00 -5:00 PM

Synonym:None.Material uses:Laboratory Reagent.Validation date:12/09/2013In case of emergency:800-424-9300 CHEMTREC (USA)24 Hours/Day: 7 Days/Week

2. HAZARDS IDENTIFICATION

Emergency Overview Warning



OSHA Hazards Toxic by ingestion, Irritant **GHS Classification** Skin irritation (Category 3) Hazard statement(s): Causes mild skin irritation. **Precautionary statement(s):** none **HMIS Classification** Health hazard: 1 Flammability: 0 Physical hazards: 0 NFPA Rating Health hazard: 1 Fire: 0 Reactivity Hazard: 0 **Potential Health Effects** Inhalation - May be harmful if inhaled. Causes respiratory tract irritation. Skin - May be harmful if absorbed through skin. Causes skin irritation. Eyes - Causes eye irritation. Ingestion - Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Name	CAS number	% by weight	
Water	7732-18-5	94	
Ethanol	64-17-5	<5	
Methanol	67-56-1	<1	
Hematoxylin	517-28-2	<1	
Aluminum Ammonium Sul	fate 7784-26-1	5	
Sodium Iodate	7631-55-2	<1	

4. FIRST AID MEASURES

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact:	In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation:	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion:	Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Flammability of the produc Extinguishing media: Not suitable:	t: In a fire or if heated, a pressure increase will occur and the container may burst. Use an extinguishing agent suitable for the surrounding fire. None known.
Special exposure hazards:	there is a fire.
Hazardous thermal	No action shall be taken involving any personal risk or without suitable training.
decomposition products:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective	
	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Special remarks on explosion hazards:	No specific data.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	s: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains
	and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Spill:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

7. HANDLING AND STORAGE

Handling:

Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use empty containers to retain product, residue can be hazardous. Do not reuse container.
Storage: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Consult local authorities for acceptable exposure limits.

Engineering measures:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Hygiene measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Respiratory:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene
Eyes:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles
Skin:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat
Environmental exposure	
controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Color:	Maroon
Flash Point:	Not available
Odor:	Characteristic (Slight)
pH:	Not available
Boiling/condensation po	int: Not available
Melting/freezing point:	Not available
Relative density:	Not available.
Vapor pressure:	Not available
Vapor density:	Not available
Volatility:	5% (v/v)

Odor threshold:	Not available.
Evaporation rate:	0.36 (Water) compared with(n-Butyl Acetate =1)
VOC:	Not available.
Solubility:	Soluble in the following materials: water

10. STABILITY AND REACTIVITY

Chemical stability: Possibility of hazardous	The product is stable.
-	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization:	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid:	No specific data.
	Reactive or incompatible with the following materials: oxidizing materials, reducing materials and acids.
	Under normal conditions of storage and use, hazardous decomposition products should
products:	not be produced.

11. TOXICOLOGICAL INFORMATION

. IONIOOL	
Acute toxic	ity
Oral LD50	
no data ava	ailable
Inhalation	LC50
no data ava	ailable
Dermal LD	50
no data ava	ailable
Other info	rmation on acute toxicity
no data ava	ailable
Skin corro	sion/irritation
no data ava	ailable
Serious ey	e damage/eye irritation
Eyes: no da	ata available
Respirator	y or skin sensitization
no data ava	ailable
Germ cell n	nutagenicity
no data ava	ailable
Carcinoge	nicity
IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as
	probable, possible or confirmed human carcinogen by IARC.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a
	known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a
	carcinogen or potential carcinogen by OSHA.
Reproductiv	ve toxicity
no data ava	ilable
Teratogenic	ity
no data ava	ilable
Specific tar	get organ toxicity - single exposure (Globally Harmonized System)
no data ava	ilable
Specific tar	rget organ toxicity - repeated exposure (Globally Harmonized System)
no data ava	ilable
Aspiration	hazard
no data ava	ilable
Potential h	ealth effects
	May be harmful if inhaled. Causes respiratory tract irritation.
•	Toxic if swallowed.
	May be harmful if absorbed through skin. Causes skin irritation.
	Causes eye irritation.
	Symptoms of Exposure
	of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly
investigated	I.

12. ECOLOGICAL INFORMATION

Toxicity no data available Persistence and degradability no data available Bioaccumulative potential no data available Mobility in soil no data available PBT and vPvB assessment no data available Other adverse effects no data available

13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT (US) Not regulated

15. REGULATORY INFORMATION

United States HCS Classification:	Not regulated.
U.S. Federal regulations:	TSCA 8(a) IUR: Not determined
-	United States inventory (TSCA 8b):
	All components are listed or exempted.
	All components of this product are listed on or compliant with the TSCA Inventory. SARA 302/304/311/312 extremely hazardous substances: No products found. SARA 302/304 emergency planning and notification: No products were found.
	SARA 302/304 emergency planning and notification. No products were found.
	SARA 302/304/311/312 Mazardous chemicals: No products were round. SARA 311/312 MSDS distribution - chemical inventory - hazard identification:
	Ethanol:
	Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard
	Clean Water Act (CWA) 307: No products were found.
	Clean Water Act (CWA) 311: No products were found.
	Clean Air Act (CAA) 112 accidental release prevention: No products were found.
	Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
	Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
DEA List I Chemicals (
Precursor Chemicals) :	Not listed
DEA List II Chemicals (
Essential Chemicals): Connecticut Carcinogen	Not listed
Reporting:	None of the components are listed.
Connecticut Hazardous	None of the components are listed.
Material Survey:	None of the components are listed.
Florida substances:	None of the components are listed.
Illinois Chemical Safety Act:	None of the components are listed.
Illinois Toxic Substances	·
Disclosure to Employee Act:	None of the components are listed.
Louisiana Spill:	None of the components are listed.
Louisiana Reporting:	None of the components are listed.
Massachusetts Spill:	None of the components are listed.
Massachusetts Substances:	The following components are listed: Ethyl Alcohol

Minnesota Hazardous				
Substances:	None of the components are listed.			
Michigan Critical Material: New Jersey Toxic	None of the components are listed.			
Catastrophe Prevention Act:	None of the co	mponents are listed		
New Jersey Spill:		mponents are listed		
New Jersey Hazardous				
Substances:	The following o	components are liste	ed: Ethyl Alcohol	
New York Toxic Chemical	0	•		
Release Reporting:	None of the co	omponents are listed	d.	
New York Acutely		-		
Hazardous Substances:	None of the co	omponents are listed	d.	
Pennsylvania RTK				
Hazardous Substances:	The following	components are list	ed: Denatured Alcohol	
Rhode Island Hazardous				
Substances:	None of the co	mponents are listed	J.	
California Prop. 65				
WARNING: This product contains a	chemical known	to the State of Cali	fornia to cause birth defeo	cts or other
reproductive harm.				
Ingredient name	<u>Cancer</u>	Reproductive	No significant risk	<u>Maximum</u>
acceptable dosage				
		N/	level	level
Methanol	No.	Yes.	No.	No.
Canada				
WHMIS (Canada) :	Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).			
	Class D-2A: Ma	terial causing other	toxic effects (Very toxic).	
	Class D-2B: Ma	terial causing other	toxic effects (Toxic)	
Canadian lists :	CEPA Toxic substances: None of the components are listed.			
	Canadian ARET: None of the components are listed. Canadian NPRI: The following components are listed: Ethanol Alberta Designated Substances: None of the components are listed.			
	Ontario Designated Substances: None of the components are listed.			
CEPA DSL / CEPA NDSL :	Quebec Designated Substances : None of the components are listed. All components are listed or exempted.			
		and linked on over the	1 a d	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations	
International lists :	Australia inventory (AICS): All components are listed or exempted.
	China inventory (IECSC): Not determined.
	Japan inventory: All components are listed or exempted.
	Korea inventory: All components are listed or exempted.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): All components are listed or exempted.

16. OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Notice to reader

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Astral Diagnostics Inc. shall not be liable for any damage resulting from handling of contact with this product.