

Top Supplies to Optimize Your LC Workflow

Agilent technical experts have compiled a list of recommended supplies that you should consider using with your new instrument in order to keep your lab operational without any disruptions and to achieve optimal performance.

InfinityLab solvent and sample containers

InfinityLab solvent bottles

- **AG9301-6524:** InfinityLab solvent bottle, GL45, Clear, 1 L
- **AG9301-6526:** InfinityLab solvent bottle, GL45, Amber, 1 L
- **AG9301-6342:** InfinityLab solvent bottle, GL45, Clear, 2 L
- **AG9301-6341:** InfinityLab solvent bottle, GL45, Amber, 2 L
- **AG9301-6529:** InfinityLab identification silicone rings, 8/pk



InfinityLab Stay Safe caps

- **AG5043-1222:** InfinityLab Stay Safe caps starter kit including 4 caps, 4 venting valves, and 4 fittings
💡 (Top Recommendation)
- **AG5043-1217:** InfinityLab Stay Safe cap, 1 port, incl. 1 fitting and 1 venting valve
- **AG5043-1218:** InfinityLab Stay Safe cap, 2 ports, incl. 2 fittings, and 1 venting valve



InfinityLab Stay Safe purging bottle

- **AG5043-1339:** InfinityLab Stay Safe purging bottle, 1L with four GL45 openings



InfinityLab waste can

- **AG5043-1221:** InfinityLab Stay Safe cap and Waste can kit, incl. Stay Safe cap with 4 ports for waste and 6 L waste can
- **AG5043-1336:** InfinityLab Stay Safe cap, S60 thread, for waste can
- **AG5043-1337:** 10 L Waste can with S60 thread
- **AG5043-1193:** InfinityLab charcoal filter with time strip



InfinityLab LC capillaries and fittings



InfinityLab Quick Connect fitting

- **AG5067-5958:** InfinityLab Quick Connect fitting assembly including stainless steel capillary 0.12x150 mm, for Agilent 1290 Infinity II System **🔵 (Top Recommendation)**
- **AG5067-6167:** InfinityLab Quick Connect fitting assembly including stainless steel capillary 0.17x150 mm, for Agilent 1260 Infinity II System **🔵 (Top Recommendation)**

InfinityLab Quick Turn fitting

- **AG5067-5966:** InfinityLab Quick Turn fitting
- **AG5500-1191:** InfinityLab Quick Turn capillary ST 0.12x280 mm
- **AG5043-0915:** Mounting tool for InfinityLab Quick Turn Fitting

InfinityLab LC Flex Bench: Improve flexibility and safety in setup of Agilent LC instruments



Agilent FlexBench
(AG5043-1759*)
🔵 (Top Recommendation)




Agilent FlexBench MS
(AGG6015B*) for
Agilent Ultivo Triple
Quadrupole LC/MS and
InfinityLab LC/MSD



Agilent Benchtop
(AG5043-1740*)
🔵 (Top Recommendation)

*with power strip, available in regions except Asia Pacific.

InfinityLab Quick Change inline filter: Maximize LC column lifetime



Ultimate ease of use

- Finger-tight, tool-free replacement of filter disc
- Click and Seal: a click alerts when the filter is tight up to 1300 bar, assuring no risk of over- or undertightening

Robustness for low operational cost

- Robust filter housing enables over 100 replacements of filter discs without any damage

Prevent column clogging

- Quick and easy filter disc replacement eliminates pressure increase and column damage caused by particles

- **AG5067-1603:** InfinityLab Quick Change Inline Filter Assembly for Agilent 1290 LC instruments, with 2.1 mm id, 0.2 µm Filter Discs **🔵 (Top Recommendation)**

- **AG5067-1602:** InfinityLab Quick Change Inline Filter Assembly for Agilent 1260 LC instruments, with 4.6 mm id, 0.5 µm Filter Discs **🔵 (Top Recommendation)**

General LC workflow supplies recommendations for Agilent InfinityLab 1220/1260/1290 series of HPLC instruments

Part Number	Description	Recommended Quantity	Reason to Use	Part Family
AG5067-1603	InfinityLab Quick Change inline filter assembly for 1290 systems, with 2.1 mm id, 0.2 µm filter discs	1	Extend column lifetime, easy-to-use with finger-tight replacement, touchless packaging for easy replacement  (Top Recommendation)	Inline Filters
AG5067-1602	InfinityLab Quick Change inline filter assembly for 1260 systems, with 4.6 mm id, 0.5 µm filter discs	1	Extend column lifetime, easy-to-use with finger-tight replacement, touchless packaging for easy replacement  (Top Recommendation)	Inline Filters
AG5067-5958	InfinityLab Quick Connect fitting assembly including stainless steel capillary 0.12x150 mm, for 1290 Systems	1	For finger-tight connection onto column inlet, pressure stability up to 1300 bar, spring-loaded design to ensure zero-dead-volume  (Top Recommendation)	LC Capillaries and Fittings
AG5067-6167	InfinityLab Quick Connect fitting Assembly Including Stainless Steel Capillary 0.17x150 mm, for 1260 Systems	1	For finger-tight connection onto column inlet, pressure stability up to 1300 bar, spring-loaded design to ensure zero-dead-volume  (Top Recommendation)	LC Capillaries and Fittings
AG5067-5966	InfinityLab Quick Turn fitting	2	For connections on column outlet and detector, finger-tight up to 600 bar, spring-loaded design to ensure zero-dead-volume	LC Capillaries and Fittings
AG5500-1191	InfinityLab Quick Turn Capillary ST 0.12x280 mm	1	For connection between column outlet and detector, used with Quick Turn fitting (AG5067-5966)	LC Capillaries and Fittings
AG5043-0915	Mounting tool for InfinityLab Quick Turn fitting	1	Plastic tool to tighten Quick Turn fitting for high pressure up to 800 bar	LC Capillaries and Fittings
AG5043-1222	InfinityLab Stay Safe Cap Kit including 4 caps, 4 venting valves, and 4 fittings	1	For stopping solvent vapor from solvent bottles leaching into the air. The GL45 thread allows to fix the Stay Safe caps to the Agilent solvent bottles  (Top Recommendation)	Solvent and Sample Containers
AG5043-1338	InfinityLab Stay Safe Cap/Waste Can Kit, Stay Safe Cap S60 with 4 ports plus 10 L waste can	1	For safely collecting your system waste and prevent solvent vapor from leaching into the air, requires charcoal filter (AG5043-1193)	Solvent and Sample Containers
AG5043-1221	InfinityLab Stay Safe Cap/Waste Can Kit, Stay Safe Cap with 4 ports and Leak Hose Plus 6 L Waste Can	1	For safely collecting your system waste and prevent solvent vapor from leaching into the air, requires charcoal filter (AG5043-1193)	Solvent and Sample Containers
AG5043-1193	InfinityLab Charcoal Filter with Time Strip	2	Charcoal filter for absorbing the volatile compounds from Stay Safe Caps waste solution, with time strip to remind the user to replace it regularly	Solvent and Sample Containers
AG5043-1339	InfinityLab Stay Safe Purging Bottle	1	For easy and secure purging of up to four solvent channels, prevent solvent vapor from leaching into the air  (Top Recommendation)	Solvent and Sample Containers
AG9301-6526	InfinityLab Solvent Bottle, GL45, Amber, 1 L	1	Amber glass bottle to mitigate photodegradation of sensitive solvents or buffers	Solvent and Sample Containers
AG9301-6342	InfinityLab Solvent Bottle, GL45, Clear, 2 L	1	2 L clear glass bottle	Solvent and Sample Containers
AG9301-6341	InfinityLab Solvent Bottle, GL45, Amber, 2 L	1	2 L amber glass bottle	Solvent and Sample Containers
AG9301-6529	InfinityLab Identification Silicone Rings, 8/pk	1	Color identification for solvent bottles	Solvent and Sample Containers
AG9301-6530	Stickers, for InfinityLab solvent bottles, 100/pk	1	Removable stickers for easy label removal without any residue	Solvent and Sample Containers
AG5043-9310	InfinityLab Well-plate 96/0.5 mL, 30/pk	1	In combination with the closing mat the plates have been tested on all Agilent autosamplers	Well-plate
AG5042-1389	InfinityLab Well-plate Closing Mat, 50/pk	1	In combination with the plates the closing mat have been tested on all Agilent autosamplers	Well-plate
AG5191-6776	InfinityLab Solvent Filtration Assembly, Including Glass Funnel, 250 mL, Membrane Holder Glass Base, Glass Flask, 1 L, and Aluminum Clamp	1	For preparing suitable mobile phases for HPLC and UHPLC. It can prevent small impurities in the solvent from clogging the system filter or LC column, causing excessive pressure, especially recommended for buffers	LC Filtration

Part Number	Description	Recommended Quantity	Reason to Use	Product Family
AG5191-4340	InfinityLab Filter Membrane, Regenerated Cellulose 47 mm, Pore Size 0.2 µm, 100/pk	1	Most common membrane filters for AG5191-6776	LC Filtration
AG01018-60025	Stainless Steel Solvent Inlet Filter, 10 µm	4	Smaller pore size than standard glass filter, recommended for buffers and LC/MS	LC Filtration
AG5043-1759*	InfinityLab Flex Bench	1	For highest flexibility in the setup of Agilent LC instruments and to easily move the system everywhere in the lab 🌟 (Top Recommendation)	LC Bench
AG5043-1740*	InfinityLab Benchtop	1	For existing lab benches, improve flexibility in setup of Agilent LC instruments 🌟 (Top Recommendation)	LC Bench
AGG6015B*	InfinityLab Flex Bench MS	1	Allows you to keep your Agilent InfinityLab LC/MSD or Ultivo LC/MS systems in one stack with easy access to all areas	LC Bench

* with power strip, available except in Asia Pacific

1290 Infinity II LC workflow supplies recommendations



InfinityLab Long-life HiS Deuterium Lamp



1290 Infinity II LC Workflow



Part Number	Description	Recommended Quantity	Reason to Use	Part List for Kit	Product Family
AGG1314-60101	InfinityLab Long-life HiS Deuterium Lamp, with RFID Tag, for Variable Wavelength Detectors (AGG7114A/B)	1	Spare lamp for AGG7114A/B to avoid system downtimes if lamp is at the end of its life time		LC Lamps
AGG7120-68741	InfinityLab Preventive Maintenance Kit for High Speed Pump (AGG7120A)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains 4 pump seals (AG0905-1719), 2 sets of seal cap assembly (AG5067-4728), peristaltic pump (AG5065-4445), PTFE frits 5/pk (AG01018-22707), 2 gold seals for outlet valve (AGG4220-20020) and 4 seal washes (AG0905-1175)	PM Kit
AGG7104-68741	InfinityLab Preventive Maintenance Kit for Flexible Pump (AGG7104A)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains 2 pump seals (AG0905-1719), frit assembly (AG5067-5716), peristaltic pump (AG5065-4445), frits for 1290 inline filters 5/pk (AG5023-0271), gold seal for outlet valve (AGG4220-20020) and 2 seal wash (AG0905-1175)	PM Kit
AGG7167-68710	InfinityLab Preventive Maintenance Kit for Multisampler (AGG7167B), Standard Configuration	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle assembly (AGG4267-87201), needle seat (AGG4267-87012) and injection valve rotor seal (AG5068-0198)	PM Kit

Part Number	Description	Recommended Quantity	Reason to Use	Part List for Kit	Product Family
AGG7167-68720	InfinityLab Preventive Maintenance Kit for Multisampler (AGG7167B), Dual Needle Configuration	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle assembly (AGG4267-87201), 2 needle seats (AGG4267-87012), rotor seal valve DN (AG5068-0232) and rotor seal peripheral valve (AG5068-0229)	PM Kit
AG5067-6616	1290 Infinity II Convenience Kit	1	Perfect starter kit for the 1290 Infinity II system, providing a carefully selected portfolio of InfinityLab supplies for efficient ramp up usage of new InfinityLab LC instruments	The kit contains solvent bottles (3x clear (AG9301-6524), 1x amber (AG9301-6526)), Stay Safe Caps Starter Kit (AG5043-1222), pack of 500 vials clear with bonded pre-slit caps (AG5190-7023), 4 solvent inlet filters stainless steel (AG01018-60025), in-line filter kit (AG5067-6189), PTFE frits 5/pk (AG01018-22707), column holder clamps 2/pk (AGG7116-68004), column holder lamella 2/pk (AGG7116-68003) and complete contents of 1290 Infinity II capillary kit (AG5067-6615)	Starter Kit
AG5067-6615	1290 Infinity II Capillary Kit	1	Contain complete set of capillaries for system connections and performing system diagnostic tests, and Quick Connect and Quick Turn fittings for superior reliability and ease of use	The kit contains 1x spare set of system capillaries (0.17x300 mm (AG5067-6129), 0.17x900 mm (AG5500-1217), 0.12x500 mm (AG5500-1157), PTFE tubing 0.7x500 mm (AG5062-2462), PEEK fittings 10/pk (AG5065-4426)), 1x Quick Connect Assembly (AG5067-5957) and 2x Quick Turn fittings (AG5067-5966) including capillaries (0.12x120 mm (AG5500-1249), 0.12x280 mm (AG5500-1191)), blank nut (AG5067-6127), restriction capillary 0.12x200 mm (AG5022-2159), and union (AG5022-2184)	Starter Kit
AGG7116-60051	InfinityLab Quick Connect Heat Exchanger, High Flow (0.12 mm id, 3.0 µL Volume)	1	For high flow rate above ca. 2.5 mL/min		Connection Supplies
AG5067-5963	InfinityLab Quick Connect Heat Exchanger, Low Dispersion Kit (0.075 mm id, 1.1 µL Volume, with Connecting Capillaries)	1	Reduce sample dispersion to improve sensitivity		Connection Supplies

* PM: Preventive Maintenance

1260 Infinity II Prime LC workflow supplies recommendations



InfinityLab Long-life HiS Deuterium Lamp



1260 Infinity II Prime LC Workflow

Part Number	Description	Recommended Quantity	Reason to Use	Part List for Kit	Product Family
AGG1314-60101	InfinityLab Long-life HiS Deuterium Lamp, with RFID Tag, for Variable Wavelength Detectors (AGG7114A/B)	1	Spare lamp for AGG7114A/B to avoid system downtimes if lamp is at the end of its life		LC Lamps
AGG7120-68741	InfinityLab Preventive Maintenance Kit for Flexible Pump (AGG7104A)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains 2 pump seals (AG0905-1719), seal cap assembly (AG5067-5416), peristaltic pump (AG5065-4445), PTFE frits 5/pk (AG5023-0271), gold seal for outlet valve (AGG4220-20020) and 2 seal washes (AG0905-1175)	PM Kit
AGG7129-68740	InfinityLab Preventive Maintenance Kit Vialsampler (AGG7129C)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle (AGG7129-87200), needle seat (AGG7129-87017), peristaltic pump (AG5065-4445), rotor seals 2/pk (AG0101-1416) and finger caps 15/pk (AG5063-6506)	PM Kit
AGG7167-68730	InfinityLab Preventive Maintenance Kit Multisampler (AGG7167A)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle (AGG4267-87201), needle seat (AGG4267-87012) and rotor seals 2/pk (AG5068-0209)	PM Kit

1260 Infinity II LC workflow supplies recommendations



InfinityLab Starter Kit (Partial)



1260 Infinity II LC Workflow

Part Number	Description	Recommended Quantity	Reason to Use	Part List for Kit	Product Family
	InfinityLab Long-life Deuterium Lamp, with RFID Tag, for Diode Array and Multiple Wavelength Detectors (AGG7115A/AGG7165A)	1	Spare lamp for AGG7165A to avoid system downtimes if lamp is at the end of its life		LC Lamps
AG5067-6617	1260 Infinity II Convenience Kit	1	Perfect starter kit for the 1260 Infinity II system, providing a carefully selected portfolio of InfinityLab supplies for efficient ramp up usage of new InfinityLab LC instruments	The kit contains solvent bottles (3x clear (AG9301-6524), 1x amber (AG9301-6526)), Stay Safe Caps Starter Kit (AG5043-1222), pack of 500 vials clear with bonded pre-slit caps (AG5190-7023), 4 solvent inlet filters stainless steel (AG01018-60025), solvent inlet filter (AG01018-60025), in-line filter kit (AG5067-6189), PTFE frits 5/pk (AG01018-22707), column holder clamp 2/pk (AGG7116-68004), column holder lamella 2/pk (AGG7116-68003) and complete contents of 1260 Infinity II capillary kit (AG5067-6614)	Starter Kit
AG5067-6614	1260 Infinity II Capillary Kit	1	Contain complete set of capillaries for system connections and performing system diagnostic tests, and Quick Connect and Quick Turn fittings for superior reliability and ease of use	The kit contains 1x spare set of system capillaries (0.17x500 mm (AG5500-1246), 0.17x900 mm (AG5500-1217), 0.12x500 mm (AG5500-1157), PTFE tubing 0.7x500 mm (AG5062-2462), PEEK fittings 10/pk (AG5065-4426)), 1x Quick Connect Assembly (AG5500-1181) and 2x Quick Turn fittings (AG5067-5966) including capillaries (0.17x120 mm (AG5500-1250), 0.12x280 mm (AG5500-1191)), blank nut (AG5043-0277), restriction capillary 0.12x200 mm (AG5022-2159), and union (AG5022-2184)	Starter Kit
AGG1310-68741	InfinityLab Preventive Maintenance Kit Isocratic and Quaternary Pump (AGG7110B, AGG7111A/B)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains plunger seal (AG5063-6589), 2 sets of seal cap assembly (AG5067-4728), 2 film washers (01018-07102), and PTFE Frits 5/pk (AG01018-22707)	PM Kit
AGG7129-68740	InfinityLab Preventive Maintenance Kit Vialsampler (AGG7129C)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle (AGG7129-87200), needle seat (AGG7129-87017), peristaltic pump (AG5065-4445), rotor seals 2/pk (AG0101-1416) and finger caps 15/pk (AG5063-6506)	PM Kit
AGG7167-68730	InfinityLab Preventive Maintenance Kit Multisampler (AGG7167A)	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle (AGG4267-87201), needle seat (AGG4267-87012) and rotor seals 2/pk (AG5068-0209)	PM Kit
AGG7116-60061	InfinityLab Quick Connect Heat Exchanger, High Flow (0.17 mm id, 6.0 µL volume)	1	For high flow rate above ca. 2.5 mL/min		Connection Supplies

1220 Infinity II LC workflow supplies recommendations



InfinityLab Long-life Deuterium Lamp



1220 Infinity II LC Workflow

Part Number	Description	Recommended Quantity	Reason to Use	Part List for Kit	Product Family
	InfinityLab Long-life Deuterium Lamp, with RFID Tag, for Diode Array and Multiple Wavelength Detector of 1220 Infinity II LC	1	Spare lamp for diode array detector to avoid system downtimes if lamp is at the end of its life		LC Lamps
AGG4280-68730	InfinityLab Preventive Maintenance Kit, for 1220 Infinity II system with Autosampler	1	Our study showed that conducting PM can reduce system downtime and troubleshooting leading to higher than 30% cost reduction	The kit contains needle (AGG1313-87201), needle seat (AGG1329-87017), rotor seal (AG0100-1853), PTFE frits 5/pk (AG01018-22707), 2 sets of seal cap assembly (AG5067-4728) and plunger seals 2/pk (AG5063-6589)	PM Kit

avantor™
delivered by VWR™
VWR.COM

Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit vwr.com to view our privacy policy, trademark owners, and additional disclaimers. © 2023 Avantor, Inc. All rights reserved.

1023 Lit. No. 010408W

DE32521484

This information is subject to change without notice.