

Toluene  
HPLC  
For use in Liquid Chromatography (HPLC & UHPLC) & Spectrophotometry



Material No.: 9351-02  
Revision No.: 0

## Product Specification

Test	Specification
Assay (by GC, corrected for water)	≥ 99.7 %
Ultraviolet Absorbance (1.00-cm cell vs. water) - 350 nm	≤ 0.01
Ultraviolet Absorbance (1.00-cm cell vs. water) - 300 nm	≤ 0.10
Ultraviolet Absorbance (1.00-cm cell vs. water) - 288 nm	≤ 0.40
Ultraviolet Absorbance (1.00-cm cell vs. water) - UV Cut-off, nm	≤ 285
Residue after Evaporation	≤ 3.0 ppm
Substances Darkened by H <sub>2</sub> SO <sub>4</sub>	Passes Test
Water (by KF, coulometric)	≤ 0.02 %

For Laboratory, Research, or Manufacturing Use

Packaging Site: Paris Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Product Specification please contact Technical Services at 855.282.6867 or +1.610.386.1700  
Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone 610.386.1700