

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 06/19/2014

Version 1.2

SECTION 1. Identification

Product identifier

Product number 820820

Product name Isobutyl methyl ketone EMPLURA®

CAS-No. 108-10-1

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225

Acute toxicity, Category 4, Inhalation, H332

Specific target organ systemic toxicity - single exposure, Category 3, H335

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms





Signal Word
Danger

Hazard Statements

H225 Highly flammable liquid and vapor.

H332 Harmful if inhaled.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula $(CH_3)_2CHCH_2COCH_3$ $C_6H_{12}O$ (Hill)

Molar mass 100.16 g/mol

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

4-methylpentan-2-one (>= 90 % - <= 100 %)

108-10-1

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration.

Oxygen if necessary. Immediately call in physician.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

Subsequently administer: activated charcoal (20 - 40 g in 10% slurry). No milk. No digestible oils.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

irritant effects, Cough, Shortness of breath, Dizziness, narcosis, inebriation, Nausea,

Stomach/intestinal disorders, Headache

Drying-out effect resulting in rough and chapped skin.

The following applies to ketones in general: when vapors/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract.

Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 I water).

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Protected from light.

Store at +15°C to +25°C (+59°F to +77°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Inn	red	$1 \Delta r$	ntc.

Basis	Value	Threshold limits	Remarks	
4-methylpentan-2-one 108-10-1				
ACGIH	Time Weighted Average (TWA):	20 ppm		
	Short Term Exposure Limit (STEL):	75 ppm		
NIOSH/GUIDE	Recommended exposure limit (REL):	50 ppm 205 mg/m³		
	Short Term Exposure Limit (STEL):	75 ppm 300 mg/m³		
OSHA_TRANS	PEL:	100 ppm 410 mg/m³		
Z1A	Time Weighted Average (TWA):	50 ppm 205 mg/m³		
	Short Term Exposure Limit (STEL):	75 ppm 300 mg/m³		

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Application of skin- protective barrier cream recommended. Wash hands after working with substance.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Eye/face protection

Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

Flame retardant antistatic protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor characteristic

Odor Threshold No information available.

pH at 68 °F (20 °C)

neutral

Melting point -84 °C

Boiling point/boiling range 241 - 244 °F (116 - 118 °C)

at 1,013 hPa

Flash point 57 °F (14 °C)

Method: DIN 51755 Part 1

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit 1.2 %(V)

Upper explosion limit 8.0 %(V)

Vapor pressure 20 hPa

at 68 °F (20 °C)

Relative vapor density 3.46

Density 0.80 g/cm³

at 68 °F (20 °C)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Relative density No information available.

Water solubility 18 - 20 g/l

at 68 °F (20 °C)

Partition coefficient: n-

octanol/water

log Pow: 1.31 (experimental)

(Lit.) Bioaccumulation is not expected.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 0.59 mPa.s

at 68 °F (20 °C)

Explosive properties Not classified as explosive.

Oxidizing properties none

Ignition temperature 860 °F (460 °C)

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

Sensitivity to light Sensitive to air.

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents, Reducing agents, Bases

Conditions to avoid

Warming.

Incompatible materials

rubber, various plastics, Copper

Hazardous decomposition products

Peroxides

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Inhalation, Eye contact, Skin contact

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Target Organs

Eyes Skin

Respiratory system Central nervous system

Liver Kidneys

Acute oral toxicity

LD50 rat: 2,080 mg/kg (RTECS)

absorption

Symptoms: Risk of aspiration upon vomiting., Pulmonary failure possible after aspiration of

vomit., Stomach/intestinal disorders

Acute inhalation toxicity

LC50 rat: 8.3 - 16.6 mg/l; 4 h (External MSDS)

Irritating to respiratory system.

absorption

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Acute dermal toxicity

LD50 rabbit: > 16,000 mg/kg

(IUCLID)

absorption

Skin irritation

slight irritation Drying-out effect resulting in rough and chapped skin.

Repeated exposure may cause skin dryness or cracking.

Eye irritation

Causes serious eye irritation.

Sensitization

Sensitization test (Magnusson and Kligman):

Result: negative

Method: OECD Test Guideline 406

Genotoxicity in vivo

Mutagenicity (mammal cell test): micronucleus.

Result: negative

(IUCLID)

Genotoxicity in vitro

Ames test
Result: negative
(IUCLID)

Specific target organ systemic toxicity - single exposure

May cause respiratory irritation.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH Confirmed animal carcinogen with unknown relevance to

humans.

4-methylpentan-2-one 108-10-1

Further information

Systemic effects:

Dizziness, Headache, inebriation, Nausea, narcosis

The following applies to ketones in general: when vapors/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 505 - 540 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC5 E.sulcatum: 447 mg/l; 72 h (maximum permissible toxic concentration) (Lit.)

EC50 Daphnia magna (Water flea): 170 mg/l; 48 h (IUCLID)

Toxicity to algae

IC5 Scenedesmus quadricauda (Green algae): 725 mg/l; 7 d (maximum permissible toxic

concentration) (Lit.)

IC50 Pseudokirchneriella subcapitata (green algae): 400 mg/l; 96 h (IUCLID)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 80 mg/l; 5 min (maximum permissible toxic

concentration) (Lit.)

EC5 Pseudomonas putida: 275 mg/l; 16 h (maximum permissible toxic concentration) (Lit.)

Persistence and degradability

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Biodegradability 99 %: 7 d

OECD Test Guideline 301E Readily biodegradable.

Theoretical oxygen demand (ThOD)

2,720 mg/g

(Lit.)

Ratio COD/ThBOD

79 % (Lit.)

Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1.31 (experimental)

(Lit.) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 1245

Proper shipping name METHYL ISOBUTYL KETONE

Class 3
Packing group II
Environmentally hazardous --

Air transport (IATA)

UN number UN 1245

Proper shipping name METHYL ISOBUTYL KETONE

Class 3
Packing group II
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

UN number UN 1245

Proper shipping name METHYL ISOBUTYL KETONE

Class 3
Packing group II
Environmentally hazardous -Special precautions for user yes

EmS F-E S-D

SECTION 15. Regulatory information

United States of America

OSHA Hazards

Flammable Liquid

Eye irritant

Respiratory irritant

Target organ effects

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Fire Hazard

Acute Health Hazard

Chronic Health Hazard

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

4-methylpentan-2-one 108-10-1 100 %

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I

Not listed

DEA List II

Listed

Ingredients

4-methylpentan-2-one 108-10-1

US State Regulations

Massachusetts Right To Know

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 820820 Version 1.2

Product name Isobutyl methyl ketone EMPLURA®

Ingredients

4-methylpentan-2-one

Pennsylvania Right To Know

Ingredients

4-methylpentan-2-one

New Jersey Right To Know

Ingredients

4-methylpentan-2-one

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225 Highly flammable liquid and vapor.H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 06/19/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.