

VWR Catalogue Number	See List
Description	VWR® Tapered Connectors and Quick Disconnects
Country of Origin	Manufactured in Italy
Date of Issue (yyyy-mm-dd)	2020-11-12

120° Y Connector

Catalogue Number	Fits tubing Inner Diameter	Material
82017-256	3.2 - 5.5 mm (1/8 - 7/32 inches)	Polypropylene
46600-096	4.8 - 7.9 mm (3/16 - 5/16 inches)	Polypropylene
46600-098	6.4 - 9.5 mm (1/4 - 3/8 inches)	Polypropylene
46600-100	9.5 - 11 mm (3/8 - 7/16 inches)	Polypropylene
46600-102	11 - 14 mm (7/16 - 9/16 inches)	Polypropylene

Straight Connector

Catalogue Number	Fits tubing Inner Diameter	Material
46600-074	3.2 - 5.5 mm (1/8 - 7/32 inches)	Polypropylene
46600-076	4.8 - 7.9 mm (3/16 - 5/16 inches)	Polypropylene
46600-078	6.4 - 9.5 mm (1/4 - 3/8 inches)	Polypropylene
46600-080	9.5 - 11 mm (3/8 - 7/16 inches)	Polypropylene

Unequal Straight Connector

Catalogue Number	Fits tubing Inner Diameter	Material
46600-116	3.7 - 8.2 mm (5/32 - 11/32 inches)	Polypropylene
	7 - 11.8 mm (9/32 - 15/32 inches)	
46600-118	3.7 - 7.8 mm (5/32 - 5/16 inches) and	Polypropylene
	11.5 - 16 mm (15/32 - 5/8 inches)	
46600-120	7.1 - 12 mm (9/32 - 15/32 inches) and	Polypropylene
	11.3 - 15.9 mm (15/32 - 5/8 inches)	



Quick Disconnect

Catalogue Number	Fits tubing Inner Diameter	Material
46600-044	3.2 - 5.5 mm (1/8 - 7/32 inches)	Polyethylene
82017-980	4.8 - 7.9 mm (3/16 - 5/16 inches)	Polyethylene
46600-048	6.4 - 9.5 mm (1/4 - 3/8 inches)	Polypropylene
46600-106	9.5 – 11 mm (3/8 - 7/16 inches)	Polyethylene

Quality System Compliance

Products are manufactured under the ISO 9001:2015 standard. Products are inspected and controlled through whole production processing in accordance with current applicable product specifications and QC SOP.

QC Testing

Representative products samples are collected and inspected in accordance with current applicable QC requirements.

Product Specifications

Material See table above.

Sterilization Not applicable.

ATP Assay Not applicable.

DNase & RNase FreeThis product is free of any detectable DNase/RNase contamination.

BSE/TSE No use of any raw material produced from or substances derived from

animal origin. The manufacturing process of the product does not use any ingredient of animal origin and no material derived from or exposed to animals affected by or under quarantine for transmitting

Animal Bovine Spongiform Encephalopathy/Spongiform

Encephalopathy (BSE)/(TSE).

Cytotoxicity No information available.

Non-Pyrogenic Statement No information available.

Latex Statement This product is not made from natural rubber latex.



BPA Statement Bisphenol are not used in the manufacture of the raw material and are not

expected to be present.

DEHP Statement Please see RoHS information below.

RoHS No substances (Lead, Cadmium, Mercury, Hexavalent Chromium (Cr⁶⁺),

Poly Brominated Biphenyls (PBB), Poly Brominated Diphenyl ethers (PBDE), Bis(2-Ethyhexyl) Phthalate (DEHP), Benzyl Butyl Phthalate (BBP), Dibutyl Phthalate (DBP), Diisobutyl Phthalate (DIBP)) are used in manufacturing the raw materials and final product. No routinely

analyse is performed.

REACH Statement No substances as listed on >Substance of Very High Concern<

candidate list published 01/16/2020 are used in manufacturing of the raw materials used to produce this product. No routinely analyse is

performed.

Storage Conditions Keep in a dry place far from heat sources and direct light.

Shelf Life Shelf life of 5 years from the date of manufacture is recommended.

Disclaimer: VWR states that this declaration will not discharge the user from their obligation to ensure the product is suitable for the intended use. The purpose of the product is for use in laboratory only.

This document has been produced electronically and is valid without a signature.