



Certificate of Analysis

Product:
Ficoll™ PM70
Code Number:

17031010

Lot No: 10297022

Test/Characteristic:	Limit:	Result:
Specific optical rotation, (α)D degrees	+50 to +65	57
Weight average molecular weight Mr	60 000 - 80 000	77531
Loss on drying %	max. 5	3
Absorbance	max. 0.05	0.02
Sodium chloride %	max. 1.0	0.0
Endotoxin activity EU/mg	max. 0.12	<0.12
Microbial contamination Colony Forming Units / g	max. 100	1

Manufactured in compliance with our ISO 9001 certified quality management system.

No animal derived material is used in raw materials or in the manufacture of this product.

Approval Date (Year-Month-Day): 2020-07-10
Expiry Date (Year-Month): 2023-11
Manufacturing Date (Year-Month): 2018-11

Cytiva and the Drop logo are trademarks of Global Life Sciences
IP Holdco LLC or an affiliate

Cytiva Sweden AB
Björkgatan 30
SE-751 84 Uppsala, Sweden
T + 46 (0)18 612 00 00
Cytiva.com
Reg.No. SE 55 61 08 1919 01

Tests and limits according to AS 45-6006-39 Ed. AE

Issued (Year-Month-day): 2020-10-05 by Quality Assurance

Hjelmér, Anna

This document has been electronically produced and is valid without a signature.

DOC1103901 / 7