

Product Specification



75-05-8 H₃CCN 41.05

Material Material description Grade

Acetonitrile HiPerSolv CHROMANORM for HPLC LC-MS grade - suitable for UPLC/UHPLC instruments

CAS Number	
Molecular formula	
Molecular mass	

Characteristics	Specifications
Assay (on anhydrous substance)	≥ 99.9 %
Solution (100 g/l)	Passes test
Acidity	≤ 0.0001 meq/g
Alkalinity	$\leq 0.0001 \text{ meq/g}$ $\leq 0.0002 \text{ meq/g}$
Boiling point	80 - 82 °C
Colouration	≤ 10 APHA
	0.781 - 0.784
Density (20/4)	
Density (20/20)	0.782 - 0.785
Refractive index (20°C)	1.343 - 1.345
Evaporation residue	≤ 2 ppm
Water	≤ 0.02 %
Al (Aluminium)	≤ 50 ppb
Ca (Calcium)	≤ 50 ppb
Fe (Iron)	≤ 50 ppb
K (Potassium)	≤ 50 ppb
Mg (Magnesium)	≤ 10 ppb
Na (Sodium)	≤ 100 ppb
Absorbance (191 nm)	≤ 0.5
Absorbance (200 nm)	≤ 0.1
Absorbance (210 nm)	≤ 0.02
Absorbance (215 nm)	≤ 0.01
Absorbance (220 nm)	≤ 0.01
Absorbance (230 nm)	≤ 0.005
Absorbance (from 240 nm)	≤ 0.005
Transmittance (191 nm)	≥ 30 %
Transmittance (195 nm)	≥ 80 %
Transmittance (200 nm)	≥ 95 %
Transmittance (210 nm)	≥ 96 %

>>> Continued on page 2 >>>

For Professional use in Laboratory or Manufacturing. Not for use as an Active Pharmaceutical Ingredient or Food or Animal Feed. Suitability and intended use of the product remains the responsibility of the VWR International LLC, Radnor Corporate Center, Building One, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA VWR International by, Haasrode Research Park Zone 2020, Geldenaaksebaan 464, 3001 Leuven, Belgium



Product Specification



Characteristics	Specifications
Transmittance (215 nm)	≥ 98 %
Transmittance (220 nm)	≥ 98 %
Transmittance (230 nm)	≥ 99 %
Transmittance (from 240 nm)	≥ 99 %
Fluorescence (as quinine) (254/450 nm)	≤ 1 ppb
Gradient (210 nm)	≤ 3 mAU
Gradient (254 nm)	≤ 1 mAU
MS-ESI+ (as Reserpine)	≤ 2 ppb
MS-APCI+ (as Reserpine)	≤ 2 ppb
MS-ESI- (as 4-Nitrophenol)	≤ 20 ppb
MS-APCI- (as 4-Nitrophenol)	≤ 20 ppb
Conforms to Reag. Ph.Eur.	Passes test

Signature

We certify that this batch conforms to the specifications listed above.

This document has been produced electronically and is valid without a signature.

Isabelle Habay, Head of Laboratory - Briare VWR International S.A.S.; Z.I. de Vaugereau; FR-45250 Briare; France

VWR International LLC, Radnor Corporate Center, Building One, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA VWR International bv, Haasrode Research Park Zone 2020, Geldenaaksebaan 464, 3001 Leuven, Belgium

BDH83640.400 - Page 2 / 2