

SAFETY DATA SHEET

United States

Section 1. Identification Product name

PhytoPure Resin; part of 'illustra™ DNAExtraction Kit PHYTOPURE™, 50 x 1.0 g'RPN8511

Catalogue Number

Other means of identification No Product type Lic

Not available. Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Analytical chemistry. Laboratory chemicals

Scientific research and development

Industrial applications: Analytical chemistry. Laboratory use. Scientific research and development.

Supplier

Cytiva Amersham Place Little Chalfont Buckinghamshire HP7 9NA United Kingdom +44 0800 515 313 Cytiva USA 100 Results Way Marlborough, MA 01752 1-800-526-3593

In	case	of	emergency
	0400	•••	onio, gonoj

INFOTRAC - 24 Hour number: 1-800-535-5053 Outside of the United States, call 24 Hour number: 001-352-323-3500 (Call Collect)

Section 2. Hazards identification

OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	CARCINOGENICITY - Category 1B
	Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 19.8% Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 19.8%
GHS label elements	
Hazard pictograms	
C ircuit and	
Signal word	Danger
Hazard statements	May cause cancer.
Precautionary statements	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.
Response	IF exposed or concerned: Get medical attention.
Storage	Store locked up.
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.

25006721-1

Page: 1/8 Validation date 28 April 2021

classified			
Section 3. Composition	information on ingredients		
Substance/mixture Other means of identification	Mixture Not available.		
CAS number/other identifiers CAS number	Not applicable.		
Ingredient name potassium nitrate		% <20	CAS number 7757-79-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Hazards not otherwise

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check
Inhalation	for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/effects	s, acute and delayed
Potential acute health effects	
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Over-exposure signs/symptoms	5
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.
Indication of immediate medical	attention and special treatment needed, if necessary
	the second first station of the second state in a first second second state of the sec

Notes to physician Specific treatments	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. No specific treatment.		
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.		

See toxicological information (Section 11)



Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	Decomposition products may include the following materials: nitrogen oxides metal oxide/oxides
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contai	nment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.



Section 8. Exposure controls/personal protection

Control parameters	
Occupational exposure limits potassium nitrate	-
Appropriate engineering controls	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Orange.
Odor	Characteristic.
Odor threshold	Not available.
рН	7
Melting point	Not available.
Boiling point	Not available.
Flash point	Not applicable.
Burning time	Not applicable.
Burning rate	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility	Easily soluble in the following materials: cold water and hot water.
Solubility in water	Not available.
Partition coefficient: n-octanol/ water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
SADT	Not available.
Viscosity	Not available.
Flow time (ISO 2431)	Not available.

Article Number :

25006721-1

Page: 4/8 Validation date 28 April 2021

Section 10. Stability and reactivity

Reactivity Chemical stability	No specific test data related to reactivity available for this product or its ingredients. The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	No specific data.
Incompatible materials	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects Acute toxicity Product/ingredient name Result Species Dose Exposure potassium nitrate LD50 Oral Rat 3540 mg/kg Irritation/Corrosion Not available. **Sensitization** Not available. **Mutagenicity** Not available. **Carcinogenicity** Not available. **Classification** Product/ingredient name OSHA IARC NTP potassium nitrate 2A Reproductive toxicity Not available. **Teratogenicity** Not available. Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available. Information on the likely routes Routes of entry anticipated: Oral, Dermal, Inhalation. of exposure Potential acute health effects Eye contact No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics Eye contact No specific data. Inhalation No specific data. Skin contact No specific data. Ingestion No specific data. Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure Potential immediate effects Not available.

Article Number :

Potential delayed effects

25006721-1

Not available.

Page: 5/8 Validation date 28 April 2021

RPN8511

			-			
Long term exposure						
Potential immediate effects	Not available.					
Potential delayed effects	Not available.					
Potential chronic health effects Not available.						
General	No known significant eff	fects or critical ha	zards.			
Carcinogenicity	May cause cancer. Ris	k of cancer depen	ids on duratio	on and level of e	xposure.	
Mutagenicity	No known significant eff					
Teratogenicity	No known significant eff					
Developmental effects Fertility effects	No known significant eff No known significant eff					
Numerical measures of toxicity						
Acute toxicity estimates						
Product/ingredient name		Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg I)
PhytoPure Resin; part of 'illustra I	DNA Extraction Kit	19711.4	N/A	N/A	N/A	N/A
PHYTOPURE, 50 x 1.0 g' potassium nitrate		3540	N/A	N/A	N/A	N/A
Section 12. Ecological in	formation					
Toxicity						
Product/ingredient name	Result		Speci	es		Exposure
potassium nitrate	Acute LC50 120 to 140	mg/l Marine wate		aceans - Portunu		48 hours
	Juvenile (Fledgling, Hatchling,					
	Acute LC50 490 mg/l Fresh water Weanling) Acute LC50 162 ppm Fresh water Daphnia - Daphnia magna Fish - Gambusia affinis - Adult					48 hours 96 hours
Persistence and degradability Not available.						
Bioaccumulative potential Not available.						
Mobility in soil						
Soil/water partition coefficient (K	Not available.					
Other adverse effects	No known significant eff	fects or critical ha	zards.			
Section 13. Disposal con	siderations					
Disposal methods	The generation of waste	e should be avoide	ed or minimiz	zed wherever pos	ssible Disposa	al of this
	product, solutions and a environmental protectio requirements. Dispose contractor. Waste shou requirements of all auth	any by-products sh n and waste dispo of surplus and no Ild not be dispose	nould at all tir osal legislatic n-recyclable d of untreate ction. Waste	mes comply with on and any region products via a lid d to the sewer un packaging shou	the requirement nal local author censed waste c nless fully com lld be recycled.	nts of ity lisposal oliant with the

Section 15. Regulatory information

U.S. Federal regulations	TSCA 8(a) CDR Exempt/Partial exemption: Not determined Clean Water Act (CWA) 311: potassium hydroxide		
Clean Air Act Section 112(b) Haz (HAPs)	ardous Air Pollutants	Not listed	

(1741 5)	
Clean Air Act Section 602 Class I Substances	Not listed
Clean Air Act Section 602 Class II Substances	Not listed
DEA List I Chemicals (Precursor Chemicals)	Not listed
DEA List II Chemicals (Essential Chemicals)	Not listed



<u>SARA 302/304</u>				
Composition/information on	ingredients			
No products were found.				
SARA 304 RQ	Not applicable.			
SARA 311/312				
Classification	CARCINOGENICITY - C	Category 1B		
Composition/information on	ingredients			
Name	%	Classification		
potassium nitrate	≥10 - ≤25	OXIDIZING LIQUIDS - Categ CARCINOGENICITY - Categ		
<u>SARA 313</u>				
	Product name		CAS number	%
Form R - Reporting requirements	potassium nitrate		7757-79-1	<20
Supplier notification	potassium nitrate		7757-79-1	<20
SARA 313 notifications must r redistribution of the notice atta		S and any copying and redistributed.	ution of the SDS shall	include copying and
State regulations				
Massachusetts	The following componer	nts are listed: POTASSIUM NIT	RATE	
New York	None of the components are listed.			
New Jersey	e ,	nts are listed: POTASSIUM NIT		POTASSIUM SALT
Pennsylvania	The following componer	nts are listed: NITRIC ACID PO	FASSIUM SALT	
International regulations				
Chemical Weapon Convention	on List Schedules I, II & III C	<u>Chemicals</u>		
Not listed.				
Montreal Protocol				
Not listed.				
Stockholm Convention on Persistent Organic Pollutants				
Not listed.				
Rotterdam Convention on P	rior Informed Consent (PIC)	1		
Not listed.				
UNECE Aarhus Protocol on	POPs and Heavy Metals			
Not listed.				
Inventory list				
United States	All components are liste	d or exempted.		
Europe	All components are liste	d or exempted.		
Canada inventory	All components are liste	d or exempted.		
Section 16. Other info	rmation			
National Fire Protection Association (U.S.A.)				
				

Health Flammability Health Special

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification

CARCINOGENICITY - Category 1B

History

Article Number :

25006721-1

Calculation method

Justification

Page: 7/8 Validation date 28 April 2021

PhytoPure Resin; part of 'illustra™ DNA Extraction Kit PHYTOPURE™, 50 x 1.0 g'

Date of printing	4/28/2021
Date of issue/Date of revision	4/28/2021
Date of previous issue	10/10/2019
Version	3
	sds_author@cytiva.com
	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Article Number :

