

Personal Protection
Pages 4-76

General Safety Supplies
Pages 77-138



Personal protection equipment solutions with your team, processes, and products in mind

From the lab to production floor, warehouse to cleanroom, and everywhere at your site – Avantor has the PPE, cleaning, and safety solutions to keep you covered from head to toe and facilities running without interruption. Be sure to check [vwr.com/safety](https://www.vwr.com/safety) for the full product offering or contact your local sales representative for assistance.



Table of contents

PERSONAL PROTECTION

Head protection*
Pages 5-8

Hearing protection
Pages 8-11

Eye and face protection*
Pages 11-22

Respiratory protection*
Pages 22-29

Body protection*
Pages 30-44

Hand and arm protection*
Pages 45-68

Foot protection*
Pages 69-76

GENERAL SAFETY SUPPLIES

Ergonomics and matting*
Page 78-83

Fall protection
Pages 84-86

First aid
Pages 86-93

Cleaning*
Pages 94-105

Hand care*
Pages 105-108

Material handling and storage
Pages 108-115

Spill control and waste disposal
Pages 116-125

Radiation protection
Page 126-127

Shields*
Page 126 -127

Lockout/tagout
Pages 127-129

Monitoring and detection
Pages 129-131

Printers, labels, and signs*
Pages 131-138

What's new*

Find out what new solutions we have for you.



Page 17



Page 20



Page 47



Page 59



Page 102

Personal protection from head to toe

- Head protection
- Hearing protection
- Eye and face protection
- Respiratory protection
- Body protection
- Hand and arm protection
- Foot protection



OMEGA II CAP SAFETY HELMET, ERB SAFETY

- 6-Point woven nylon ratchet suspension
- Accessory slots accommodate a wide variety of eye, face, and hearing protection
- Accommodates chin strap
- Certified when headband is installed in reverse position
- Moisture wicking brow pad is removable, ashable, and replaceable
- Goggle retaining slots on suspension



Description	Color	Cat. No.
Omega II Cap Safety Helmet	White	10159-642

FOUR-POINT SUSPENSION HARD HATS, HONEYWELL SAFETY

- Grooved high-density polyethylene outer shell, rain trough, and accessory slots
- Ratchet or pin lock adjustments
- Suspension offers three-level height adjustment



Description	Color	Cat. No.
Ratchet 4-Point Nylon Suspension	White	13502-131
Ratchet 4-Point Nylon Suspension	Orange	13502-142
Pin Lock 4-Point Plastic Suspension	White	13502-193

CEN10™ SAFETY HELMETS, BULLARD®

- Sleek, low-profile non-vented models
- Impact-resistant helmet shell with an inner foam comfort liner
- Integrated 3-point chinstrap
- Modern matte finish with polished lines for a stylish and distinct appearance
- Sports the distinctive Bullard 3-Rib trademark design



Description	Color	Cat. No.
CEN10™ Safety Helmet, Non-Vented	Blue	76469-384
CEN10™ Safety Helmet, Non-Vented	Gray	76469-388
CEN10™ Safety Helmet, Non-Vented	Orange	76469-386
CEN10™ Safety Helmet, Non-Vented	White	76469-380
CEN10™ Safety Helmet, Non-Vented	Yellow	76469-382

V-GARD® PROTECTIVE CAPS AND HATS, MSA

- Comfortable, lightweight protection
- Self adjusting crown straps
- Polyethylene shell and suspension system working together



Material	Color	Weight	Cat. No.
-Trac® Ratchet Suspension			
Polyethylene	White	0.82 lb	300008-987
Polyethylene	Blue	0.86 lb	300008-988
Polyethylene	Yellow	0.86 lb	300008-989
Polyethylene	White	0.94 lb	300008-997

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SKULLGARD® PROTECTIVE CAPS AND HATS, MSA

- Heavy-duty construction
- For use in steel mills and other industries where elevated



Description	Color	Weight	Cat. No.
-Trac® Ratchet Suspension			
Fas-Trac® Ratchet	Natural Tan	1.05 lb	300009-002

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

H-700 SERIES HARD HATS, 3M™

- Protective headgear helps protect the top of the head due to the potential hazard of small falling objects or exposed fixed objects that may be bumped into
- 4-point ratchet suspension adjusts easily to allow for a customized height and fit



Description	Color	Cat. No.
Pinlock Suspension, Unvented, without Uvicator Sensor	Tan	10756-240
Ratchet Suspension, Vented, without Uvicator Sensor	Black	10756-248
Ratchet Suspension, Unvented, without Uvicator Sensor	Pink	10756-254
Ratchet Suspension, Unvented, with Uvicator Sensor	Tan	10756-244

HEAD PROTECTION

OFFICIALLY LICENSED NFL V-GARD HELMETS, 1-TOUCH, MSA

- All helmets are designed in a slotted cap style, with pin-lock adjustment mechanisms
- Applications include use in asbestos abatement, food processes, general hard hat applications, and painting



Description	Size	Material	Suspension	Weight	Cat. No.
Dallas Cowboys Logo	6 1/2 - 8	Polyethylene	Staz-On®	0.79 lbs.	300009-027
Pittsburgh Steelers Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300009-029
Green Bay Packers Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300072-680
New England Patriots Logo	6 1/2 - 8	Polyethylene	Staz-On®	1 lbs.	300072-692

GOGGLE RETAINERS, MSA

- Designed for applications where goggles must be worn with helmets
- Goggles not included

US ONLY



Description	Color	Cat. No.
Goggle Retainer, Neoprene Rubber	Black	300072-530

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

STANDARD SERIES HARD HAT, BULLARD®

- Four-point suspension ratchet
- Cotton brow pad
- One size



Description	Color	Cat. No.
Standard Series Hard Hat	White	76469-390

HARD HAT WINTER LINERS, HONEYWELL SAFETY

- Made of royal blue fire retardant cotton

US ONLY



Type	Cat. No.
Deluxe winter liner	13502-182

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

67 BUMP CAP, ERB SAFETY

- Perforated sides allow cross ventilation for maximum air circulation
- Moisture wicking brow pad is removable, washable, and replaceable
- Pin-lock sizing adjusts from head sizes 6.5 to 7.75
- Total cap weight is 7.34 oz.
- Not a hard hat



Material	Color	Cat. No.
HDPE	Blue	10159-636
HDPE	White	10159-648
HDPE	Yellow	10611-554

SPEEDGLAS™ 9100 SERIES WELDING HELMET, 3M™

- All Speedglas™ 9100 Series Welding Helmets feature dark shades 5, 8 - 13
- Battery type for all helmets is CR2032
- Helmets are ideally suited for MIG welding, stick welding, and TIG welding processes



Description	Color	Cat. No.
Speedglas™ 9100 Series Welding Helmet, with 2.1 x 4.2" ADF Viewing Area and 2500 hr. Battery Life	Black	10204-940
Speedglas™ 9100 Series Welding Helmet, with 2.8 x 4.2" ADF Viewing Area and 2000 hr. Battery Life	Black	10204-942

Description	Cat. No.
Accessories	
Speedglas™ 9100 Series Replacement Welding Helmet, with Rail	10204-894
Speedglas™ 9100 Series Replacement Welding Helmet, without Rail	10204-898

SPEEDGLAS™ 9100 SERIES REPLACEMENT WELDING HELMET, 3M™

- Available with or without rail



Description	Color	Cat. No.
Speedglas™ 9100 Series Replacement Welding Helmet, with Rail	Black	10204-894
Speedglas™ 9100 Series Replacement Welding Helmet, without Rail	Black	10204-898

SNAP-ON HARD HAT SWEATBANDS, OK-1® SAFETY & ERGONOMICS

- 100% cotton
- Machine washable



Type	Cat. no.
Snap-on Hard hat Sweatband, Terry Cloth	76006-506

DISPOSABLE SWEATBANDS, OK-1® SAFETY & ERGONOMICS

- Anti-mold treated
- Pre-moistened
- Dip in cold water, squeeze out, and wear



Description	Cat. No.
Absorbent Sweatbands, Cellulose	76006-508

COOL OFFS, ALLEGRO®

- Keep cool all day long with our dual-use Cool Offs
- Quilted in four sections for an even distribution of hydration material
- Can be worn around neck or head
- Unique button hole closure



Material	Length	Color	Cat. No.
100% Cotton	38"	Cowboy Blue	300056-818
100% Cotton	38"	American Flag	300056-822

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® BASIC PROTECTION INDUSTRIAL NYLON HAIRNET



- VWR® Basic Protection Industrial Nylon Hairnet is made from nylon
- Comfortable and sturdy construction
- Allows users to keep hair secure and out of the way



Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75997-646
53.3 cm (21")	Nylon	White	75829-204
61 cm (24")	Nylon	White	75997-636
45.7 cm (18")	Nylon	Blue	76076-778
53.3 cm (21")	Nylon	Blue	76076-776
61 cm (24")	Nylon	Blue	76076-780
45.7 cm (18")	Nylon	Black	76076-784
53.3 cm (21")	Nylon	Black	76076-782
61 cm (24")	Nylon	Black	76076-786

VWR® BASIC PROTECTION SPP BOUFFANT CAPS



- Economical first-line barrier
- Non-linting



Description	Size	Diameter	Color	Cat. No.
Latex-Free	21"	53 cm (21")	White	89107-768
Latex-Free	24"	61 cm (24")	Blue	89131-622
Latex-Free	24"	61 cm (24")	White	89107-770

HEAD/HEARING PROTECTION

VWR® ADVANCED PROTECTION SPP BOUFFANT CAPS

- First-line barrier
- Higher basis weight for increased protection
- Non-linting



Description	Diameter	Color	Cat. No.
Latex-Free	53 cm (21")	White	414005-000
Latex-Free	61 cm (24")	White	414005-001

E-A-R™ CLASSIC™ EARPLUGS, 3M™

- Provide comfortable, effective seal while exerting low pressure in the ear
- Gradually expand and conform to the ear canal for custom-fit seal
- Washable, flame retardant, moisture resistant
- Noise reduction rating: 29 dB



Description	Color	Noise reduction rating	Packaging	Cat. No.
Corded	Yellow	30 dB	Poly Bag	55615-664
Uncorded	Yellow	29 dB	Pillow Pack	33001-580

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

KLEENGUARD® A10 BOUFFANT CAPS, KIMBERLY-CLARK PROFESSIONAL®

- Light duty, disposable; protects against dirt, grime, and dry particulates in nonhazardous environments
- Lightweight, latex-free, breathable polypropylene fabric
- Combination of price and protection
- For use in food processing, manufacturing, and general maintenance



Size	Diameter	Color	Cat. No.
Medium	53.3 cm (21")	White	10815-910
Large	61 cm (24")	White	89002-728
Large	61 cm (24")	White	10837-308

NO-TOUCH™ PUSH-TO-FIT EARPLUGS, 3M™

- Hygienic, noise-reducing seal
- Soft foam, smooth tapered shape, paddle stems
- Push-to-fit design makes fitting hearing protection easy



Description	Color	Noise reduction rating	Packaging	Cat. No.
Corded	Purple	29 dB	Poly Bag	12000-187
Uncorded	Purple	29 dB	Poly Bag	12000-185

DUPONT™ TYVEK® ISOCLEAN® BOUFFANT CAPS

- Serged seams
- Elastic headband
- One size fits most



Color	Cat. No.
Tyvek® IsoClean® Bouffant Caps, Clean Processed, Sterile	
White	89127-360
Tyvek® IsoClean® Bouffant Caps, Bulk Packaged	
White	89125-652

E-A-RSOFT™ FX™ EARPLUGS, 3M™

- Flange shape serves as an effective insertion device when rolled down
- Easy to fit into the ear canal
- Available with or without cord
- Compatible with other PPE



Description	Color	Noise reduction rating	Packaging	Cat. No.
Uncorded	Yellow	33 dB	Poly Bag	89107-470
Corded	Yellow	33 dB	Poly Bag	89009-314

E-A-R™ EXPRESS™ POD PLUGS™ EARPLUGS, 3M™


- Soft, flexible grip for easy insertion and removal
- Slow-recovery foam inserts easily, seats, and stays in place
- InstaSeal™ assures instant protection and fit
- Breakaway cord protects wearer in case of machine entanglement



Description	Color	Noise reduction rating	Packaging	Cat. No.
Uncorded	Yellow Foam/ Assorted Grips	25 dB	Pillow Pack	55666-299
Uncorded	Yellow Foam/ Blue Grips	25 dB	Pillow Pack	89006-818
Corded	Yellow Foam/ Assorted Grips	25 dB	Pillow Pack	55666-302
Corded	Yellow Foam/ Blue Grips	28 dB	Pillow Pack	55005-252
Corded, Metal Detectable	Yellow Foam/ Blue Grips	26 dB	Pillow Pack	89006-788

HOWARD LEIGHT MAX® AND MAX LITE® EARPLUGS, HONEYWELL SAFETY

- Disposable, nonirritating and nonallergenic
- Available with or without connecting cord
- Max Lite® low-pressure self-adjusting foam fits smaller ear canals



Description	Model	Noise reduction rating	Cat. No.
Uncorded Earplugs	Max Earplugs	33 dB	55533-002
Uncorded Earplugs	Max Lite Earplugs	30 dB	55533-004
Corded Earplugs	Max Lite Earplugs	30 dB	55533-006
Corded Earplugs	Max Earplugs	33 dB	55533-008
Dispenser Box with Uncorded Earplugs	Max Earplugs	33 dB	55533-026

HOWARD LEIGHT LASER LITE® EARPLUGS, HONEYWELL SAFETY

- Single use, T-shape for easy insertion
- Nonallergenic polyurethane foam expands to fit virtually every wearer
- Vibrant colors make protection visible
- Noise reduction rating: 32dB



Description	Noise reduction rating	Packaging	Cat. No.
Uncorded Earplugs	32 dB	Bulk Pack	55533-028
Uncorded Earplugs	32 dB	Individual Poly Bag	55533-030
Corded Earplugs	32 dB	Individual Poly Bag	82007-111

HOWARD LEIGHT AIRSOFT® EARPLUGS, HONEYWELL SAFETY

- Comfortable even for extended wear
- Washable, reusable protection
- Available with or without connecting cord



Description	Noise reduction rating	Cat. No.
Earplugs with Red Poly Cord	27 dB	55533-014
Earplugs with White Nylon Cord	27 dB	82001-017

HOWARD LEIGHT FUSION™ DETECTABLE EARPLUGS, HONEYWELL SAFETY

- FlexiFirm® core ensures easy insertion into the ear canal and a superior fit
- SoftFlange™ design adjusts perfectly to the ear canal to deliver unmatched comfort and superior attenuation
- Two sizes provide optimal fit for comfort and safety
- Metalized cord and stem ring offer detection for process industries
- Earplugs are stored in an included HearPack® plastic case



Size	Noise reduction rating	Cat. No.
Regular	25 dB	82020-866

PURA-FIT® 6800 AND 6900 EARPLUGS, MOLDEX®

- Convenient, comfortable hearing protection
- Soft foam fits snugly, tapered design allows easy insertion
- Brightly colored for easy compliance checks



Description	Noise reduction rating	Cat. No.
Earplugs	31 dB	56610-663
Earplugs with Cord	31 dB	56610-673

HEARING PROTECTION

SPARKPLUGS® EARPLUGS, MOLDEX®

- Tapered shape ensures easy insertion and removal
- Shaped to fit even small ear canals
- Disposable



Description	Noise reduction rating	Cat. No.
Earplugs	31 dB	56610-677
Earplugs with Cord	31 dB	56610-679



METAL DETECTABLE EARPLUGS, MOLDEX®

- Moldex® Metal Detectable Corded Earplugs are available in reusable Rockets® or soft foam SparkPlugs®
- Both models feature a securely attached metal detectable cord and a bright blue color that is ideal for any hearing protection program, especially in the food processing industry
- SparkPlugs® are rated NRR 33, the highest independently tested NRR available for use in the most noisy environments
- Rockets® feature an independently tested NRR 27 and can be washed and reused
- SparkPlugs® are made of extra-soft foam and have a tapered design to fit snugly and comfortably in the ear
- SparkPlugs® have an enclosed metal ball bearing which eliminates any exposed metal
- Rockets® have an enclosed metal spring which eliminates any exposed metal
- The ball bearing or spring are in separate holes ensuring the plugs are still detectable even if the cord is removed
- Independently tested to ANSI S3.19-1974
- 100% PVC-free, like all Moldex® products & packaging, offering a greener alternative
- Made in U.S.A.

Description	Packaging	Cat. No.
Rockets® Metal Detectable Reusable Earplugs	50 Pairs/Box	56219-250
SparkPlugs® Metal Detectable Foam Earplugs	100 Pairs/Box	89011-750

PLUGSTATION™ EARPLUG DISPENSERS, MOLDEX®


- Highly visible earplug dispensers for easy dispensing of SparkPlugs® or Pura-Fit® earplugs
- Dispensers deliver plugs individually, eliminating individual paper/polybag packaging
- Disposable dispenser is sealed and completely recyclable
- Chute delivers plugs into palm of the hand
- Each dispenser is sealed and disposable, completely recyclable
- Easily mounts on virtually any wall



Description	Color	Packaging	Cat. No.
PlugStation™ with SparkPlugs® Earplugs, Uncorded	Assorted	250 Pair	56610-665
PlugStation™ with SparkPlugs® Earplugs, Uncorded	Assorted	500 Pair	56610-667
PlugStation™ with Pura-Fit® Earplugs, Uncorded	Bright Green	250 Pair	56610-669
PlugStation™ with Pura-Fit® Earplugs, Uncorded	Bright Green	500 Pair	56610-671

ROCKETS® REUSABLE EARPLUGS, MOLDEX™

- An air bubble in the tip offers cushioned comfort all day long
- Soft, flexible flanges provide a superior seal and fit most ear canal sizes
- Available with or without connecting cord
- Washable



Description	Noise reduction rating	Cat. No.
Earplugs	26 dB	56219-252
Earplugs with Vinyl Cord	26 dB	56219-254
Earplugs with Cloth Cord	26 dB	56219-266

JAZZ BAND® HEARING PROTECTOR, MOLDEX®

- Lightweight, comfortable alternative to earmuffs
- Colorful band features soft foam ear pods
- Band will not interfere with eyewear
- Hangs easily around neck with optional cord



Description	Noise reduction rating	Cat. No.
Jazz Band® Hearing Protector	25 dB	56610-661

BILSOM™ LEIGHTNING® EARMUFFS, HONEYWELL SAFETY

- Padded foam headband and super-soft ear cushions eliminate squeezing pressure on the head
- Steel wire construction provides high performance and durability
- Air Flow Control™ technology delivers optimal attenuation across all frequencies
- Snap-in ear cushions for easy maintenance
- Ultra-slim neckband earmuffs and folding earmuffs provide appropriate protection in low-noise environments



Description	Noise reduction rating	Cat. No.
L3H Cap-Mounted Earmuff	27 dB	89013-673
L0N Neckband Earmuff	22 dB	89013-681

VWR® PROTECTIVE EYEWEAR WITH WRAPAROUND LENS

- Lightweight design combines sleek appearance with rugged durability
- Rubberized temple tips and integrated nose piece for extra comfort
- Fits comfortably with half-mask respirators
- Impact-resistant, scratch-resistant polycarbonate lens
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Blue	Anti-Scratch, Anti-Fog	Blue	76329-622
Black	Anti-Scratch, Anti-Fog	Smoke	76329-624
Black	Anti-Scratch, Anti-Fog	Mirrored	76329-626
Clear	Anti-Scratch	Clear	89187-986

PELTOR™ OPTIME™ SERIES EARMUFFS, 3M™ COMPANY

- Unique dual-cup design and soft, foam-filled cushions provide noise reduction and comfort
- Ultra-light with liquid/foam filled earmuff cushions



Description	Noise reduction rating	Cat. No.
Optime™ 105 Over-The-Head Earmuffs	30 dB (29–33 dB Range)	56615-924
Optime™ 105 High-Visibility Over-The-Head Earmuffs	30 dB (29–33 dB Range)	89006-742
Optime™ 98 Over-The-Head Earmuffs with Stainless Steel Headband	25 dB (23–28 dB Range)	56615-921
Optime™ 98 Cap-Mount Earmuffs with Universal Mounting Attachment	23 dB (23–28 dB Range)	89107-448

VWR® PROTECTIVE EYEWEAR WITH ADJUSTABLE TEMPLES

- Unique ratcheting temples lock into place for a custom fit
- Ultra-lightweight nylon frames and soft PVC nose pads to prevent slipping
- 8-base spherical lenses provide excellent side protection
- Antifog coating extends lens life
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Black	Anti-Fog, Anti-Scratch	Clear	89187-984

VWR® VISITOR SPECS

- Designed to fit comfortably over most prescription glasses
- Wraparound styling offers unobstructed peripheral vision
- Contoured protective brow guard and molded-in comfort nose bridge
- Impact-resistant, scratch-resistant polycarbonate lenses
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Clear	Anti-Scratch	Clear	89187-988

VWR® SPORT SAFETY GLASSES

- Anatomically-shaped nose adapts to all faces
- Co-injected comfort pad will not peel off in hot climates
- High-visibility rubber color
- Polycarbonate lens
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Smoke	Anti-Scratch, Anti-Fog	Clear	76210-730

EYE & FACE PROTECTION

VWR® OTG SAFETY GLASSES

- Fits over most prescription glasses
- Adjustable temple length for varied facial contours
- Polycarbonate lens
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Navy	Anti-Scratch, Anti-Fog	Clear	76210-732

JACKSON SAFETY® V50 OTG* SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- Integrated side shields provide added protection
- Base curve 4



Frame color	Lens coating	Lens tint	Cat. No.
Black	Anti-Fog	Clear	10031-582

VWR® LADIES PINK SAFETY GLASSES

- Molded-in nose bridge
- Soft, non-slip rubber temple tips
- Impact-resistant
- Polycarbonate lens



Frame color	Lens coating	Lens tint	Cat. No.
Pink	Anti-Scratch, Anti-Fog	Clear	76210-824

ZENON Z12™ CLEAR RIMLESS SAFETY GLASSES, PROTECTIVE INDUSTRIAL PRODUCTS

- With 9.5 base curve lens
- Molded nose bridge design to fit the vast majority of users



Description	Lens coating	Lens color	Cat. No.
Zenon Z12™ Rimless Safety Glasses	Non-coated	Clear	89179-574

VWR® SLEEK SAFETY GLASSES

- Super lightweight at 22.7 grams
- Dielectric construction
- Comfortable nose piece
- Slim temple with rubber pad
- Impact-resistant
- Polycarbonate lens
- Provides 99.9% UV protection



Frame color	Lens coating	Lens tint	Cat. No.
Blue	Anti-Scratch, Anti-Fog	Clear	76210-826

HI-VOLTAGE ARC™ SAFETY GLASSES, PROTECTIVE INDUSTRIAL PRODUCTS

- U-Fit® spatula temples
- 4 base curve lens
- Lens design maximizes view, providing user comfort and safety
- Adjustable length temples provide a secure and comfortable fit
- Molded nose bridge design to fit the vast majority of users



Frame color	Lens coating	Cat. No.
Black Temples	Hard-Coat	89179-578

JACKSON SAFETY® V10 ELEMENT™ SAFETY EYEWEAR, KIMBERLY-CLARK PROFESSIONAL®

- 9.5-base curved lens, wide field of vision
- Universal nose bridge
- Uncoated, 100% polycarbonate lens (no rubber, metal, or other components)
- 99.9% U.V. protection
- Dielectric, thermoplastic construction



Frame color	Lens coating	Lens tint	Cat. No.
Clear	Uncoated	Clear	89130-922
Black	Uncoated	Smoke	89130-924
Light Blue	Uncoated	Light Blue	89217-740

CREWS® BLACKJACK® PROTECTIVE EYEWEAR, MCR SAFETY

- Single, dual-focus wraparound lens
- Integral side shields for added protection
- Strong, lightweight, polycarbonate lenses
- Duramass® scratch-resistant coating filter out 99% of UV radiation
- Metal temples with spring hinge design provide maximum flexibility
- Meets or exceeds ANSI Z87.1+ standards



Lens tint	Cat. No.
Clear Antifog	80081-999
Gray	80082-001

CHECKLITE® CLEAR UNCOATED LENS, MCR SAFETY

- Lightweight and comfortable design
- Ideal combination of safety features and comfort for extended wear



Description	Temple color	Lens color	Cat. No.
Glasses	Clear	Clear	80081-868
Anti-Scratch Glasses	Clear	Clear	80081-870
Anti-Fog/Anti-Scratch Glasses	Clear	Clear	80081-872

SECUREFIT™ PROTECTIVE EYEWEAR, SF400 SERIES, 3M™

- Eyewear design enhances frame comfort without compromising the security of fit across a diverse workforce
- All lenses offer 99.9% UV protection



Description	Lens coating	Temple color	Lens color	Cat. No.
Frameless Eyewear	Anti-Fog	Black/Lime Green	Clear	10030-236
Frameless Eyewear	Anti-Fog	Black/Lime Green	Gray	10030-238

MX300 PROTECTIVE EYEWEAR, HEXARMOR

- Modern wraparound style offers wide field of vision
- LTX™ Lens Technology for premium optical clarity
- Dual-injection soft-grip side arms for slip-free, stable fit
- Innovative brow guard provides additional protection from flying particles, dirt, or dust
- Soft nose piece for comfortable yet durable fit
- Integrated channel for eye ventilation
- 100% UV protection
- Metal-free hinge design



Lens coating	Lens tint	Style	Cat. No.
TruShield®	Clear	MX300	76207-784
TruShield®	Amber	MX300	76207-786
TruShield®	Gray 23%	MX300	76207-788
TruShield®	Gray 14%	MX300	76207-790

UVEX ULTRA-SPEC® PROTECTIVE EYEWEAR, HONEYWELL SAFETY

- Features 100% polycarbonate wraparound unilens design
- Side shields add extra protection without compromising visibility
- Clear lenses and frames
- The Ultra-dura® lens coating provides superior scratch and chemical resistance
- Uvextreme lens coating provides antifog, antiscratch, antistatic, and ultraviolet protection



Description	Lens coating	Lens tint	Cat. No.
Ultra-spec 2001 OTG Glasses	Uvextreme®	Clear	13500-857
Ultra-spec 1000 Glasses	Uncoated	Clear	14222-870

SOLUS™ PROTECTIVE EYEWEAR WITH ANTI-FOG LENS, 1000 SERIES, 3M™

- Removable temples enable the use of the optional strap
- Optional foam gasket helps reduce eye exposure
- Available in several frame colors and lens tints
- All lenses offer 99.9% UV protection



Description	Lens coating	Temple color	Lens color	Cat. No.
Half-Frame Style Eyewear	Anti-Fog	Green & Black	Clear	10806-080
Half-Frame Style Eyewear	Anti-Fog	Green & Black	Gray	10806-082
Half-Frame Style Eyewear	Anti-Fog	Blue & Black	Clear	10806-092

UVEX ASTRO OTG™ 3001 SAFETY EYEWEAR, HONEYWELL SAFETY

- Fits comfortably and attractively over prescription eyewear
- Lens inclination provides a close-to-the-face fit
- Adjustable Duoflex™ temples feature comfort cushions for extended use
- Easily replaceable lenses are available with scratch- and chemical-resistant Ultra-dura® coating or Uvextreme® AF antifog, antistatic, anti-scratch, and anti-UV coating



Frame color	Lens coating	Lens tint	Cat. No.
Black	Ultra-dura®	Clear	33000-506
Black	Uvextreme® AF	Clear	33000-508
Patriot RWB	Uvextreme® AF	Clear	33000-538

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

EYE & FACE PROTECTION

UVEX GENESIS® PROTECTIVE EYEWEAR, HONEYWELL SAFETY

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection
- Elastomer brow-guard diffuses and deflects impact
- Temple length and lens inclination are adjustable
- Soft fingers conform to any nasal profile
- Frames guaranteed for life
- Meets ANSI Z87.1+ and CSA Z94.3 standards



Frame color	Lens coating	Lens tint	Cat. No.
Black	Ultra-dura®	Clear	15001-568
Black	Uvextreme®	Clear	15001-570
Vapor Blue	Ultra-dura®	Clear	15001-610

A700 SERIES PROTECTIVE EYEWEAR, HONEYWELL SAFETY

- Economic and sporty glasses provide a stylish fit for the everyday wearer
- Lightweight design is equipped with sport temples and soft temple tip pads that offer a secure, wraparound fit
- Molded universal nose bridge provides added comfort throughout extended use
- 9-base polycarbonate hardcoated lenses provide a 180° field of distortion-free vision, and offer 99.9% UV protection
- Model 89020-074 features Fog-Ban® treatment to reduce fogging in extreme conditions



Description	Frame color	Lens tint	Cat. No.
Lenses with Anti-Scratch Treatment	Clear	Clear	89020-064
Lenses with Fog-Ban® Treatment	Clear	Clear	89020-074

KLEENGUARD™ 30-06 DUAL READERS SAFETY GLASSES, KIMBERLY-CLARK PROFESSIONAL

- Black frames with clear lenses (ideal for indoor use for maximum light transmission)
- Integrated diopters ("cheaters") on the top and bottom of the lenses, for vision assistance when looking up and down
- Safety readers have a 7 base curve, which facilitates peripheral vision
- Lenses are hardcoated to prevent damage and provide 99.9% UVA/UVB/UVC protection
- Ergonomic frame and comfortable, self-adjusting rubber nose pad
- TAA compliant



Diopter strength	Frame color	Lens tint	Cat. No.
+1.5	Black	Clear	67200-245
+2.5	Black	Clear	67200-251
+2.0	Black	Clear	67200-247

BX™ MAGNIFYING SAFETY GLASSES, 3M™

- Features magnifying diopters, lightweight lenses with adjustable soft tip temples, and integrated sideshields



Diopter strength	Frame color	Lens coating	Style	Lens color	Cat. No.
1.5	Silver	Anti-Fog	Half-Frame	Clear	89006-633
2	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-635
2.5	Silver and Black	Anti-Fog	Half-Frame	Clear	89006-637

VIRTUA™ CCS PROTECTIVE EYEWEAR READERS WITH FOAM GASKET, 3M™

- Clear anti-fog lens features a magnifying reading diopter
- Magnification helps workers who have difficulty reading small print, or those who are engaged in small detail work
- All lenses offer 99.9% UV protection



Description	Diopter strength	Lens coating	Lens color	Cat. No.
Half-Frame Style Eyewear	1.5	Anti-Fog	Clear	10128-150
Half-Frame Style Eyewear	2.0	Anti-Fog	Clear	10128-152
Half-Frame Style Eyewear	2.5	Anti-Fog	Clear	10128-154

VWR® NONSTERILE SAFETY GOGGLES



- Two ventilation options available
- Goggles fit over most prescription glasses
- Fully adjustable headband
- Provides 99.9% UV protection



Description	Lens coating	Frame material	Lens material	Cat. No.
Indirect Ventilation	Uncoated	PVC	Polycarbonate	76017-902
Indirect Ventilation	Anti-Scratch	PVC	Polycarbonate	75982-624
Direct Ventilation	Uncoated	PVC	Polycarbonate	76017-944
Direct Ventilation	Anti-Scratch	PVC	Polycarbonate	75982-626

VWR® CHEMICAL SPLASH GOGGLES



- Wrap around modern style provides excellent panoramic vision
- Fits most facial contours
- Comfortably fits over most prescription glasses
- Indirect ventilation
- Provides 99.9% UV protection



Description	Lens coating	Frame material	Lens material	Cat. No.
Chemical Splash Goggle	Anti-fog, Anti-scratch	PVC	Polycarbonate	75982-628



VWR® INDUSTRIAL FIT SAFETY GOGGLES

- Smaller fit goggle designed to accommodate face masks, respirators, and hard hats
- Wraparound style with indirect ventilation
- Opalescent frame prevents light reflection
- Provide 99.9% UV protection

Description	Lens coating	Frame material	Lens material	Cat. No.
Industrial Fit Goggle	Anti-Fog, Anti-Scratch	PVC	Polycarbonate	75982-630



VWR® DISPOSABLE GOGGLES, STERILE

- Two types of ventilation
- Anti-fog and antiscratch
- Fits over prescription glasses

Description	Frame material	Lens material	Cat. No.
Disposable Goggles, Indirect Ventilation	PVC	Polycarbonate	10770-152
Disposable Goggles, Direct Ventilation	PVC	Polycarbonate	10770-146



VWR® STERILIZED SOFTSIDE SAFETY GOGGLES

- Green tinted frame with fog-free lens
- Indirect cap-vented frame provides splash resistance
- Soft, clear plastic construction for a comfortable fit and good peripheral vision

Description	Cat. No.
Indirect Venting Goggle	69100-210



KLEENGUARD™ V80 REVOLUTION™ PROTECTIVE GOGGLES, KIMBERLY-CLARK PROFESSIONAL

- Universal size (one size fits most)
- Meets ANSI Z87.1+ standard for impact protection with a D3 rating for droplet and splash protection
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection
- Indirect ventilation protects from splashes and provides increased airflow to minimize condensation and fogging
- The lens is hardcoated for scratch protection and longer life
- Fits over most prescription eyeglasses and features adjustable headband buckles for a snug fit



Description	Frame color	Cat. No.
Revolution™ Protective Goggles	Blue	89135-145

KLEENGUARD™ MRXV SAFETY GOGGLES, KIMBERLY-CLARK PROFESSIONAL

- Universal size (one size fits most)
- Clear lenses allow maximum visible light transmission; ideal for indoor use
- Unventilated goggles provide protection from splashes and feature a curved lens for enhanced field of vision
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection
- Anti-fog coating to prevent fogging; ideal for humid areas and temperature variances



Frame color	Lens coating	Lens tint	Cat. No.
Smoke	VISICLEAR™	Clear	33001-053



CREWS® VERDICT® PROTECTIVE GOGGLES, MCR SAFETY

- Transparent protective PVC body permits a comfortable fit over prescription eyewear while protecting against impact
- Supplied with an elastic headband
- Lined goggles feature a soft foam lining that cushions the face and improves seal
- Can be worn with most half-mask respirators



Description	Coating	Cat. No.
Foam-Lined Goggles	Antifog Coating	80800-004

EYE & FACE PROTECTION

CREWS® STRYKE® SAFETY GOGGLES, MCR SAFETY

- Stylish, smoke-tinted plastic frame
- Clear polycarbonate lens with Duramass® scratch-resistant coating
- Exclusive Duramass AF4® anti-fog coating
- Rubber strap adjusts easily



Description	Lens color	Cat. No.
Goggles	Clear	89068-870
Goggles	Gray	89074-174

3M™ GOGGLEGEAR™ 500 SERIES, 3M™ COMPANY

- Long lasting Scotchgard™ Anti-Fog Coating helps to increase eyewear performance in wet and steamy environments
- Workers enjoy reliable, clearer sight longer, as the coating and its active ingredient is bonded to the lens.
- Coating retains its effectiveness for at least 25 washings with water
- The coating withstands disinfection with diluted bleach soaking or alcohol wipes without losing anti-fog performance



Description	Size	Lens coating	Lens tint	Cat. No.
GoggleGear™ 500 Series	Adjustable	Anti-Fog	Clear	10808-716

Description	Cat. No.
Accessories	
Removable Prescription Insert, Anti-Fog	10806-078

FECTOGGLES™ SERIES SAFETY GOGGLES, 3M™ COMPANY

- Aspheric lens helps provide expansive coverage and an extended viewing range
- Foam flange seals the perimeter of the lens to help keep out particulates and sweat
- Fire-retardant, braided, elastic strap holds the goggles firmly in place



Description	Size	Lens coating	Lens tint	Cat. No.
Fectoggles™ Series Safety Goggles, with Temple Attachment	Medium	Anti-Scratch & Anti-Fog	Clear	55666-245



UVEX STEALTH® GOGGLES, HONEYWELL SAFETY

- Durable polypropylene frame and soft, flexible elastomer provide comfortable seal
- Indirect ventilation reduces fogging
- Uvextreme® lenses provide antifog, antiscratch, antistatic, and ultraviolet protection
- Dura-streme® lenses feature interior Uvextreme coating and exterior Ultra-dura® coating for enhanced durability
- One-piece, impact-resistant polycarbonate lens can be replaced quickly and easily

Description	Band	Frame color	Lens coating	Lens tint	Cat. No.
Goggles	Neoprene	Gray	HydroShield™ Anti-Fog	Clear	10790-630
Goggles	Neoprene	Gray/Gray	Uvextreme®	Clear	33000-751
Goggles	Neoprene	Teal/Gray	Uvextreme®	Clear	33000-755
Goggles	Fabric	Gray/Gray	Uvextreme®	Clear	33000-805
Over-the-Glass Goggles	Neoprene	Navy	Dura-streme™	Clear	89095-446
Over-the-Glass Goggles	Fabric	Navy	Dura-streme™	Clear	89095-456
Goggles	Neoprene	Gray/Gray	Dura-streme™	Clear	94023-954



UVEX FUTURA™ GOGGLES, HONEYWELL SAFETY

- Wrap-around, sports-style goggles provide excellent panoramic vision
- Frosted brow guard reduces glares and indirect venting to increase airflow
- Flexible PVC body, textured neoprene headband
- Impact-resistant polycarbonate lens protects against dust, mist, and splashing
- Clear lenses are coated with Uvextreme® lens coating for anti-fog, anti-scratch, antistatic, and anti-UV protection
- Fit over most prescription eyeglasses

Description	Cat. No.
Goggles	33002-179

VWR® LENS CLEANING WIPES AND LENS CLEANING STATION

- Cleans without scratching, streaking, or residue
- Individually foil wrapped, premoistened
- Disposable station contains cleaning solution and dry cleaning tissues
- Solution coats lenses with antifog, antistatic formula



Description	Cat. No.
VWR® Pre-Moistened Lens Cleaning Wipes	89203-550
VWR® Disposable Lens Cleaning Station	89203-548

JACKSON SAFETY® LENS CLEANING TOWELETTES, KIMBERLY-CLARK PROFESSIONAL®

Description	Cat. No.
Lens Cleaning Towelettes	33300-562



UVEX CLEAR PLUS® S470 LENS CLEANING WIPES, HONEYWELL SAFETY

- Wipes contain no alcohol or silicone
- Avoid contact with eyes
- Not for use on contact lenses



Description	Cat. No.
Uvex Clear Plus® Lens Cleaning Wipes	76360-494

VWR® RATCHET HEADGEAR WITH FACE SHIELD

- Lightweight design
- Ratchet headgear features padded headband for better fit and comfort
- Face shield features universal slot design compatible with many different headgear styles
- Face shield thickness: 2.0 mm
- Fits comfortably with respirator or eyewear
- Impact-resistant, scratch-resistant polycarbonate shield



Description	Thickness	Cat. No.
Headgear and Shield	2.0 mm	76336-850
Replacement Shield	2.0 mm	76336-852

VWR® DISPOSABLE FACE SHIELDS

- Material: APET
- Anti-fog inner and outer coating
- PE protective film
- Comfortable PU foam for extended wear
- Elastic band to maintain comfortable fit



Description	Thickness	Cat. No.
Disposable Face Shields	0.25 mm	76443-134

KLEENGUARD™ V90 SHIELD SAFETY GOGGLES WITH FACE SHIELD, KIMBERLY-CLARK PROFESSIONAL

- Indirect ventilation provides increased airflow, minimizing condensation and fogging
- Curved face shield conforms to the shape of the user's face, and is a splash and impact protector
- Soft, pliable material around the eyes and nose ensure a comfortable fit
- Goggles can be used over most prescription eyeglasses
- Shield is detachable
- Goggles feature a clear, anti-fog lens and blue frame



Description	Cat. No.
V90 Shield Protective Goggles	89130-975

NALGENE® SAFETY FACE SHIELD, THERMO SCIENTIFIC

- Optically clear window polycarbonate for high impact protection
- Polyethylene headdress is adjustable
- Wraparound design safeguards front and sides; full height protects neck and top of head
- Can be worn comfortably over safety goggles
- Proven protection from UV light in frequency range from 200–360 nm



Description	Thickness	Cat. No.
Safety Face Shield	1.5mm (1/16")	33007-107

EYE & FACE PROTECTION

DISPOSABLE FACE SHIELD, ACCUFORM®

- Non sterile face shield
- Optically clear to allow peripheral visibility
- Flip-up front with side aluminum rivets
- 1" wide plastic headband strap with adjustable rear hook and loop fastener
- One size fits most (accommodates 17 to 26" head circumference)



Description	Dimensions	Thickness	Color	Cat. No.
Disposable Plastic Face Shield	14Wx8" H	0.020"	Clear	76415-414

FACE SHIELD WITH RATCHET HEADGEAR, SELLSTROM®

- Crown and chin protector offers extra protection from splashes, dust, and other contaminants
- Durable ratchet headgear, turn-of-the-knob adjustability
- Acetate window is 1mm (0.040") thick and measures 17.7Hx48.2Wcm (7x19")
- High-impact sparkguard for extra protection



Description	Thickness	Cat. No.
Headgear with Clear Window	1 mm (0.040")	33007-062
Replacement Clear Window	1 mm (0.040")	33007-064
Replacement Clear Fog-Free Window	1 mm (0.040")	33007-066

UVEX BIONIC® FACE SHIELDS, HONEYWELL SAFETY

- Clear polycarbonate visor and black headgear with comfortable cell foam
- Ergonomic design permits extended use with goggles and respirator
- Visor has secure attachment with dual-position choices
- Removable headband is breathable and washable
- Ratcheting headgear suspension



Description	Cat. No.
Faceshields with Visor and Ratcheting Headgear Suspension	
Uncoated Visor	33002-535
Antifog/Hardcoat Visor	33002-536
Replacement Visors	
Uncoated	33002-538
Antifog/Hardcoat	33002-540

HEAD AND FACE SHIELD COMBINATIONS, 3M™

- Combination head, face, and hearing protection solution
- Includes six-point ratchet suspension hard hat
- UVicator sensor, metal mesh visor, earmuff, rainshield, and visor seal
- Requires protective eyewear (sold separately)



Description	Color	Cat. No.
Ratchet Headgear and 3M™ Clear Chin Protector HCP8	Clear	80077-244
Head and Face Protection, with Ratchet Headgear H8A and 3M™ Clear Propionate Faceshield W96	Clear	89006-091
Head and Face Protection, with Ratchet Headgear H8A and 3M™ Clear Propionate Faceshield W96	Clear	89006-097

GOLD HEAT REFLECTIVE FACE SHIELDS, OBERON

- Heat Reflective Series of faceshields is manufactured using space-age technology
- Coated with a mirror-like surface of 24K Gold to reflect the radiant energy away from the user's face
- Headgear is ratchet adjustable and comfortable
- Ideal for shop, industrial, and laboratory use



Description	Color	Cat. No.
Heat Reflective Face Shield with Ratchet	Gold	89370-940

NALGENE® SAFETY SPLASH SHIELD; PC, ACETAL FLEXIBLE ARM, MAGNETIC BASE, THERMO SCIENTIFIC

- Protects from splashes, aerosols and flying debris
- Clear field of vision
- Attaches easily to benchtop shelving, machinery or other magnetic surfaces
- Flexible arm is easy to maneuver



Description	Dimensions	Cat. No.
Safety Splash Shield	28L x 21.5W cm (12 x 8 1/2")	28196-342

VWR® HOOD AND FACE COVER

- Polypropylene
- Protection from environmental contaminations
- Bulk packaging

Description	Color	Cat. No.
VWR® Hood and Face Cover	White	89187-796



KIMTECH PURE® A5 STERILE INTEGRATED HOOD AND MASK WITH CLEAN-DON™ TECHNOLOGY, KIMBERLY-CLARK PROFESSIONAL®

- Sonically welded to eliminate exposure gaps
- CLEAN-DON™ technology makes donning easier and reduces the risk of contamination
- Pull-down ties are located in the back to assist in the gowning process
- Stretch fit elastic and latex free
- Type 6 PPE Category III
- Each hood/mask offers SAL 10⁻⁶



Size	Color	Cat. No.
Universal	White	89493-012

VWR® ADVANCED PROTECTION HOOD

- Significant fluid and particulate barrier
- Durable, lightweight, soft cloth-like fabric
- Excellent breathability and water vapor transmission rate

Size	Color	Cat. No.
Universal	White	414004-503



DUPONT™ TYVEK® ISOCLEAN® HOODS WITH FULL FACE OPENING

- Bound seams
- Full face opening
- Bound hood opening
- Ties with loops for adjustable fit
- One size fits most



Length	Width	Color	Cat. No.
Tyvek® IsoClean® Hoods with Full Face Opening, Clean Processed, Sterile			
17½"	28½"	White	89125-650

ALPHATEC™ 66-674 CHEMICAL PROTECTION FIRE RESISTANT 3-PIECE HOOD, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams to ensure superior performance
- Tough and durable fabric
- Anti-static properties



Color	Clothing size	Cat. No.
Blue	One Size	80093-558

VWR® BASIC PROTECTION INDUSTRIAL NYLON BEARD COVER

- Comfortable fit and nylon construction
- Ideal for all types of beards



Size	Material	Color	Cat. No.
45.7 cm (18")	Nylon	White	75829-206

EYE & FACE PROTECTION

VWR® BASIC PROTECTION SPP BEARD COVERS

- Economical first-line barrier
- Non-linting

Description	Size	Color	Cat. No.
Latex-Free	Universal	White	89107-778



VWR® ADVANCED PROTECTION FACE MASKS

- Guards against bacteria and particulates
- Highly breathable and fluid resistant
- Malleable noseband ensures custom, secure seal
- Soft and hypoallergenic

Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-662



VWR® EARLOOP SURGICAL FACEMASKS, ASTM 1, 2, AND 3

- Multiple layers
- Comfortable earloops
- Adjustable nosewire to provide snug fit
- Inner film layer to maximize breathability
- Designed for fluid protection
- Latex-free

Description	Color	Description	Cat. No.
ASTM Level 1 Surgical Mask	Blue		76437-414
ASTM Level 2 Surgical Mask	Blue		76437-416
ASTM Level 3 Surgical Mask	Blue		76437-418

VWR® MAXIMUM PROTECTION CLEANROOM FACE MASKS

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- Low particle shedding
- Soft and hypoallergenic
- Malleable noseband ensures custom, secure seal

Description	Color	Cat. No.
Mask with Ear Loops	Blue	414004-667
Mask with Ties	White	414004-669



JFK 3-PLY LEVEL 1 FACE MASKS WITH EARLOOPS, OAKRIDGE

- Fluid resistance: 120 mm Hg
- BFE >98% at 3.0 µm
- PFE >95% at 0.1 µm
- Delta P (breathability) <4.0 H₂O/cm²
- Flame spread Class 1
- Extra long, aluminum nose piece



Description	Color	Sterility	Cat. No.
3-ply Level 1 Face Masks with Earloops	Blue	Non Sterile	76459-016



COTTON FACE MASKS, BULWARK

- Wash before first use
- Single-tie strap for adjustable fit
- Strap is made from flame-resistant fabric
- Pleated front expands for full protection



Description	Color	Cat. No.
Reusable Cotton Face Masks	Assorted	76415-452

GN1 REUSABLE KIDS FABRIC FACE MASKS

- Quality construction using two layers of soft fabric (polyester exterior and cotton interior)
- Tight material weave for excellent filtration and comfort
- Ear loops and face mask specially sized for children's smaller faces



Description	Size	Color	Sterility	Cat. No.
Cotton/Polyester Fabric Face Mask	Child	Black	Non Sterile	76452-010
Cotton/Polyester Fabric Face Mask	Child	Blue	Non Sterile	76452-006
Cotton/Polyester Fabric Face Mask	Child	Pink	Non Sterile	76452-008

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® SAFETY GLASSES HOLDERS

- Promote safety in the workplace
- Secure storage of safety eyewear
- Mountable



Description	LxWxH	Cat. No.
Plain Back	22.8x15.2x13.9 cm (9x6x5 1/2")	11376-416
Magnetic Back	22.8x15.2x13.9 cm (9x6x5 1/2")	11376-418

SAFETY GLASSES DELUXE VISITOR SPEC DISPENSER WITH COVER, BRADY®

- Each dispenser holds approximately 20-25 glasses
- Dispensers are supplied with two top holes, making them ideal for wall-mounting
- Dispenser size: 18"Hx8"Wx4"D



Description	Cat. No.
Tough Acrylic Deluxe Visitor Spec Dispenser With Cover	55607-390

BOUFFANT CAP DISPENSER, BRADY®

- Clear acrylic provides constant view of dispenser contents
- Versatile positioning options



HxWxD	Cat. No.
35.6x30.5x20.3 cm (14x12x8")	82004-280

BEARD COVER DISPENSER, BRADY®

- Clear acrylic provides constant view of contents
- Versatile positioning options



HxWxD	Cat. No.
35.6x30.5x20.3 cm (14x12x8")	82004-282

FACE MASK DISPENSER, NMC

- Dispenser with safety green top
- Hinged lid is designed to eliminate unwanted dust particles
- Holds more than 30 masks



Description	Dimensions	Cat. No.
Dust Mask Dispenser With Cover	31.75x15.24x15.24 cm (12 1/2x6x6")	94003-614

ACRYLIC DISPENSERS, NMC

- Clear acrylic units feature convenient safety green cover and door for easy access
- Table or wall mount



Description	Dimensions	Cat. No.
Misc Dispenser With Cover	15.24x0.64x22.86 cm (6x1 1/4x9")	94003-530

EYE & FACE/RESPIRATORY PROTECTION

EARPLUG DISPENSER, NMC

- Draw attention with safety green front pocket and top
- Dispenser holds over 100 pairs of earplugs



Description	Size	Cat. No.
Small Ear Plug Dispenser	33.02x15.24x20.32 cm (13x6x8")	94003-626

VISITOR SPEC CENTER, NMC

- Acrylic dispenser features bottom door to keep glasses in place
- Holds approximately 4 pairs
- Table or wall mount



Description	Size	Cat. No.
Visitor Specs Deluxe	45.72x20.32x10.16 cm (18x8x4")	94003-854

PROTECTIVE EYEWEAR RECYCLING BOX, TERRACYCLE®

- Reduce Landfill Waste
- Support Your Company's Sustainability Goals



Description	Capacity	Dimensions	Cat. No.
Safety Glasses and Goggles Recycling Box	818 Safety Glasses and Goggles	38.1Wx38.1Lx106.7H cm (15x15x42")	10820-600

SAFETY EQUIPMENT AND PROTECTIVE GEAR, ZERO WASTE BOX, TERRACYCLE®

- Reduce landfill waste
- Support your company's sustainability goals



Description	Size	Box dimensions	Cat. No.
Safety Equipment and Protective Gear Box	Small Box	11x11x20"	75996-444
Safety Equipment and Protective Gear Box	Medium Box	11x11x40"	75996-446
Safety Equipment and Protective Gear Box	Large Box	15x15x37"	75996-448

ZERO WASTE BOX™ DISPOSABLE MASKS RECYCLING BOXES, TERRACYCLE®

- Reduce landfill waste
- Support company's sustainability goals



NEW

Description	Size	Box dimensions	Cat. No.
Disposable Mask Zero Waste Box™	Small Box	11x11x20"	76457-704
Disposable Mask Zero Waste Box™	Medium Box	11x11x40"	76457-706
Disposable Mask Zero Waste Box™	Large Box	15x15x37"	76457-708

VWR® N95 DISPOSABLE RESPIRATORS

- Meet NIOSH requirements for minimum filter efficiency of 95% against 0.3µm particles
- Provide protection against solid and liquid particles that do not contain oil
- Lightweight construction allows for comfortable, extended use



US ONLY



Description	Cat. No.
N95 Respirator	89201-508
N95 Respirator with Valve	89201-510

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

KIMTECH™ N95 POUCH RESPIRATOR, KIMBERLY-CLARK PROFESSIONAL

- NIOSH-approved as N95 particulate filter respirator (TC84A-9042)
- Pouch design with a large breathing chamber for added comfort
- Consistent seal to ensure proper fit
- Comfort fit headband
- Bendable nose piece
- Made in the USA, TAA-compliant

NEW



Description	Size	Color	Cat. No.
N95 respirator	Universal	White with blue headband	76420-910

SAF-T-FIT™ PLUS N1139 RESPIRATOR, HONEYWELL SAFETY

- Equipped with exhalation valve for ease of breathing and exceptional comfort during extended wear
- Full sealing flange for superior fit and protection
- Latex-free



Size	Cat. No.
Small	89013-618
Medium/Large	89013-620

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SAF-T-FIT™ PLUS N1125 DISPOSABLE RESPIRATORS, HONEYWELL SAFETY

- Offers latex-free N95 protection from particulate aerosols free of oil
- Exhalation valve improves comfort during extended wear
- Adjustable boomerang nose seal fits securely and comfortably
- Color-coded for quick size identification
- NIOSH 95 approved



Description	Size	Nose seal color	Cat. No.
Model 1125 Respirators	Small	Red	89013-600
Model 1125 Respirators with Organic Vapor Filtration	X-Large	Blue	89013-610
Model 1125 Respirators with Acid Gas Filtration	Medium/Large	Green	89013-614

8511 N95 RESPIRATOR, 3M™

- Provides comfortable protection against certain non-oil based particles
- Cool Flow™ exhalation valve reduces heat and humidity buildup
- Features braided headbands, soft inner materials, adjustable "M" nose clip



Description	Cat. No.
8511 N95 Respirator	56621-936

AURA™ 9210+ N95 PARTICULATE RESPIRATORS, 3M™

- Lightweight, 3-panel, flat fold, disposable
- Protection against non-oil based particles
- Ideal for grinding, sanding, sweeping, bagging and other dusty or arid operations



Description	Color	Cat. No.
Flat Fold Particulate Respirator	White	10031-464

8577 P95 PARTICULATE RESPIRATOR WITH NUISANCE LEVEL ORGANIC VAPOR RELIEF, 3M™

- Designed to provide comfortable, reliable worker protection against certain oil and non-oil based aerosol particles
- Features 3M Cool Flow® Exhalation Valve for cool, dry comfort
- Adjustable "M" nose clip provides custom fit and secure seal



Description	Cat. No.
8577 P95 Particulate Respirator with Nuisance Level Organic Vapor Relief	56222-366

AIRWAVE® 4200 SERIES N95 PARTICULATE RESPIRATORS, MOLDEX®

- Unique FlexFit® design moves with the mouth for comfort all day long
- Pinch-free molded nose bridge eliminates metal nose-band readjustment and discomfort
- Dura-Mesh® shell prevents collapsing from heat and humidity so the mask lasts longer



BREATHES EASIER THAN A VALVE

Description	Size	Cat. No.
AirWave® 4200 Series N95 Disposable Respirator	Medium/Large	89216-291



US ONLY

2200 N95 PARTICULATE RESPIRATORS, MOLDEX®

- Facepiece is naturally contoured without pressure points
- Seal is maintained without a metal noseband
- Straps are securely attached so they do not break at the seal
- Dura-Mesh® outer shell resists collapsing in heat and humidity and stays clean-looking longer

Description	Size	Cat. No.
Respirators	Small	56219-005

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

RESPIRATORY PROTECTION

ABOTECH N95 MASK, V-FOLD, NIOSH APPROVED, HARDY DIAGNOSTICS

- Fabric is durable and NIOSH approved
- Soft silicone band on the perimeter for a comfortable seal
- Two adjustable straps along the ears and neck



Description	Size	Color	Cat. No.
V-Fold N95 Mask	Large	White	76458-110

6000 SERIES HALF FACEPIECE RESPIRATORS, 3M™

- Use with 3M™ 6000 series cartridges and filter
- Drop-down respirators can be used with hardhats
- P100 filters are NIOSH approved for protection against particles



Description	Size	Cat. No.
Half Facepiece Respirator with P100 Filters	Small	56222-440
Half Facepiece Respirator with P100 Filters	Medium	56222-442
Half Facepiece Respirator Only	Small	56222-901
Half Facepiece Respirator Only	Medium	56222-903
Half Facepiece Respirator Only	Large	56222-905



KN95 RESPIRATOR MASKS, WELLS LAMONT

- KN95 mask filters out 95% of 0.3 µm particles
- Affixes securely and comfortably with ear loops

Description	Color	Cat. No.
KN95 Respirator Masks	White	76414-934

6000 SERIES FULL FACEPIECE RESPIRATORS, 3M™

- Reusable, lightweight
- Cool Flow® exhalation valve reduces heat and moisture buildup
- Large lens is coated for scratch-resistance
- NIOSH approved for negative pressure air purifying and positive pressure dual-airline applications



Description	Size	Cat. No.
Full Facepiece Respirators	Small	56621-876
Full Facepiece Respirators	Medium	56621-878
Full Facepiece Respirators	Large	56612-880

5000 SERIES DISPOSABLE RESPIRATORS, 3M™

- Low-profile facepiece/cartridge for wider field of vision, greater comfort while wearing glasses or goggles
- Color coded by size
- Respirators suitable for gas and vapor protection come with replaceable prefilters
- NIOSH approved



Description	Size	Cat. No.
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Small	56222-420
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Medium	56222-421
Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide (TC-23C-865)	Large	56222-422




6000 SERIES CARTRIDGES, 3M™

- For use with 3M™ 6000 series respirator facepieces

Approved for use against	Cartridge type	Cat. No.
Certain Organic Vapors, Chlorine, Chlorine Dioxide, Hydrogen Chloride, Ammonia, Methylamine, Sulfur Dioxide, Hydrogen Fluoride, Hydrogen Sulfide, Formaldehyde	Multi-Gas/Vapor	56221-046
Certain Organic Vapors	Organic Vapor	56222-933
Certain Organic Vapors, Chlorine, Hydrogen Chloride and Sulfur Dioxide or Hydrogen Fluoride; Hydrogen Sulfide	Certain Organic Vapors/Acid Gas	56222-937

**COMFO CLASSIC®
RESPIRATORS, MSA**

- SoftFeel® facepiece material increases the comfort factor dramatically
- Unique face seal design that gives wearers an exceptional fit
- Facepiece made of silicone or Hycar™ rubber



Description	Size	Cat. No.
Dual Cartridge Respirator, Silicone	Small	300081-128
Dual Cartridge Respirator, Silicone	Medium	300052-934
Dual Cartridge Respirator, Silicone	Large	300052-936

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



COMFO® RESPIRATOR CARTRIDGES, MSA

- N95-Particulate Filter (95% filter efficiency level) effective against particulate aerosols free of oil
- R95-Particulate Filter (95% filter efficiency level) effective against all particulate aerosols
- P100-Particulate Filter (99.97% filter efficiency level) effective against all particulate aerosols

Description	Approved for use against	Usage	Cat. No.
P100 Cartridge/Filter	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300052-942
R95, N95 Cartridge	Organic Vapors	Contaminants	300081-054
R95, N95 Cartridge/Filter	Ammonia, Methylamine	Contaminants	300081-058
R95, N95 Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300081-092
P100 Cartridge/Filter	Organic Vapors	Contaminants	300081-140
P100 Cartridge/Filter	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide	Contaminants	300081-142

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



ADVANTAGE® 1000 FACEPIECES, MSA

- Wraparound flexible lens that offers excellent fit and comfort with increased vision
- Weighs 40% less than conventional full-face piece respirators
- Constructed of super-soft Hycar™ rubber that provides the feel and comfort of silicone but has a better permeation resistance
- Unique inturred lip seal that provides exceptional seal against a wide range of face contours and with suspension strap
- Distinctive, flexible urethane lens that is integrally bonded to the facepiece, eliminating the need for rigid lens retainers that can cause unwanted pressure points
- Speaking diaphragm for clear, short range communication
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions

Description	Size	Color	Cat. No.
Full Facepiece Air Purifying Respirator (APR)	Small	Black	300072-642
Full Facepiece Air Purifying Respirator (APR)	Medium	Black	300072-640
Full Facepiece Air Purifying Respirator (APR)	Large	Black	300081-124

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**7000 SERIES HALF MASK
RESPIRATORS, MOLDEX®**

- 100% PVC-Free®
- Suited to be worn under welding helmets, wide field of vision
- Higher resistance to heat and compression
- Enhanced comfort and durability of silicone
- Adjustable head cradle and curved neck buckles for extra comfort



Description	Size	Cat. No.
Half Facepiece	Small	10065-314
Half Facepiece	Medium	10065-316
Half Facepiece	Large	10065-318

RESPIRATORY PROTECTION



ADVANTAGE® RESPIRATOR CARTRIDGES, MSA

- Advantage® line of particulate, chemical, and combination cartridges are lightweight, low profile performance
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators
- Self-adjusting crown straps
- Consists of a polyethylene shell and suspension system working together as a protection system
- Also fits 420 Half-Mask Respirators and 1000, 3000, and 4000 Full-Mask Respirators

Description	Approved for use against	Usage	Cat. No.
GME P100 Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride, Mercury Vapor	Contaminants	300009-019
Low Profile P100 Cartridge	Particulate Cartridge	Contaminants	300009-020
GME Cartridge	Organic Vapors, Chlorine, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Chloride, Hydrogen Sulfide, Ammonia, Methylamine, Formaldehyde, Hydrogen Fluoride	Contaminants	300072-648
GMA P100 Cartridge	Organic Vapors, Mercury Vapor	Contaminants	300072-650

9000 SERIES FULL FACE RESPIRATORS, MOLDEX®

- High-tech, streamlined design for exceptional worker acceptance
- Exclusive over-molded lens offers greater field of vision
- Lighter weight for superior all-day comfort
- Fewer parts means less cost and easy maintenance
- Stand-away head harness for easy donning and doffing
- Lens stays away from flat surface when laid down to avoid scratching



Description	Size	Cat. No.
Full Facepiece Respirators	Small	10065-406
Full Facepiece Respirators	Medium	10065-408
Full Facepiece Respirators	Large	10065-410

Description	Cat. No.
Accessories	
Ammonia/Methylamine Cartridge	10065-418



US ONLY

AIR PURIFYING DUAL CARTRIDGE RESPIRATORS, HONEYWELL SAFETY

- Reliable and latex-free respirators offer direct cartridge-to-facepiece connection
- 7700 and 7600 series have nonallergenic silicone facepieces
- 5500 and 5400 series have thermoplastic elastomer facepieces
- NIOSH approved when used with North Safety Products cartridges

Description	Size	Cat. No.
5401 Series Full Facepiece Respirators	Medium/Large	45000-754
5400 Series Full Facepiece Respirators	Small	45000-756
7700 Series Half-Mask Respirators	Small	56222-944
7701 Series Half-Mask Respirators	Medium	56222-946
7702 Series Half-Mask Respirators	Large	56222-948
7601 Series Full Facepiece Respirators	Medium/Large	56222-950
7600 Series Full Facepiece Respirators	Small	56222-952
5500 Series Half-Mask Respirators	Small	56223-220
5501 Series Half-Mask Respirators	Medium	56223-222
5502 Series Half-Mask Respirators	Large	56223-224

Description	Cat. No.
Accessories	
P100 Any Particulates Filter	56222-964
N95 Particulate Filter	56222-965
N95 Dust Filter Assembly	56222-972
Defender® Multipurpose Cartridge	56223-250

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



QUALITATIVE FIT TEST APPARATUS, 3M™

Description	Cat. No.
Qualitative Fit Test Apparatus FT-10, with 3M™ Sensitivity Solution FT-11, Sweet	56221-918
Qualitative Fit Test Apparatus FT-30, Bitter	67100-854

RESPIRATOR CARTRIDGES AND FILTERS, HONEYWELL SAFETY

- Simplify your inventory with one line of cartridges and filters
- NIOSH approved when used with Nort Safety Products 7700, 7600, 5500, and 5400 air-purifying respirators



Description	Approved for use against	Cat. No.
Cartridges		
Defender* Multipurpose Cartridge	Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide (Escape), Hydrogen Fluoride, Chlorine Dioxide, Ammonia, Methylamine, Formaldehyde	56223-250
Acid Gas Cartridge	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Chlorine Dioxide, Hydrogen Fluoride, Formaldehyde	89400-380
Acid Gas/Organic Vapors Cartridge	Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide	89400-382
Ammonia/Methylamine Cartridge	Ammonia and Methylamine	89400-384
Filters		
P100 Any Particulates Filter	Any Particulates (99.97% min. filter efficiency)	56222-964
N95 Particulate Filter	Non-Oil Particulates (95% min. filter efficiency)	56222-965
N95 Dust Filter Assembly	Non-Oil Particulates (95% min. filter efficiency)	56222-972
Cartridge/Filter Combinations		
Organic Vapor Cartridge with P100 Filter	Organic Vapor/Any Particulates (99.97% min. filter efficiency)	89400-390
Acid Gas Cartridge with P100 Filter	Chlorine, Hydrogen Chloride, Sulfur Dioxide, Formaldehyde, Hydrogen Fluoride, Chlorine Dioxide/any Particulates (99.97% min. filter efficiency)	89400-392
Organic Vapor/Acid Gas Cartridge with P100 Filter	Organic Vapor, Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Fluoride, Chlorine Dioxide/any Particulates (99.97% min. filter efficiency)	89400-394
Ammonia/Methylamine Cartridge with P100 Filter	Ammonia, Methylamine/any Particulates (99.97% min. filter efficiency)	89400-396
Defender Multipurpose Cartridge with P100 Filter	Organic vapor, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide (escape), hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde/any particulates (99.7% min.)	89400-398

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



QUANTITATIVE FIT TESTING RESPIRATOR, 3M™

- Not designed for respiratory protection

Size	Cat. No.
Small	56222-920
Medium	56222-922
Large	56222-924

RESPIRATOR CLEANING WIPES, 3M™

- Ideal for cleaning elastomeric facepiece respirators
- Individually packed, formulated with alcohol-free fragrance, will not damage facepiece materials
- Packaged in dispenser box
- Dimensions: 20.3 x 25.4 cm (8 x 10")

Description	Cat. No.
Respirator Cleaning Wipes	89107-398

RESPIRATORY PROTECTION

EVA PAPRS (POWERED AIR PURIFYING RESPIRATORS), COMPLETE SYSTEMS, BULLARD®

- Versatile respirator for particulate or chemical environments
- Lightweight, compact, well-balanced design
- Compatible with range of head tops



Description	Headtop	Belt type	Assigned protection factor	Cat. No.
Hood, Tychem® QC, Single Bib	20TJ	Standard Comfort	25	89097-706
Hood, Tychem® SL, Double Bib	20SIC	Standard Comfort	1,000	89097-714
Hood, Tychem® QC, Double Bib	20TIC	Standard Comfort	1,000	89097-710
Loose Fitting Facepiece, Medium Narrow	20LF2M	Standard Comfort	25	89097-704
Hood, Tychem® QC, Double Bib, Suspensionless	RT3	Standard Comfort	1,000	89097-722
Hood, Tychem® QC, Double Bib, Hard Hat	20TICH	Standard Comfort	1,000	89097-718
Loose Fitting Facepiece, Large Narrow	20LF2L	Standard Comfort	25	89097-702

Description	Cat. No.
Accessories	
Blower Unit Only	89097-732
Shower Cap for PAPRFC3	89097-748
Battery, Li Polymer	89097-736
Charger, Single Port	89097-740
Charger, Six Port Gang	89097-744
Filter Cartridges: Organic Vapor, Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Chloride, Hydrogen Fluoride, HEPA	89235-852
HEPA Filter	89097-746
With Battery	89168-714
With Blower, Belt, Battery, and HE Filter	89168-716

EVAHL PAPRS (POWERED AIR PURIFYING RESPIRATORS), COMPLETE SYSTEMS, BULLARD®

- Certified for hazardous locations (Class I Division 2, Class II Division 2, Class III)
- Versatile respirator for particulate or chemical environments
- Lightweight, compact, well-balanced design



Description	Headtop	Belt type	Assigned protection factor	Cat. No.
Loose Fitting Facepiece, Large	20LFL	Standard Comfort	25	89402-826
Loose Fitting Facepiece, Medium	20LFM	Standard Comfort	25	89402-828
Loose Fitting Facepiece, Narrow Large	20LF2L	Standard Comfort	25	89402-830
Loose Fitting Facepiece, Narrow Medium	20LF2M	Standard Comfort	25	89402-832
Hood, Tychem® SL, Double Bib, Hardhat	20SICHT	Standard Comfort	1000	89402-846
Hood, Tychem® SL, Double Bib	20SICT	Standard Comfort	1000	89402-850
Hood, Tychem® QC, Double Bib	20TICT	Standard Comfort	1000	89402-862

Description	Cat. No.
Accessories	
Shower Cap for PAPRFC3	89097-748
Battery, Li Polymer	89402-902
Charger, Single Port	89402-904
Charger, Six Port Gang	89402-908
Filter Cartridges: Organic Vapor, Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Chloride, Hydrogen Fluoride, HEPA	89235-852
HEPA Filter	89097-746

EVAHL PAPRS (POWERED AIR PURIFYING RESPIRATORS), BLOWER ASSEMBLIES, BULLARD®

- Certified for hazardous locations (Class I Division 2, Class II Division 2, Class III)
- Versatile respirator for particulate or chemical environments
- Lightweight, compact, well-balanced design



Description	Assigned protection factor	Cat. No.
Blower Unit Only	25/1000	89402-894
Blower, Belt, Battery, Charger	25/1000	89402-896
Blower, Belt, Battery	25/1000	89402-898
Blower, Belt, Battery, HE Filter	25/1000	89402-900

Description	Cat. No.
Accessories	
Shower Cap for PAPRFC3	89097-748
Battery, Li Polymer	89402-902
Charger, Single Port	89402-904
Charger, Six Port Gang	89402-908
Filter Cartridges: Organic Vapor, Chlorine, Chlorine Dioxide, Sulfur Dioxide, Hydrogen Chloride, Hydrogen Fluoride, HEPA	89235-852
HEPA Filter	89097-746

ACCESSORIES FOR INTRINSICALLY SAFE POWERED AIR-PURIFYING RESPIRATOR SYSTEM, PA30IS SERIES, BULLARD

Description	Cat. No.
Clear Breathing Tube Covers	89092-920

TYCHEM® HOODS, BULLARD®

- Simple, effective, and economical options for respiratory protection
- Covers entire head, face, and neck to provide splash and overspray protection
- Neck cuff design maintains positive pressure inside the hood by inflating the inner collar to provide a snug, comfortable fit and continuous airflow
- Wide-angle lens offers large field of vision while accommodating beards, prescription eyeglasses, or safety glasses
- Lighter and more comfortable than tight-fitting full facepiece respirators
- Durable enough to reuse, yet economical enough to discard after each use
- Approved for NIOSH for use in Type-C applications



Description	Cat. No.
Tychem® QC Hood, Single Bib	16005-040
Tychem® SL Hood, with Taped and Sealed Seams	16006-040
Tychem® SL Hood, with Taped and Sealed Seams, for use with Hard Hat	16006-042
Tychem® QC Hood, Double Bib without Suspension	16006-048
Tychem® QC Hood, with Taped and Sealed Seams	16006-050
Tychem® QC Hood, with Taped and Sealed Seams, without Suspension	16006-053
Tychem® Hood, with Oversized Lens and Double Bib, without Suspension	16006-300
Tychem® QC Hood, Double Bib, with Chemically Resistant Acetate Lens, Sport Nylon Neck Cuff	89093-555
Tychem® QC Hood, Double Bib with Acetate Lens, without Suspension, Sport Cuff	89235-851

NORTH PRIMAIR 700 (PA700) SERIES PAPR, HONEYWELL SAFETY

- Ergonomic belt
- Lightweight breathing tubes
- Side mounted battery
- Adjustable airflow
- Smart breathing tube connection



Description	Cat. No.
PAPR	
Primair 700 Series PAPR Starter Kit	76299-786

US ONLY



VERSAFLO™ PAPR TR-600 SERIES KIT, 3M™

- Designed for hospital and healthcare applications
- Kit provides respiratory protection, with limited eye, head, face, and skin protection

Description	Size	Belt type	Cat. No.
Gray Head Cover with Suspension (Magenta)	Small/Medium	Belt-Mounted	10837-168
Gray Head Cover with Suspension (Magenta)	Medium/Large	Belt-Mounted	10837-170

Description	Cat. No.
Accessories	
High Efficiency Filter, Black	10152-832
Replacement Motor/Blower Unit	10152-836
High Durability Belt, Gray	10152-850
High Capacity Lithium-ion Battery Pack, Gray/Blue, 8 - 18 Hours	10152-878
High Efficiency (HE) Particulate Filter and Organic Vapor (OV) Cartridge, Magenta/Black	10152-884
Complete 4-Station Battery Charger, Gray/Blue	10152-890
Filter Cover, for use with TR-6510N Filter	10152-892
Cleaning and Storage kit	10152-896
Filter Cover for use with TR-6710N Filter	10152-906

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VERSAFLO™ S-SERIES ECONOMY HOODS, 3M™

- Provides head, face, neck and shoulder coverage
- For applications that require frequent replacement of entire headgear assembly
- Fully assembled
- OSHA APF 1000



Description	Size	Color	Cat. No.
Economy Hood	Small-Medium	White	89205-948
Economy Hood	Medium-Large	White	89205-950

BODY PROTECTION

REPLACEMENT HOODS FOR VERSAFLO™ S-SERIES PREMIUM SUSPENSION HOODS, 3M™

- An assortment of hood styles and optional accessories

Description	Cat. No.
Replacement Hood with Sealed Seams and Inner Collar	89132-120
Replacement Hood (White) with Inner Collar for use with Premium Head Suspension	89132-124
Replacement Painter's Hood	89132-126
Replacement Hood (White) with Inner Shroud for use with Premium Head Suspension	89132-130



DUPONT™ TYCHEM® 2000 COVERALLS WITH STANDARD HOOD AND ATTACHED SOCKS, TAPED SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Taped seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
XXL	28 3/4"	Yellow	30"	38 1/4"	89138-056
3XL	30 1/4"	Yellow	31"	38 1/2"	89138-058

DUPONT™ TYCHEM® 4000 COVERALLS WITH STANDARD HOOD AND ATTACHED SOCKS, TAPED SEAMS

- Standard fit hood
- Elastic wrists
- Attached socks
- Storm flap with adhesive closure
- Taped seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
Tychem® 4000 Coveralls					
XXL	28 3/4"	White	30 1/2"	38 1/4"	13451-040
3XL	30 1/4"	White	31 1/2"	38 1/2"	13451-042

DUPONT™ TYCHEM® 5000 COVERALLS WITH LAYDOWN COLLAR

- Collared
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Taped seams



Size	Chest size	Color	Inseam	Sleeve	Cat. No.
L	25 1/4"	Tan	28 1/2"	34"	76187-254
XL	27 3/4"	Tan	29"	35 1/2"	76187-260

DUPONT™ TYCHEM® 2000 COVERALLS WITH LAYDOWN COLLAR AND ELASTIC WRISTS AND ANKLES, BOUND SEAMS

- Laydown collar
- Elastic wrists and ankles
- Storm flap with adhesive closure
- Bound seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
XXL	28 3/4"	Yellow	30 1/2"	38 1/4"	13452-642
3XL	30 1/4"	Yellow	31 1/2"	38 1/2"	13452-644

DUPONT™ TYCHEM® RESPONDER® CSM ENCAPSULATED LEVEL A SUITS

- Expanded back
- Front entry
- Standard visor
- Attached butyl gloves
- Attached socks with outer boot flaps
- Double storm flap with hook & loop closure
- Two exhaust valves
- Double taped seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
Tychem® RESPONDER® CSM Encapsulated Level A Suits					
L	30"	Tan	31"	26"	13452-712
XL	30"	Tan	32 1/2"	26 1/2"	13452-714

DUPONT™ TYCHEM® 10000 ENCAPSULATED LEVEL A SUITS WITH STANDARD VISOR

- Encapsulated Level A suit
- Flat back
- Front entry
- Standard visor
- Attached dual-layered gloves
- Multi-layer laminate interior gloves
- Butyl exterior gloves
- Attached socks with outer boot flaps
- Double storm flap with hook and loop closure
- Two exhaust vents
- Double taped seams



Size	Chest size	Color	Inseam	Cat. No.
L	30"	Yellow	31"	76187-896
XL	30"	Yellow	31"	76187-898

ALPHATEC™ 66-670 CHEMICAL PROTECTION FLAME RESISTANT JACKETS, ANSELL

- Offers HRC Level 2 arc flash protection
- Increases chance of survival from exposure to thermal hazards
- Does not sustain a flame and no melting or dripping during flammability testing
- Chemical-resistant stitching and taped seams ensure superior performance
- Tough and durable fabric
- Anti-static properties



Color	Clothing size	Cat. No.
Blue	L	80093-543
Blue	XL	80093-545

MICROCHEM® BY ALPHATEC™ 68-4000 CHEMICAL PROTECTION COVERALLS WITH HOOD AND ULTRASONICALLY WELDED AND TAPED SEAMS, ANSELL

- Permeation tested against over 190 chemicals, including chemical warfare agents
- Textile-like inner improves comfort
- Typical coverall features include color coded dual zip systems, double cuffs with knitted inner cuff, and 2-piece respirator fit hood
- Ultrasonically welded and taped seams provides a strong liquid and particle barrier



Size	Material	Color	Seam type	Cat. No.
Model 111 Coveralls with Elasticated Hood, Outer Cuffs, and Waist				
Large	Chemical Barrier Laminate	Green	Taped	10836-518
X-Large	Chemical Barrier Laminate	Green	Taped	10836-520
Model 122 Coveralls with Integrated Socks and Boot Overlap				
Large	Chemical Barrier Laminate	Green	Taped	10836-246
X-Large	Chemical Barrier Laminate	Green	Taped	10836-248

KLEENGUARD™ A80 CHEMICAL PERMEATION AND JET LIQUID PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL



- For hazardous material handling and chemical barrier protection
- Durable, lightweight fabric laminated with SARANEX® 23-P film exterior
- Comfortable cloth-like interior
- No-seams front design for splash protection
- Available with bound or taped seams (Taped seams use SARANEX® 23-P film)
- Zipper front with storm flap



Description	Size	Color	Seam type	Cat. No.
Elastic Wrists and Hood, Open Ankles, without Boots	3X-Large	White	Taped Seams	82004-008
Elastic Wrists and Hood, Open Ankles, without Boots	4X-Large	White	Taped Seams	82004-010
Elastic Wrists and Hood, Open Ankles, Attached Boots	X-Large	White	Taped Seams	82004-014
Elastic Wrists and Hood, Open Ankles, Attached Boots	XX-Large	White	Taped Seams	82004-016
Elastic Wrists and Hood, Open Ankles, Attached Boots	3X-Large	White	Taped Seams	82004-018

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

KLEENGUARD™ A60 BLOODBORNE PATHOGEN AND CHEMICAL SPLASH PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL

- Seamless front ensures increased protection in the primary exposure areas
- Patented REFLEX™ design is 7.5 times less likely to rip out than ANSI minimums
- Provides 12% more chest room and 6% longer body length for a more comfortable fit
- Zipper front



Size	Color	Cat. No.
Coveralls with Zipper Front, Storm Flap, and Elastic Back, Wrists, and Ankles		
3X-Large	Denim Blue	37001-138
4X-Large	Denim Blue	82004-870
Coveralls with Zipper Front, Storm Flap, Attached Hood, and Elastic Back, Wrists, and Ankles		
X-Large	Denim blue	82003-916
XX-Large	Denim blue	82003-918
Coveralls with Zipper Front, Attached Hood and Boots, and Elastic Back, Wrists, and Ankles		
XX-Large	Denim Blue	82003-930
3X-Large	Denim Blue	82003-932

BODY PROTECTION



KLEENGUARD™ A70 CHEMICAL SPRAY PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL

- For use in hazardous waste remediation, environmental cleanup, petrochemical/oil refining, acid/caustic handling, biohazard cleanup, and pharmaceutical manufacturing applications
- Features bound seams for increased protection
- Durable, breathable, and comfortable
- Manufactured from NFPA 99 compliant antistatic material
- Wick-away lining provides enhanced comfort during extended use

Description	Size	Color	Seam type	Cat. No.
Elastic Wrists, Ankles, and Hood	Medium	Yellow	Bound	89030-822
Elastic Wrists, Ankles, and Hood	X-Large	Yellow	Bound	89030-826
Elastic Wrists, Hood, and Boots	Large	Yellow	Bound	89030-836
Elastic Wrists, Hood, and Boots	XX-Large	Yellow	Bound	89030-840

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CHEMMAX® 4 PLUS CHEMICAL PROTECTIVE DISPOSABLE COVERALLS WITH RESPIRATOR-FIT HOOD, DOUBLE STORM FLAP, ATTACHED BOOTS AND BOOT FLAPS, LAKELAND INDUSTRIES

- Advanced chemical barrier
- Respirator fit hood
- Heat sealed seams
- PermaSURE chemical database



Clothing size	Description	Color	Seam type	Cat. No.
M	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-574
L	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-576
XL	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-578
XXL	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-580
3XL	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-582
4XL	ChemMax® 4 Plus Coverall	Yellow	Heat Sealed	76359-584



CHEMMAX® 2 CHEMICAL PROTECTIVE COVERALL WITH RESPIRATOR-FIT HOOD, ELASTIC WRISTS, ATTACHED BOOTS, ZIPPER CLOSURE WITH STORM FLAP, LAKELAND INDUSTRIES

- Heat sealed seams
- Respirator-fit hood
- Attached boots

Clothing size	Color	Seam type	Cat. No.
M	White	Heat Sealed	76314-102
L	White	Heat Sealed	76314-100
XL	White	Heat Sealed	76314-104
XXL	White	Heat Sealed	76314-092
3XL	White	Heat Sealed	76314-094
4XL	White	Heat Sealed	76314-096



PYROLON® PLUS 2 COVERALLS, LAKELAND

- Coveralls feature a zipper front, attached hood, and elastic wrists and ankles
- Quality standards meet ANSI/ISEA 101-1996

Size	Color	Cat. No.
XX-Large	Blue	33500-674
3X-Large	Blue	33500-676

VWR® BASIC PROTECTION INDUSTRIAL COVERALLS

- Made of durable and comfortable material
- Non-woven coveralls are ideal for use in a variety of industrial, food and beverage, warehouse, or visitor applications



Description	Size	Color	Cat. No.
VWR® Basic Protection Industrial Coverall	Small	White	75874-030
VWR® Basic Protection Industrial Coverall	Medium	White	75874-032
VWR® Basic Protection Industrial Coverall	Large	White	75874-034
VWR® Basic Protection Industrial Coverall	X-Large	White	75874-036
VWR® Basic Protection Industrial Coverall	XX-Large	White	75874-038
VWR® Basic Protection Industrial Coverall	3X-Large	White	75874-040
VWR® Basic Protection Industrial Coverall	4X-Large	White	75874-042
VWR® Basic Protection Industrial Coverall	Small	Blue	75874-044
VWR® Basic Protection Industrial Coverall	Medium	Blue	75874-254
VWR® Basic Protection Industrial Coverall	Large	Blue	75874-256
VWR® Basic Protection Industrial Coverall	X-Large	Blue	75874-258
VWR® Basic Protection Industrial Coverall	XX-Large	Blue	75874-260
VWR® Basic Protection Industrial Coverall	3X-Large	Blue	75874-262
VWR® Basic Protection Industrial Coverall	4X-Large	Blue	75874-264
VWR® Basic Protection Industrial Coverall	Small	Green	75874-266
VWR® Basic Protection Industrial Coverall	Medium	Green	75874-268
VWR® Basic Protection Industrial Coverall	Large	Green	75874-270
VWR® Basic Protection Industrial Coverall	X-Large	Green	75874-272
VWR® Basic Protection Industrial Coverall	XX-Large	Green	75874-274
VWR® Basic Protection Industrial Coverall	3X-Large	Green	75874-276
VWR® Basic Protection Industrial Coverall	4X-Large	Green	75874-278
VWR® Basic Protection Industrial Coverall	Small	Red	75874-280
VWR® Basic Protection Industrial Coverall	Medium	Red	75874-282
VWR® Basic Protection Industrial Coverall	Large	Red	75874-284
VWR® Basic Protection Industrial Coverall	X-Large	Red	75874-286
VWR® Basic Protection Industrial Coverall	XX-Large	Red	75874-288
VWR® Basic Protection Industrial Coverall	3X-Large	Red	75874-290
VWR® Basic Protection Industrial Coverall	4X-Large	Red	75874-292

KLEENGUARD™ A40 REFLEX® COVERALLS, KIMBERLY-CLARK PROFESSIONAL

- Coveralls feature a respirator fit hood, zipper front, and elastic wrists and ankles
- Breathable, microporous film laminated non-woven fabric provides barrier protection against solid particles, dust, and liquid splash
- Reflex® design delivers enhanced comfort with fewer rip-outs
- 3.8X better liquid barrier than leading competitor
- 30% stronger fabric with up to 8X less lint than leading competitor



Clothing size	Description	Color	Sterility	Cat. No.
M	KleenGuard™ A40 Reflex® Coverall	White	Non sterile	76449-918
L	KleenGuard™ A40 Reflex® Coverall	White	Non sterile	76449-920
XL	KleenGuard™ A40 Reflex® Coverall	White	Non sterile	76449-922
XXL	KleenGuard™ A40 Reflex® Coverall	White	Non sterile	76449-924
3XL	KleenGuard™ A40 Reflex® Coverall	White	Non sterile	76449-926

VWR® BASIC PROTECTION WHITE SPP COVERALLS

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting



Size	Color	Cat. No.
X-Large	White	414004-339
XX-Large	White	414004-338
3X-Large	White	414004-337

VWR® BASIC PROTECTION SMS COVERALLS

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- No pockets
- Serged seams



Size	Color	Cat. No.
Standard Coveralls		
X-Large	Blue	414004-324
XX-Large	Blue	414004-322
3X-Large	Blue	414004-323

KLEENGUARD® A30 BREATHABLE SPLASH AND PARTICLE PROTECTION COVERALLS, KIMBERLY-CLARK PROFESSIONAL®

- Provide durable chemical splash and fine particle protection
- 25 times more breathable than Tyvek® yet maintains comparable particle holdout
- Cloth-like and abrasion-resistant outer layer
- Microfiber middle layer filters out many water-based liquids and dry particulates
- Feature zipper front with flap and elastic back



Size	Color	Cat. No.
Elastic Back, Wrists, and Ankles		
Large	White	82003-878
XX-Large	White	82003-882
Elastic Back, Wrists, Ankles, and Hood		
Large	White	82003-890
X-Large	White	82003-892
3X-Large	White	82003-896

BODY PROTECTION

VWR® ADVANCED PROTECTION COVERALLS

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel



DUPONT™ TYVEK® 400 COVERALLS WITH RESPIRATOR HOOD AND ATTACHED SKID RESISTANT BOOTS, COMFORT FIT DESIGN

- Comfort fit design
- Respirator fit hood
- Zipper front
- Elastic wrists
- Attached skid-resistant boots
- Elastic waist
- Serged seams



Description	Size	Color	Cat. No.
Coveralls	X-Large	White	414004-293
Coveralls	XX-Large	White	414004-291
Coveralls with Attached Elastic Hood and Fluid-Impervious Boot Covers	X-Large	White	414004-299
Coveralls with Attached Elastic Hood and Fluid-Impervious Boot Covers	3X-Large	White	414004-301

Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
Tyvek® 400 Coveralls with Respirator Hood and Attached Skid Resistant Boots					
XL	28"	White	30"	37"	12000-572
XXL	29 1/4"	White	31"	38 1/2"	12000-574

VWR® MAXIMUM PROTECTION COVERALLS

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength
- Bonded seam option available



VWR SIGNATURE™ COVERALLS MADE WITH DUPONT™ TYVEK® ISOCLEAN® MATERIAL

- Protective, durable, and comfortable
- Excellent barrier against dry particulates, nonhazardous liquids, and microorganisms
- Chemically and biologically inert, low linting, and static free until laundered
- Serged seams, laydown collar, front zipper closure, and elastic wrists
- Available with elastic ankles, with attached Gripper™ boots, or with attached boots and hood
- Boot attachments combine embossed PVC exterior sole with textured interior to ensure secure, nonslip fit and feel



Size	Material	Color	Cat. No.
Coveralls			
XX-Large	PP	White	414004-310
3X-Large	PP	White	414004-312
Coveralls with Hood and Fluid Impervious Boots			
X-Large	PP	White	414004-305
3X-Large	PP	White	414004-683
Coveralls with Attached Non-Skid Boot Covers with PVC Sole			
X-Large	PP	White	414004-317
3X-Large	PP	White	414004-319

Description	Size	Color	Cat. No.
Coveralls with Elastic Ankles	X-Large	White	89012-828
Coveralls with Elastic Ankles	XX-Large	White	89012-830
Coveralls with Attached Boots	Large	White	80200-622
Coveralls with Attached Boots	X-Large	White	80200-624
Coveralls with Attached Boots	XX-Large	White	80200-626
Coveralls with Attached Boots and Hood	Large	White	89128-782
Coveralls with Attached Boots and Hood	X-Large	White	89128-784

VWR® STERILE COVERALLS, 10⁻⁶ SAL

- Gamma irradiated to SAL 10⁻⁶
- Durable fabric
- Excellent breathability
- Suitable for ISO Class 5 or higher cleanrooms
- Individually bagged



Description	Size	Length	Color	Cat. No.
Disposable Non-Woven Sterile Coverall	X-Large	178 cm (70.1")	White	89523-464
Disposable Non-Woven Sterile Coverall	XX-Large	183 cm (72.1")	White	89523-466
Disposable Non-Woven Sterile Coverall	3X-Large	186 cm (73.2")	White	89523-468

DUPONT™ TYVEK® ISOCLEAN® COVERALLS WITH DOLMAN SLEEVES

- Bound neck allows for lower particle shedding
- Front zipper closure allows for easy donning and doffing



Size	Chest size	Color	Inseam	Sterility	Sleeve	Cat. No.
Tyvek® IsoClean® Coveralls, Sterile						
XL	26 1/2"	White	33 1/2"	Sterile	38 1/4"	89127-244
2X	28 1/2"	White	34"	Sterile	39 3/4"	89127-210
Tyvek® IsoClean® Coveralls, Clean Processed, Sterile						
XL	26 1/2"	White	33 1/2"	Sterile	38 1/4"	89127-246
2X	28 1/2"	White	34"	Sterile	39 3/4"	89127-212
3X	30 1/2"	White	35"	Sterile	40 1/4"	89127-218

DUPONT™ PROSHIELD® 60 COVERALLS WITH RESPIRATOR HOOD

- Respirator fit hood
- Elastic wrists and ankles
- Storm flap
- Serged seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
L	25 1/4"	White	27"	32 3/4"	10016-118
XXL	28 3/4"	White	28 1/4"	36 1/4"	10016-108

KIMTECH PURE® A5 STERILE CLEANROOM APPAREL, KIMBERLY-CLARK PROFESSIONAL®

- High standard of protection and comfort
- Cloth-like SMS material, contains no natural rubber or latex
- Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- Optional hoods and boot covers designed for use with coveralls



Description	Size	Color	Sterility	Cat. No.
Coveralls	Medium	White	Sterile	89092-900
Coveralls	X-Large	White	Sterile	89092-904
Coveralls	XX-Large	White	Sterile	89092-906

DUPONT™ PROSHIELD® 6 SFR COVERALLS WITH LAYDOWN COLLAR

- Laydown collar
- Open wrists and ankles
- Front zipper closure
- Serged seams



Clothing size	Chest size	Color	Inseam	Sleeve	Cat. No.
XXL	28 3/4"	Blue	30 1/2"	38 1/4"	13452-964
3XL	30 1/4"	Blue	32"	38 1/2"	13452-966

PREVAIL™ FLAME-RESISTANT COVERALLS, KIMBERLY-CLARK®

- Comfortable, breathable, and durable fabric resists tearing
- Design meets the ANSI/ISEA 101-1996 sizing standard
- Blue fabric



Size	Color	Cat. No.
Zipper Front		
Medium	Blue	82006-112
Large	Blue	82006-114
Zipper Front; Elastic Wrists, Ankles, and Hood		
XX-Large	Blue	82006-130
3X-Large	Blue	82006-132
Zipper Front; Elastic Wrists, Ankles, and Hood; Attached Boots		
3X-Large	Blue	82006-144
4X-Large	Blue	82006-146

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

BODY PROTECTION

FLAME RESISTANT DENIM WORK JEANS WITH MAX COMFORT™ MATERIAL, MCR SAFETY

- Enzyme wash for softness, comfort, and look
- 8" single needle topstitch at top of outseam for durability
- 100% cotton
- NFPA 2112, NFPA 70E, UL certified



Type	Color	Clothing size	Cat. No.
Max Comfort™ P1 work jeans	Denim	32x34"	10813-322
Max Comfort™ P1 work jeans	Denim	34x30"	10813-326

HIGH PERFORMANCE FR SWEATER-KNIT QUARTER ZIP JACKETS, LAKELAND INDUSTRIES

- Inherently FR sweater knit fabric
- Permanent moisture wicking technology
- Quarter zip pullover design
- Perfect Mid or Outer layer



Color	Clothing size	Garment fit	Cat. No.
Heather Gray	L	Regular	76439-084
Heather Gray	XXL	Regular	76439-070

FLAME RESISTANT WORK SHIRT WITH MAX COMFORT™ MATERIAL, TAN, MCR SAFETY

- Comfortable 88% cotton/12% nylon blend
- Two chest pockets
- NFPA 2112, NFPA 70E, UL Certified



Type	Color	Clothing size	Cat. No.
Max Comfort™ S1 work shirt	Tan	XL	10813-450

FLAME RESISTANT COVERALL, KHAKI, WESTEX DH, LAKELAND INDUSTRIES

- Inherently FR fabric that can't lose its flame resistant properties
- NFPA 2112, UL Certified for Flash Fire Protection
- NFPA 70E, CAT2 Electrical Arc Flash Protection
- Pleated back and elastic waist for fit and comfort
- Flared leg cuffs for ease of donning and doffing



Type	Color	Clothing size	Cat. No.
Flame resistant coverall	Khaki	L	75923-450
Flame resistant coverall	Khaki	XL	75923-452

FLAME RESISTANT LONG SLEEVE HENLEY SHIRT WITH MAX COMFORT™ MATERIAL, GRAY, MCR SAFETY

- 100% FR Cotton
- Left chest pocket
- Moisture wicking and breathable
- Rib-knit collar and cuff
- NFPA 2112, NFPA 70E, UL Certified



Type	Color	Clothing size	Cat. No.
Max Comfort™ H1 long sleeve Henley shirt	Gray	L	10813-454

HIGH PERFORMANCE FR HI-VIS JACKETS, LAKELAND INDUSTRIES

- Permanent moisture wicking properties
- 12.3 oz. inherently FR fabric
- Wind proof and water-resistant
- Front hand warmer pockets
- Zipper front closure



Color	Clothing size	Garment fit	Cat. No.
Hi-Vis Yellow	M	Regular	76437-832
Hi-Vis Yellow	XL	Tall	76437-840

HIGH PERFORMANCE FR MEN'S DUAL HAZARD LIGHTWEIGHT PANTS, NAVY, LAKELAND INDUSTRIES

- Wider waistband for increased comfort
- Articulated knees offer better mobility
- Cell phone pocket on right leg
- Stealth zipper pocket on right leg
- Crotch gusset for increased comfort
- Extra material in heel to reduce wear



Color	Clothing size	Cat. No.
Navy	32x32"	76437-900
Navy	34x34"	76437-920

FLAME RESISTANT ECONOMY VEST, ML KISHIGO

- Modacrylic blend Flame Resistant solid material
- Flame Resistant hook and loop front closure
- 2" wide laminated reflective material
- 3 inside pockets



Type	Clothing size	Color	Cat. no.
Flame resistant economy vest	L	Lime	75998-286
Flame resistant economy vest	XL	Lime	75998-288
Flame resistant economy vest	XXL	Lime	75998-290

FLAME RESISTANT PREMIUM BLACK SERIES MESH VEST, ML KISHIGO

- Modacrylic blend Flame Resistant GlenGuard mesh material
- 2" wide breathable reflective material
- Indura Flame Resistant black bottom and trim
- Nomex high temp Flame Resistant zipper
- 3 inside pockets
- Optional D-Ring access also available



Type	Size	Color	Cat. No.
Premium Black Series flame resistant mesh vest	L	Lime	75998-206
Premium Black Series flame resistant mesh vest	XL	Lime	75998-208
Premium Black Series flame resistant mesh vest	XXL	Lime	75998-210

LUMINATOR™ REFLECTIVE SAFETY VEST, MCR SAFETY

- VCL2SL is an ANSI/ISEA Class 2 value safety vest made of fluorescent lime polyester solid material
- Vest features a hook and loop front closure, 2" silver reflective stripes, two outer pockets, and one inner pocket



Color	Size	Cat. No.
Fluorescent Lime	L	89236-750
Fluorescent Lime	XL	89236-754

CLASS II SOLID FRONT WITH MESH BACK SAFETY VEST, ML KISHIGO

- Zipper front closure
- Left and right chest mic tabs
- Two lower outside patch pockets with flaps
- Right chest two-tier, four-division pocket
- Left chest radio pocket with flap
- Two lower inside patch pockets



Size	Color	Cat. No.
Large	Lime	76203-590
X-Large	Lime	76203-594
Large	Orange	76203-656
X-Large	Orange	76203-658

PVC/POLYESTER GARMENT, DETACHABLE HOOD, SNAP FRONT, MCR SAFETY

- Jacket features a snap front, take-up snaps at the wrists, detachable hood with drawstring, and two front patch pockets
- Bib pants feature a fly front with snap and take-up snaps at the waist and ankles



Color	Clothing size	Cat. No.
Yellow	L	80082-254
Yellow	XXL	80082-260

CREWS® SAFETY VESTS, MCR SAFETY

- Bright orange, polyester mesh vests feature a Velcro® front closure and elastic side straps for secure fitting
- Vests are packaged 12 per poly bag
- Size: universal



Description	Cat. No.
Safety Vest with No Striping	80082-416
Safety Vest with Yellow Striping	80082-419

DOMINATOR TWO PIECE SUIT, ATTACHED HOOD, MCR SAFETY

- Jacket features a zipper front, oversized storm flap, attached hood and inner sleeves to prevent splash back
- Bib pants have full elastic suspenders, plain front, take-up snaps at the ankles, and an additional 10" x 10" reinforced crotch for durability
- Material is treated to be limited flammability



Color	Clothing size	Cat. No.
Green	XL	80082-328
Green	XXL	80082-316

BODY PROTECTION

SCHOONER PONCHO, ATTACHED HOOD, MCR SAFETY

- Ponchos are easy to put on and take off, and especially easy to store
- One size fits all



Color	Cat. No.
Yellow	80082-386
Orange	80082-388
Clear	80082-390

VWR® TRANSPARENT PLASTIC LABORATORY APRONS

- Protect against water, oil, grease, and most chemicals
- Will not peel, curl, or crack
- Soft, pliable Plastipron® design



Type	LxW	Cat. No.
Utility-weight Aprons, thickness: 4 mil	91.4x68.6 cm (36x27")	10824-045
Medium-weight Apron, thickness: 6 mil	91.4x68.6 cm (36x27")	10825-048
Heavy-weight Aprons, thickness: 8 mil	111.8x76.2 cm (44x30")	10825-061
Heavy-weight Aprons, thickness: 8 mil	116.8x91.4 cm (46x36")	10824-125

STANDARD COOLING VEST AND INSERTS, ALLEGRO

- Outer and inner layers of 100% cotton
- Four pockets
- Zipper front closure
- Hook and loop shoulder and side closure for snug fit
- V-shaped neck
- Hook and loop tabs keep inserts secure
- Royal blue fabric



Type	Size	Cat. No.
Feather Ice Inserts	-	76057-664
Phase Change Inserts	-	76057-690
Standard Cooling Vest	Large	76057-692
Standard Cooling Vest	X - Large	76057-694

VINYL COAT APRONS, ANSELL

- SType 56-910, provide excellent protection when handling acids and caustic solutions
- Made of virgin vinyl, heat-sealed binding at the neck and bottom eliminates leaks caused by exposed elastic and thread
- Back closure consists of two plastic snaps and nylon ties, with no metal parts to cause static or corrosion
- Full-length sleeves provide additional coverage



US ONLY

Size	Length	Thickness	Color	Cat. No.
Medium	127 cm (50")	8 mil	Blue	32890-884
Large	129.5 cm (51")	8 mil	Blue	32891-286
X-Large	137 cm (54")	8 mil	Blue	32890-888

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® BASIC PROTECTION INDUSTRIAL PE APRONS

- VWR® provides two size options for these easy to don garments
- Ideally suited for use in industrial, food and beverage, warehouse, non-controlled environments, and visitor applications



Description	Color	Cat. No.
VWR® Basic Protection Industrial PE Apron	White	76008-556
VWR® Basic Protection Industrial PE Apron	Blue	76008-558

ALPHATEC™ 56-210 DISPOSABLE POLYETHYLENE APRONS, ANSELL

- Effectively protects workers
- Excellent chemical resistance
- Economical, flexible, and durable

US ONLY



Length	Color	Cat. No.
116.8 cm (46")	White	32891-303
140 cm (55")	White	80093-292

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

ALPHATEC™ 56-009 PVC APRONS, ANSELL

- Effectively protects workers
- Excellent chemical resistance
- Superior flexibility



Size	Thickness	Color	Cat. No.
88.9Wx114.3L cm (35x45")	6 mils	Blue	32891-268
84Wx124L cm (33x49")	6 mils	Blue	80093-236

DUPONT™ TYCHEM® 5000 SLEEVED APRONS

- Sleeved
- Elastic wrists
- Neck loop with snaps and waist ties
- Taped seams



Size	Length	Chest size	Color	Sleeve	Cat. No.
L	44"	27 1/2"	Tan	31 1/2"	76187-404
XL	44"	28"	Tan	32 1/4"	76187-410

ALPHATEC® 56-102 APRONS, ANSELL

- Wherever oil, grease and chemicals are present, Ansell aprons help workers keep clean and protected from harmful contact
- PVC (Vinyl) aprons traditionally offer excellent protection where splashes from acids and caustic bases are a concern
- PVC construction is flexible yet offers resistance to abrasion and puncture
- Sealed grommets with adjustable ties allow for size adjustment without tear-out
- Stomach patch enhances protection in critical wear areas
- Bib styles in two sizes with adjustable ties ensure optimal fit for a wide range of users



Color	LxW	Cat. No.
Green	114.3x88.9 cm (45x35")	32899-009

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

DUPONT™ TYCHEM® 4000 SLEEVED APRONS

- Sleeved
- Elastic wrists
- Neck loop with snaps and waist ties
- Taped seams



Size	Length	Chest size	Color	Sleeve	Cat. No.
L	44 1/4"	27 1/2"	White	31 1/2"	10170-164
XL	45"	28"	White	32 1/4"	10170-170

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

DUPONT™ TYCHEM® 4000 BIB APRONS

- Neck loop
- Waist ties
- Bound seams
- One size fits most



Height	Length	Color	Cat. No.
27 3/4"	43 1/2"	White	13452-842

DUPONT™ PROSHIELD® 60 BIB APRONS

- Neck loop
- Waist ties
- Bound seams
- One size fit most



Length	Width	Color	Cat. No.
35 3/4"	27"	White	13451-080

BODY PROTECTION

KLEENGUARD® A20 BREATHABLE PARTICLE PROTECTION APRON, KIMBERLY-CLARK PROFESSIONAL®

- Lightweight, disposable, stain-resistant bonded polypropylene layers
- Triple layer construction, breathable and pliable, extra-long ties
- For lab use, light assembly, and food processing areas

US ONLY



Description	Cat. No.
KLEENGUARD Apron 28x40" CS 100	10815-827

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

KLEENGUARD® A70 CHEMICAL SPRAY PROTECTION SMOCKS, KIMBERLY-CLARK PROFESSIONAL®

- Chemical spray protection smocks are constructed of a 1.5mil polyethylene film-coated, spunbond polypropylene fabric
- Seamless design, soft and durable fabric, and a wick-away lining for increased comfort
- NFPA 99 compliant for antistatic material



Length	Color	Cat. No.
111.8 cm (44")	Yellow	89065-962
132 cm (52")	Yellow	89065-964

SILVER SHIELD®/4H® COAT APRONS, HONEYWELL SAFETY

- Compacted five-layer fabric is 2.7mil thick
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)
- Cut from a single piece of film to prevent penetration of liquid chemicals
- Sleeves with flexible wrist openings, buckle closure attached to neckband, two waistbands that tie in the back
- Weight: 198g (7oz.)



Size	WxL	Cat. No.
X-Large	147x158 cm (58x62")	11000-632
Large	137x142 cm (54x56")	11000-634

VWR® CRYOGENIC PROTECTIVE APRONS

- Provides durable protection when handling liquid nitrogen and servicing cryogenic equipment
- Ideal when filling liquid nitrogen supply cylinders and bulk tanks



LxW	Cat. No.
91.4x61 cm (36x24")	97008-290
106.7x61 cm (42x24")	97008-292
122x61 cm (48x24")	97008-294

CRYO-APRON® APRONS, TEMPShield

- Protects against cryogenic atmospheres and splashes
- Light and comfortable, reversible with two (2) 100% water proof liners

LxW	Cat. No.
42x24"	89511-881
48x24"	89511-882



VWR® UNISEX TECHNOLOGY LAB COAT, REUSABLE

- Plain front with no embroidery
- Industrial and washable
- Durable
- Comfortable
- Poly/Cotton fabric (80/20 blend)



Color	Clothing size	Chest size	Cat. No.
White	S	34 - 36"	10141-374
White	M	38 - 40"	10141-342
White	L	42 - 44"	10141-344
Navy Blue	XXS	26 - 28"	75819-574
Navy Blue	XS	30 - 32"	75819-554
Navy Blue	S	34 - 36"	75819-556
Navy Blue	M	38 - 40"	75819-558
Navy Blue	L	42 - 44"	75819-560
Navy Blue	XL	46 - 48"	75819-562
Navy Blue	XXL	50 - 52"	75819-564
Navy Blue	3XL	54 - 56"	75819-566

**VWR® BASIC PROTECTION
SPP LAB COATS**

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting

Clothing size	Description	Color	Cat. No.
L	Knit Cuffs, Three Pockets	White	414004-344
L	Elastic Cuffs, No Pockets	White	414004-351
XL	Knit Cuffs, Three Pockets	White	414004-342
XL	Elastic Cuffs, No Pockets	White	414004-350
XL	Elastic Cuffs, Three Pockets	Blue	89208-752
XXL	Knit Cuffs, Three Pockets	White	414004-343
XXL	Elastic Cuffs, No Pockets	White	414004-349



DUPONT™ PROSHIELD® 60 LAB COATS

- Laydown collar
- Open wrists
- Length extends below hips
- Front snap closure
- Two pockets
- Serged seams

Clothing size	Length	Chest size	Color	Cat. No.
XL	39½"	26½"	White	13452-318
XXL	40"	28¾"	White	13452-320



**VWR® BASIC PROTECTION
SMS LAB COATS**

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- One breast pocket and two hip pockets
- Serged seams

Clothing size	Color	Cat. No.
M	White	414004-362
L	Blue	414004-355
L	White	414004-363
XL	Blue	414004-356
XL	White	414004-361



UNIVERSAL PRECAUTIONS LAB COATS, KIMBERLY-CLARK®

- Disposable, fluid-resistant, three-layer SMS fabric
- Six-snap front closure, three reinforced pockets, back vent, traditional collar, and knit cuffs
- Tailored styling and fit enhances worker comfort
- Nonsterile, Latex free

Clothing size	Color	Cat. No.
M	Blue	10815-740
L	White	10815-734



These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**VWR® ADVANCED
PROTECTION LAB COATS**

- Significant fluid and particulate barrier
- Durable lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel

Clothing size	Color	Cat. No.
M	White	414004-378
L	White	414004-376
XL	White	414004-375



**VWR® MAXIMUM PROTECTION
LAB COATS**

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength

Clothing size	Color	Cat. No.
L	White	414004-369
XL	White	414004-368



BODY PROTECTION

KLEENGUARD® A10 LIGHT DUTY LAB COAT, KIMBERLY-CLARK PROFESSIONAL®

- Lightweight, breathable polypropylene fabric
- Combination of price and protection for nonhazardous environments



Clothing size	Description	Color	Cat. No.
XL	Snap Front, Elastic Wrists, no Pocket	White	10837-438

DUPONT™ TYVEK® 400 FROCKS WITH LAYDOWN COLLAR AND POCKETS

- Laydown collar
- Open wrists
- Extends below hips
- Front snap closure
- Two front pockets
- Serged seams



Clothing size	Length	Chest size	Color	Cat. No.
Tyvek® 400 Lab Coats				
L	36 1/2"	25 3/4"	White	10010-086
XXL	41 1/4"	28 3/4"	White	10010-090

DUPONT™ TYVEK® ISOCLEAN® LAB COATS

- Serged seams
- Laydown collar
- Open wrists
- Raglan sleeve design
- Front snap closure
- Two front pockets
- Chest pocket



Clothing size	Length	Chest size	Color	Cat. No.
L	43 1/2"	23"	White	89127-194
XXL	51"	27 1/2"	White	89127-190

WORKRITE® FR NOMEX® MEN'S KNIT CUFF FLAME RESISTANT LAB COAT WITH WESTEX® SHIELDXP™ CHEMICAL SPLASH PROTECTION WORKRITE UNIFORM CO

- Black lay-down collar for easy recognition as a Chemical Splash Protection lab coat
- Nomex® knit cuffs (FR only) typically covered by gloves when working with chemicals
- Concealed snap front closure
- Splash resistant side pass-through for easy inner pocket access
- One double-stitched chest pocket and two large double-stitched lower front pockets with snap flaps



Color	Clothing size	Garment fit	Cat. No.
Royal Blue	M	Regular	75795-932
Royal Blue	M	Long	75795-930

VWR® WOMEN'S LAB COAT, REUSABLE

- Tapered back panel with half belt
- Plain front, no embroidery
- Industrial launderable
- Durable and comfortable
- Poly/cotton fabric (80/20 blend)



Color	Clothing size	Chest size	Cat. No.
White	S	34 - 36"	10141-316
White	M	38 - 40"	10141-318

VWR® MEN'S LAB COAT, REUSABLE

- Durable, comfortable poly/cotton (80/20 blend) fabric
- Plain front, no embroidery
- Industrial launderable



Color	Clothing size	Chest size	Cat. No.
White	M	38 - 40"	10141-302
White	L	42 - 44"	10141-304

**CONTROLLED ENVIRONMENT
FROCK, ESD GRID, WHITE KNIGHT**

- Zippered, durable, and reusable
- For micro-electronics and semi-conductor manufacturing
- All seams are laser cut or pre-serged, silicon-free thread

Type	Color	Clothing size	Chest size	Cat. No.
99 % Polyester, 1% Carbon	Navy	S	34 - 36"	89495-854
99 % Polyester, 1% Carbon	Navy	M	38 - 40"	89495-856
99 % Polyester, 1% Carbon	Navy	L	42 - 44"	89495-858



**VWR® BASIC PROTECTION
SMS FROCKS**

- Multilayer SMS material protection
- Light fluid and particulate barrier
- Excellent breathability
- No pockets
- Serged seams

US ONLY



Clothing size	Color	Cat. No.
L	Blue	414004-402
XL	White	414004-386
XL	Blue	414004-403
XXL	White	414004-385

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**WORKRITE® FR NOMEX® MEN'S KNIT
CUFF FLAME RESISTANT LAB COAT**

- Protective thigh length design
- Concealed snap-front closures
- Side pass-through access to inner clothing
- Four pockets
- UL Certified to NFPA 2112



Color	Clothing size	Cat. No.
Royal Blue	M	10748-098
Royal Blue	L	10748-094



**DUPONT™ PROCLEAN® FROCKS,
FRONT ZIPPER CLOSURE**

- Serged seams
- Bound neck
- Set sleeve design
- Covered elastic wrists
- Front zipper closure



Clothing size	Length	Chest size	Color	Cat. No.
XL	41 1/2"	27 1/2"	White	13452-548
XXL	42 1/2"	28 1/2"	White	13452-550

**DUPONT™ TYVEK® ISOCLEAN®
FROCKS WITH RAGLAN SLEEVES**

- Serged seams
- Bound neck
- Raglan sleeve design
- Elastic wrists
- Zipper closure



**WORKRITE® FR NOMEX® WOMEN'S
FLAME RESISTANT LAB COAT**

- Protective thigh length design, waistband for tailored fit
- Concealed snap-front closures
- Side pass-through access to inner clothing
- Three pockets
- UL Certified to NFPA 2112

Color	Clothing size	Cat. No.
Royal Blue	S	10748-006

Clothing size	Length	Chest size	Color	Cat. No.
Tyvek® IsoClean® Frocks, Clean Processed, Sterile				
L	45"	25"	White	10016-080
3XL	55"	31 3/4"	White	10016-076
Tyvek® IsoClean® Frocks, Bulk Packaged				
XL	47"	26"	White	89125-626
XXL	53"	30 3/4"	White	89127-306

BODY PROTECTION

VWR® MAXIMUM PROTECTION FROCKS

- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Light chemical-splash resistance
- Breathable to ensure user comfort
- Soft, cloth-like fabric with maximum tear strength



Clothing size	Color	Cat. No.
Frocks with Snap Closure		
XL	White	414004-395
XXL	White	414004-394
Frocks with Zipper Closure		
XL	White	414004-698
XXL	White	414004-699

KLEENGUARD® A20 BREATHABLE PARTICLE PROTECTION FROCKS, KIMBERLY-CLARK PROFESSIONAL®

- Superior particle holdout coupled with unmatched comfort attributes
- 5 layers of stacked barrier protection (SMMMS) against hazardous particles



Clothing size	Color	Cat. No.
M	White	89493-018
L	White	89493-020
XL	White	89493-022

VWR® ADVANCED PROTECTION FROCKS

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel
- Appropriate for ISO 6 and higher



Clothing size	Cat. No.
XL	414004-404
XXL	414004-405
3XL	414004-408

VWR® MAXIMUM PROTECTION GOWNS MADE WITH IMPERVIOUS FABRIC



- Full protection from fluids and light chemical splash
- Manufactured from fluid-impervious material
- Lowest level of particle shedding
- Clean, low-linting fabric



Size	Color	Cat. No.
Large	Blue	414004-469
Large	White	414004-470
X-Large	White	414004-471

TRONEX® FLUID-IMPERVIOUS OVER-THE-HEAD GOWN WITH IMPERVIOUS FILM AND THUMB HOOK

- Crafted from a soft, durable, fluid-impervious film material for exceptional protection
- Full frontal coverage with an open back for ventilation
- Thumb-hook cuffs for a secure fit and complete arm coverage when worn beneath gloves
- Apron-style neck opening and perforated back shoulder for easy donning and pull-away removal
- Waist ties for customized fit
- Not made with natural rubber latex



NEW

Clothing size	Material	Length	Color	Cat. No.
XL	PE	Approx. 46"	Blue	76462-942

TRONEX® AAMI LEVEL 2 CHEMOTHERAPY GOWNS

- Soft, multi-layer, non-woven spunbond material with a fluid-impervious polyethylene coating for exceptional fluid and chemical resistance
- Full front, long sleeves, waist ties, knitted cuffs, and a full back for complete coverage
- Ultrasonically sealed seams for superior protection and high tensile strength
- Not made with natural rubber latex



NEW

Clothing size	Length	Color	Cat. No.
One size	Approx. 44"	Blue	76462-944
XL	Approx. 50"	Blue	76462-946

VWR disposable glove guide



The VWR Collection line of disposable gloves offers a variety of choices depending on your application. Whether your needs are production, laboratory, or industrial focused, we have you covered. Use the guide below to understand the features of our VWR® Disposable Gloves and choose the right level of protection from various material, thickness, and length options.

CLEANROOM GLOVES, POWDER-FREE

	Product Line	Packed	Static Dissipative	Thickness, Finger	Length	Texture	Cuff	Color	Ambidextrous	Packaging	Cat. No.
Nitrile Gloves											
	VWR® CERTICLEAN® Class 10 Nitrile Gloves	ISO Class 4 (FED-STD-209E Class 10/M2.5)	Yes	6.3 mil	12 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/Case	40101-352
	VWR® CERTICLEAN® Class 100 Nitrile Gloves	ISO Class 5 (FED-STD-209E Class 100/M3.5)	Yes	6.3 mil	10 in.	Fingertips	Beaded	White	Yes	100/Bag, 10 Bags/Case	40101-222
	VWR® Maximum Protection Class 10 Nitrile Gloves	ISO Class 4 (FED-S TD-209E Class 10/M2.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/Case	89130-846
	VWR® Advanced Protection Class 100 Nitrile Gloves	ISO Class 5 (FED-STD-209E Class 100/M3.5)	Yes	5.9 mil	12 in.	Fingers	Tapered, Beaded	White	Yes	100/Bag, 10 Bags/Case	89130-836
Latex Gloves											
	VWR® CERTICLEAN® Class 10 Latex Gloves	ISO Class 4 (FED-S TD-209E Class 10/M2.5)	No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Yes	100/Bag, 10 Bags/Case	40101-146
			No	8.7 mil	12 in.	Fully Textured	Tapered, Beaded	Natural	Hand-Specific	50 Pair/Bag, 4 Bags/Case	40101-044
	VWR® CERTICLEAN® Class 100 Latex Gloves	ISO Class 5 (FED-STD-209E Class 100/M3.5)	No	8.7 mil	10 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/Case	40101-142
			No	8.7 mil	12 in.	Fully Textured	Beaded	Natural	Yes	100/Bag, 10 Bags/Case	40101-158

HAND AND ARM PROTECTION

GENERAL USE GLOVES, POWDER-FREE

	Product Line	Feature	Material	Chemo Rated	Thickness, Finger	Length	Texture	Cuff	Color	Packaging	Cat. No.
	VWR® MICROGRIP® PURPLE NITRILE® Poly-Coated Powder-Free Gloves	Polymer Coating for Easy Donning	Nitrile	No	5.5 mil	10 in.	Fully Textured	Beaded	Purple	100/Pack, 10 Packs/Case	40101-346
	VWR® Powder-Free Nitrile Examination Gloves	Everyday Glove, Ideal for Many Applications	Nitrile	Yes	4.7 mil	9 in.	Fully Textured	Rolled, Beaded	Light Blue	100/Pack, 10 Packs/Case	82026-424
	VWR® Finger Textured Nitrile Examination Gloves	Everyday Glove, Ideal for Many Applications	Nitrile	Yes	4.7 mil	9 in.	Finger	Rolled, Beaded	Light Blue	100/Pack, 10 Packs/Case	76411-506
	VWR® Black Nitrile Examination Gloves	Exceptional Barrier Protection, Sleek Look, Fentanyl Approved	Nitrile	Yes	5.5 mil	9.5 in.	Fully Textured	Beaded	Black	100/Pack, 10 Packs/Case	76307-464
	NEW VWR® Ultra Light Black Nitrile Glove	Bulk Packed for Everyday Use	Nitrile	Yes	2.5 mil	9.5 in.	Finger	Rolled, Beaded	Black	250/pack (XL=225), 10 packs/case	76457-130
	VWR® Soft Nitrile Examination Gloves	Exceptional Tactile Sensitivity and Comfort	Nitrile	Yes	3.9 mil	9 in.	Finger	Beaded	Blue	100/Pack, 10 Packs/Case	89038-268
	VWR® Nitrile 200 Examination Gloves	Space-Saving and Waste-Reducing Packaging	Nitrile	Yes	3.1 mil	9 in.	Finger	Rolled, Beaded	Blue	200/Pack, 10 Packs/Case	89428-748
	VWR® Nitrile Extended Cuff Exam Gloves	Extended Cuff and Thicker High Risk Protection	Nitrile	Yes	6.1 mil	12 in.	None	Rolled, Beaded	Blue	50/Pack, 10 Packs/Case	89521-896
	NEW VWR Vinyl Nitrile Hybrid Exam Glove	Durable, Cost Effective Blended Nitrile Solution	Vinyl/Nitrile	No	4.0 mil	9.5 in.	None	Rolled	Blue	100/pack, 10 packs/case	76456-892
	VWR® Powder-Free Latex Examination Gloves	Natural Rubber Latex For Everyday Use, High Barrier Protection	Latex	Yes	5.5 mil	9.5 in.	Fully Textured	Beaded	Natural	100/Pack, 10 Packs/Case	76319-668
	NEW VWR Vinyl Examination Glove	Great for Everyday Use in Low Risk Environments	Vinyl	No	4.5 mil	9.5 in.	None	Rolled	Transparent	100/pack, 10 packs/case	76459-214
	VWR® Polyethylene Disposable Gloves	Durable Food and Service Gloves	Polyethylene	No	1.2 mil	12 in. 21.5 in. (Elbow Length)	Fully Textured	N/A	Transparent	100/Pack, 10 Packs/Case 100/Pack, 5 Packs/Case	32915-224 32915-272

VWR® BLACK ULTRA-LIGHT NITRILE EXAMINATION GLOVES

- Non sterile and Latex-free
- Powder-free
- Ambidextrous
- Minimum thickness of 2.0 mil
- Finger textured with beaded cuff



Glove size	Length	Glove color	Cat. No.
X-Small	22.9 cm (9")	Black	76457-128
Small	22.9 cm (9")	Black	76457-130
Medium	22.9 cm (9")	Black	76457-132
Large	22.9 cm (9")	Black	76457-134
X-Large	22.9 cm (9")	Black	76457-136

SUPRENO® SE POWDER-FREE NITRILE GLOVES, MICROFLEX®

- Soft, powder-free
- Formulated for improved strength and comfort
- Thickness: 7.9 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	24.5 cm (9 5/8")	Blue	32916-660
Medium	24.5 cm (9 5/8")	Blue	32916-662
Large	24.5 cm (9 5/8")	Blue	32916-664

XCEED™ POWDER-FREE NITRILE EXAMINATION GLOVES, MICROFLEX®

- First ergonomic-certified exam glove in the industry
- Beaded cuffs
- Superior barrier protection
- Scientifically designed to reduce muscle effort
- Thickness: 3.5 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	23.5 cm (9 3/16")	Blue	89174-540
Medium	23.5 cm (9 3/16")	Blue	89174-542
Large	23.5 cm (9 3/16")	Blue	89174-544

MICROFLEX® 93-243 GLOVES, ANSELL

- Ambidextrous
- Textured grip
- Powder-free
- For single use only



Glove size	Length	Thickness	Glove color	Cat. No.
6.5 - 7	40.6 cm (15 7/8")	4.7 mil	Blue	75795-896
7.5 - 8	40.6 cm (15 7/8")	4.7 mil	Blue	75795-898
8.5 - 9	40.6 cm (15 7/8")	4.7 mil	Blue	75795-900

PURPLE NITRILE™ AND PURPLE NITRILE-XTRA™ EXAMINATION GLOVES, KIMBERLY-CLARK

- Offer excellent tactile sensitivity and dexterity
- Textured fingertips and beaded cuff
- Ambidextrous and powder-free
- Length: 24.1cm (9.5") or 30.5cm (12")
- Thickness: 5.9mil (finger), 4.7mil (palm), 3.5mil (cuff)



Glove size	Length	Glove color	Cat. No.
PURPLE NITRILE® Gloves			
Small	24.1 cm (9 1/2")	Purple	32934-078
Medium	24.1 cm (9 1/2")	Purple	32934-080
Large	24.1 cm (9 1/2")	Purple	32934-082
PURPLE NITRILE-XTRA® Gloves			
Small	30.5 cm (12")	Purple	32933-970
Medium	30.5 cm (12")	Purple	32933-972
Large	30.5 cm (12")	Purple	32933-974

STERLING™ NITRILE AND STERLING™ NITRILE-XTRA™ EXAM GLOVES, KIMBERLY-CLARK

- Excellent tactile sensitivity allows easy handling of delicate instruments
- Ambidextrous, textured fingertips, beaded cuff
- Powder-free
- Thickness: 3.5mil (finger), 3.1mil (palm), 2.8mil (cuff)



Glove size	Length	Glove color	Cat. No.
STERLING™ Nitrile			
Small	24.1 cm (9 1/2")	Gray	89140-818
Medium	24.1 cm (9 1/2")	Gray	89140-820
Large	24.1 cm (9 1/2")	Gray	89140-822
STERLING™ Nitrile-XTRA™			
Small	30.5 cm (12")	Gray	94023-908
Medium	30.5 cm (12")	Gray	94023-910
Large	30.5 cm (12")	Gray	94023-912

HAND AND ARM PROTECTION



LAVENDER™ NITRILE EXAM GLOVES, KIMBERLY-CLARK

- Latex-free, powder-free, nonsterile, static dissipative
- Ambidextrous, beaded cuffs, textured fingertips
- Thickness: 2.8 mil (finger), 2 mil (palm), 1.6 mil (cuff)

Glove size	Length	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	Purple	89166-207
Medium	24.1 cm (9 1/2")	Purple	89166-209
Large	24.1 cm (9 1/2")	Purple	89166-211



ESTEEM™ COMFORT NITRILE EXAM GLOVES, CARDINAL HEALTH®

- 30% higher minimum elongation than the minimum ASTM standard for a nitrile exam glove
- Reduce cuff tears during donning
- Reduces the risk of developing a Type IV hypersensitivity to chemical accelerants
- Tested against chemotherapy drugs per ASTM D6978
- Tested against 18 chemicals
- Textured fingertips for enhanced grip

Description	Glove size	Glove color	Cat. No.
Nitrile Exam Gloves	X-Small	Blue	76311-742
Nitrile Exam Gloves	Small	Blue	76311-744
Nitrile Exam Gloves	Medium	Blue	76311-746
Nitrile Exam Gloves	Large	Blue	76311-752
Nitrile Exam Gloves	X-Large	Blue	76311-754



ESTEEM® STRETCHY NITRILE GLOVES WITH NEU-THERA® FORMULATION, CARDINAL HEALTH®

- Lined with same ingredients found in physician-recommended hand lotions
- Powder-free, latex-free
- Fully textured
- Thickness: 4.9 mil (finger)
- Meet or exceed ASTM D3578, pass ASTM F1671 bacteriophage penetration test

Glove size	Length	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	Blue	89021-876
Medium	24.1 cm (9 1/2")	Blue	89021-878
Large	24.1 cm (9 1/2")	Blue	89021-880

BEST® NITRILE DISPOSABLE GLOVES, SHOWA BEST GLOVE

- Gloves feature a rolled cuff and a textured grip
- Economy grade

Glove size	Length	Thickness	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	4 mil	Blue	12000-148
Medium	24.1 cm (9 1/2")	4 mil	Blue	12000-150
Large	24.1 cm (9 1/2")	4 mil	Blue	12000-152



SHOWA 6110PF POWDER-FREE NITRILE GLOVES, SHOWA BEST GLOVE

- 100% biodegradable nitrile disposable glove with Eco Best Technology
- Powder-free
- Ambidextrous
- 100% Nitrile

Description	Glove size	Length	Thickness	Glove color	Cat. No.
Nitrile Gloves with Textured Fingertips	Small	24 cm (9 3/8")	4.0 mil	Green	10842-382
Nitrile Gloves with Textured Fingertips	Medium	24 cm (9 3/8")	4.0 mil	Green	10842-384
Nitrile Gloves with Textured Fingertips	Large	24 cm (9 3/8")	4.0 mil	Green	10842-386



RIVAL™ 200 PACK ACCELERATOR FREE, SOFT MODULUS, EXAM GRADE NITRILE GLOVES, TECHNIGLOVE

- Accelerator-free
- Powder-free
- Soft modulus
- Low extractable
- 100% Nitrile



Glove size	Length	Thickness	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	4 mil	Blue	10791-604
Medium	24.1 cm (9 1/2")	4 mil	Blue	10791-606
Large	24.1 cm (9 1/2")	4 mil	Blue	10791-608
X-Large	24.1 cm (9 1/2")	4 mil	Blue	10791-610
2X-Large	24.1 cm (9 1/2")	4 mil	Blue	10791-612

MEGAMAN® MM-211-120-BL HEAVY-DUTY NITRILE SINGLE-USE GLOVES, SW®

- Fully textured surface for superior wet and oily grip
- Heavy-duty chemical resistance
- Touch-screen compatible
- Powder-free to prevent contamination
- Clean processing technology helps prevent skin irritation and workplace contamination
- Optimal thickness for durability and tactile sensitivity



Glove size	Length	Thickness	Glove color	Cat. No.
Small	305 mm (12")	12.0 mil (0.31 mm)	Blue	76051-160
Medium	305 mm (12")	12.0 mil (0.31 mm)	Blue	76051-162
Large	305 mm (12")	12.0 mil (0.31 mm)	Blue	76051-164

GEN-X S-1 POWDER-FREE NITRILE EXAMINATION GLOVES, SMART GLOVE



- Finger thickness: 3 mil
- Medical grade
- Finger textured with beaded cuffs
- Phthalate-free



Glove size	Length	Glove color	Cat. No.
X-Small	9"	Blue	76449-362
Small	9"	Blue	76449-364
Medium	9"	Blue	76449-366
Large	9"	Blue	76449-368
X-Large	9"	Blue	76449-370



SUPERMAX ROBUST™ BLUE NITRILE GLOVES

- 100% Latex free
- 5 mil thickness for improved puncture resistance
- Micro-textured finished delivers improved grip
- Powder free
- Ambidextrous
- Non-sterile, Single-use

Glove size	Length	Glove color	Cat. No.
Small	24 cm (9 3/8")	Blue	75997-432
Medium	24 cm (9 3/8")	Blue	75997-434
Large	24 cm (9 3/8")	Blue	75997-436
X-Large	24 cm (9 3/8")	Blue	75997-438



SUPERMAX AURELIA® BOLD™ BLACK NITRILE GLOVES

- 5 mil thickness for improved puncture resistance
- Textured fingers for improved gripping action
- Powder-free
- Latex-free

Glove size	Length	Glove color	Cat. No.
Small	24 cm (9 3/8")	Black	75997-462
Medium	24 cm (9 3/8")	Black	75997-464
Large	24 cm (9 3/8")	Black	75997-466

Where industrial strength and protection meets comfort and value

We know that working with tools, machinery, and harsh chemicals can be tough on you and your hands. That is why the aurelia gloves industrial series was designed to simultaneously provide first-rate comfort and protection for industry professionals on even the toughest applications.

Combining our trusted chemotherapy drugs and fentanyl citrate exposure-rated examination gloves grade quality with industrial strength nitrile formulation, our industrial series was made to be more durable and resistant to punctures, rips, and chemicals.

With features like our new max-grip texture, extended cuff, and high-visibility safety colors, you are sure to find the right fit for your comfort, safety and budget.

Description	Size	Cat. No.
ROBUST® NITRILE	Small	75997-432
	Medium	75997-434
	Large	75997-436
	X-Large	75997-438
Bold® durable black nitrile	X-Small	75997-460
	Small	75997-462
	Medium	75997-464
	Large	75997-466
	X-Large	75997-468
Ignite® Max Grip Nitrile	Medium	76302-756
	Large	76302-758
	X-Large	76302-760
	XX-Large	76302-762
Transform® 200 Count Nitrile	X-Small	75997-496
	Small	75997-498
	Medium	75997-500
	Large	75997-502
	X-Large	75997-504



ROBUST PLUS® EXTENDED CUFF NITRILE

- 4.5 Mil, fully textured
- 12" Extended cuff for extra protection
- Blue color
- Puncture and chemical resistant
- Tested and approved for chemotherapy drugs and fentanyl citrate resistance (ASTM D6978-05)



IGNITE® MAX GRIP NITRILE

- 7.0 Mil, patented max grip™ texture
- High visibility orange
- Puncture and abrasion resistant
- Excellent chemical resistance and tensile strength
- Tested and approved for chemotherapy drugs and fentanyl citrate resistance (ASTM D6978-05)



BOLD® DURABLE BLACK NITRILE

- 5.0 Mil, formulated for puncture and abrasion protection
- Black, fully textured for precision grip
- Oil and chemical resistant
- Tested and approved for chemotherapy drugs and fentanyl citrate resistance (ASTM D6978-05)



TRANSFORM® 200 COUNT NITRILE

- 3.2 Mil, finger textured
- Color: lavender blue
- Superior tactile sensitivity
- Trusted by healthcare professionals
- Tested for use with chemotherapy drugs"

NITRISHIELD™, PREMIUM NITRILE GLOVES, POWDER-FREE, MCR SAFETY

- Reversible



Glove size	Length	Thickness	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	4.5 mil	Blue	80081-527
Medium	24.1 cm (9 1/2")	4.5 mil	Blue	80081-525
Large	24.1 cm (9 1/2")	4.5 mil	Blue	80081-523

VWR® POWDER-FREE LATEX EXAMINATION GLOVES

- Powder-free
- Fully textured finish with beaded cuffs
- Ambidextrous
- Thickness: 5.5 mil (Finger), 4.5 mil (Palm), 4 mil (Cuff)
- Natural color



Glove size	Length	Glove color	Cat. No.
Small	9.5"	Natural	76319-666
Medium	9.5"	Natural	76319-668
Large	9.5"	Natural	76319-670
X-Large	9.5"	Natural	76319-672

GEN-X BLUE LATEX POWDER-FREE EXAMINATION GLOVES, SMART GLOVE

- 5.6 g weight
- Minimum thickness of 3.1 mil
- Medical grade
- Phthalate-free



Glove size	Length	Glove color	Cat. No.
X-Small	9"	Blue	76449-382
Small	9"	Blue	76449-384
Medium	9"	Blue	76449-386
Large	9"	Blue	76449-388
X-Large	9"	Blue	76449-390

EVOLUTION ONE™ LATEX GLOVES, MICROFLEX®

- Ambidextrous
- Interior polymer coating for superior antisticking properties in all conditions
- Fully textured, beaded cuff, powder free
- Thickness: 8.7 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	25.4 cm (10")	Natural	32916-532
Medium	25.4 cm (10")	Natural	32916-534
Large	25.4 cm (10")	Natural	32916-536

DIAMOND GRIP™ LATEX GLOVES, MICROFLEX®

- Thick textured fingers for gripping in wet and dry conditions
- Powder free
- Fully chlorinated
- Beaded cuff
- Thickness: 9.1 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	24.5 cm (9 5/8")	Natural	32916-506
Medium	24.5 cm (9 5/8")	Natural	32916-500
Large	24.5 cm (9 5/8")	Natural	32916-502

SAFEGRIP® POWDER-FREE LATEX GLOVES, MICROFLEX®

- 4X thicker than standard exam gloves, offering added durability in the palm and fingers
- Ambidextrous, fully textured to provide superior grip in wet and dry conditions
- Thickness: 16.5 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	30 cm (11 13/16")	Blue	32916-600
Medium	30 cm (11 13/16")	Blue	32916-602
Large	30 cm (11 13/16")	Blue	32916-604

COLORTOUCH® PINK POWDER-FREE LATEX EXAMINATION GLOVES, MICROFLEX®

- Ambidextrous, beaded cuff
- Fully textured for a secure grip
- For single use only
- High-quality, polymer-coated latex is easy to don and reduces hand fatigue
- Thickness: 6.7 mil (finger)
- Donation of \$1 for each case purchased is made to The Breast Cancer Research Foundation®



Glove size	Length	Glove color	Cat. No.
Small	24.5 cm (9 5/8")	Pink	89107-528
Medium	24.5 cm (9 5/8")	Pink	89107-530
Large	24.5 cm (9 5/8")	Pink	89107-532

HAND AND ARM PROTECTION

BLACK DRAGON® POWDER-FREE BLACK LATEX EXAMINATION GLOVES, MICROFLEX®

- Offer comfort and strength in a distinctive black gloves that provides better framing effect
- Meet maximum powder and maximum water extractable protein requirements
- Fully textured finish and beaded cuffs
- Thickness: 5.1 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	24.5 cm (9 5/8")	Black	89173-088
Medium	24.5 cm (9 5/8")	Black	89173-090
Large	24.5 cm (9 5/8")	Black	89173-092

PFE LATEX EXAMINATION GLOVES, KIMBERLY-CLARK

- Ambidextrous
- Beaded cuff
- For single use only
- AQL 1.5
- Thickness: 6.7 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	Natural	32934-007
Medium	24.1 cm (9 1/2")	Natural	32934-011
Large	24.1 cm (9 1/2")	Natural	32934-015

SENSATOUCH™ DISPOSABLE, INDUSTRIAL GRADE GLOVES, MCR SAFETY

- Reversible design
- Disposable
- Biodegradable natural rubber design



Glove size	Length	Thickness	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	5 mil	Natural	80081-415
Medium	24.1 cm (9 1/2")	5 mil	Natural	80081-413
Large	24.1 cm (9 1/2")	5 mil	Natural	80081-411

VWR® GLOVE BOX HOLDERS, EPOXY-COATED

- Steel wire racks hold most major glove box brands



Capacity	W×H×D	Cat. No.
1 Box	14x10.2x20.8 cm (5 1/2x4x8 3/16")	89011-726
3 Boxes	9.6x25x43.2 cm (3 3/4x9 3/16x17")	89011-728

VWR® GLOVE BOX HOLDERS, ACRYLIC

- Constructed of tough, clear acrylic
- Polyester foam insert securely holds glove boxes



Capacity	W×H×D	Cat. No.
1 Box	26x14.1x11 cm (10 1/4x5 1/2x4 3/16")	89011-720
2 Boxes	26x29.5x11 cm (10 1/4x11 3/8x4 3/16")	89011-722
3 Boxes	38.5x29.5x11 cm (15 1/16x11 3/8x4 3/16")	89011-724

DISPOSABLE GLOVES RECYCLING BOX, ZERO WASTE BOX, TERRACYCLE®

- Reduce landfill waste
- Support your company's sustainability goals



Description	Size	Box dimensions	Cat. No.
Disposable Glove Box	Medium Box	11x11x40"	75993-594
Disposable Glove Box	Large Box	15x15x37"	75993-592



VWR® VINYL NITRILE HYBRID EXAMINATION GLOVES

- Lightweight nitrile/vinyl blend provides a sensitive feel
- Latex-free
- Cost competitive solution when compared to nitrile examination gloves
- Easy donning with beaded cuff
- Applicable for many industries

Glove size	Material	Length	Glove color	Cat. No.
Small	Vinyl/Nitrile Blend	9.5"	Blue	76456-892
Medium	Vinyl/Nitrile Blend	9.5"	Blue	76456-894
Large	Vinyl/Nitrile Blend	9.5"	Blue	76456-896
X-Large	Vinyl/Nitrile Blend	9.5"	Blue	76456-898

VWR® VINYL EXAMINATION GLOVES

- Soft fit and feel
- Latex-free and powder-free
- DOP and DEHP (phthalate) free
- Smooth inner coating for easy donning, and to help avoid irritation
- Applicable for many industries



Glove size	Material	Length	Glove color	Cat. No.
Small	Vinyl	9.5"	Natural	76459-214
Medium	Vinyl	9.5"	Natural	76459-216
Large	Vinyl	9.5"	Natural	76459-218
X-Large	Vinyl	9.5"	Natural	76459-220

DERMA FREE® VINYL GLOVES, MICROFLEX®

- Powder-free
- Beaded cuffs
- Ambidextrous
- Nonsterile
- Synthetic vinyl construction
- Thickness: 3.9 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	22.9 cm (9")	Translucent	32916-802
Medium	22.9 cm (9")	Translucent	32916-804
Large	22.9 cm (9")	Translucent	32916-806

NEOPRO® POWDER-FREE CHLOROPRENE GLOVES, MICROFLEX®

- Synthetic material with comfort close to latex, provides unique protection against variety of chemicals
- Exceptional film consistency, manual dexterity, tactile sensitivity, reduced hand fatigue
- Extended beaded cuff, ideal for high-risk environments
- Textured fingertips for secure grip
- Thickness: 6.7 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	24.5 cm (9 5/8")	Green	32916-790
Medium	24.5 cm (9 5/8")	Green	32916-792
Large	24.5 cm (9 5/8")	Green	32916-794

ESTEEM® STRETCHY VINYL EXAMINATION GLOVES WITH NEU-THERA®, CARDINAL HEALTH®

- Beaded cuff
- Ambidextrous
- Smooth finish
- Thickness: 4.1 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	26.7 cm (10 1/2")	Blue	89042-010
Medium	26.7 cm (10 1/2")	Blue	89042-012

MICRO-TOUCH® AFFINITY® 3770 POLYCHLOROPRENE EXAMINATION GLOVES, ANSELL

- A polymer coating provides excellent donnability for this polychloroprene glove
- Thickness: 6.3 mil (finger)



Glove size	Length	Glove color	Cat. No.
Small	23.9 cm (9 3/8")	Green	10146-674
Medium	23.9 cm (9 3/8")	Green	10146-676
Large	23.9 cm (9 3/8")	Green	10146-678

MEMPHIS GLOVE® SENSATOUCH™ POWDER-FREE DISPOSABLE VINYL GLOVES, MCR SAFETY

- Medical grade vinyl
- Ideal for electronics assembly, food processing, laboratory work, and general pharmaceutical use
- Component materials comply with FDA regulations for food contact



Glove size	Length	Thickness	Glove color	Cat. No.
Small	24.1 cm (9 1/2")	5 mil	Translucent	80081-297
Medium	24.1 cm (9 1/2")	5 mil	Translucent	80081-295
Large	24.1 cm (9 1/2")	5 mil	Translucent	80081-293

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

HAND AND ARM PROTECTION

VWR® NITRILE CHEMICAL SAFE GLOVES

- 15 mil (0.38 mm) thickness
- 13" (330 mm) length
- Fully textured
- Flock lined
- Exceptional flexibility and comfortable to wear



Glove size	Length	Thickness	Glove color	Cat. No.
Small	13"	15 mil	Green	76359-820
Medium	13"	15 mil	Green	76359-822
Large	13"	15 mil	Green	76359-824
X-Large	13"	15 mil	Green	76359-826
2X-Large	13"	15 mil	Green	76359-828

MICROFLEX® 93-260 GLOVES, ANSELL

- Three layer design for superior protection against harsh chemicals including acids, solvents, and bases
- Thin mil construction provides enhanced dexterity and flexibility
- Extra-soft material and ergonomic design provide outstanding fit, feel, and flexibility for longer wear time
- Lower acceptable pinhole rate (0.65 AQL) and extended cuff for reliable protection against hazardous substances
- Silicone-free formulation and processing ensure better product protection
- For single use only



Glove size	Length	Thickness	Glove color	Cat. No.
6.5 - 7	30 cm (11 13/16")	0.198 mm (7.8 mil)	Green, Blue	75832-936
7.5 - 8	30 cm (11 13/16")	0.198 mm (7.8 mil)	Green, Blue	75832-938
8.5 - 9	30 cm (11 13/16")	0.198 mm (7.8 mil)	Green, Blue	75832-940

SOLVEX® NITRILE GLOVES, ANSELL

- Curved finger design and contoured palm to reduce fatigue
- Embossed texture improves grip for easier handling of wet objects
- Hand-specific
- Powder-free
- Straight cuffs



Description	Glove size	Length	Thickness	Glove color	Cat. No.
Unlined					
Style 37-145	8 - 8.5	33 cm (13")	11 mil	Green	32890-090
Style 37-145	9 - 9.5	33 cm (13")	11 mil	Green	32890-092
Style 37-145	10	33 cm (13")	11 mil	Green	32890-094

KLEENGUARD™ G80 NITRILE CHEMICAL RESISTANT GLOVES, KIMBERLY-CLARK PROFESSIONAL

- Manufactured from a modified nitrile formulation for increased durability and enhanced chemical resistance
- All gloves feature a textured palm and fingertips for an enhanced grip
- Consistent cotton flock lining ensures added comfort
- Improved AQL of 0.65 (versus the previous rating of 1.5) results in fewer pinholes



Glove size	Length	Thickness	Glove color	Cat. No.
Small	33 cm (13")	15 mil	Green	89135-402
Medium	33 cm (13")	15 mil	Green	89135-404
Large	33 cm (13")	15 mil	Green	89135-406

NEOTOUCH® 25-201, CHEMICAL-RESISTANT GLOVES, NEOPRENE, ANSELL

- Powder-free
- Excellent chemical resistance
- Superior comfort
- Roll-beaded cuffs



Description	Glove size	Length	Thickness	Glove color	Cat. No.
NeoTouch 25-201	Small	28 cm (11")	5 mil	Green	89412-170
NeoTouch 25-201	Medium	28 cm (11")	5 mil	Green	89501-596
NeoTouch 25-201	Large	28 cm (11")	5 mil	Green	89412-172

NEOPRENE® 29-865 UNSUPPORTED GLOVES, ANSELL

- Hand-specific
- Straight cuffs
- Sand patch finish
- Case-hardened for increased resistance



Glove size	Length	Thickness	Glove color	Cat. No.
7 - 7.5	16.5 cm (6 1/2")	18 mil	Black	32890-052
8 - 8.5	17.8 cm (7")	18 mil	Black	32890-054
9 - 9.5	17.8 cm (7")	18 mil	Black	32890-056



DUPONT™ TYCHEM® NP530 NEOPRENE OVER NATURAL RUBBER CHEMICAL GLOVES

- Comfortable, flexible, and tactile sensitive
- Embossed grip encourages runoff of fluid
- Cotton flock lining enhances comfort
- Wear indicator over-dip
- Unsupported

Glove size	Length	Thickness	Glove color	Cat. No.
7	12" (305 mm)	26 mil	Blue, Black	76323-506
8	12" (305 mm)	26 mil	Blue, Black	76323-508
9	12" (305 mm)	26 mil	Blue, Black	76323-510
10	12" (305 mm)	26 mil	Blue, Black	76323-512



US ONLY

TRILITES® 994 TRI-POLYMER GLOVES, MAPA® ADVANTECH

- Powder-free for no cross-contamination
- Rolled cuff
- Unlined
- Ambidextrous
- Color: purple

Glove size	Length	Thickness	Glove color	Packaging	Cat. No.
Medium	25.4 cm (10")	6 mil	Purple	Bags	32916-142
Large	25.4 cm (10")	6 mil	Purple	Bags	32916-144
X-Large	25.4 cm (10")	6 mil	Purple	Bags	32916-146
Medium	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-162
Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-164
X-Large	25.4 cm (10")	6 mil	Purple	Dispenser Boxes	46600-166

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



US ONLY

TRIONIC® CONTROLLED ENVIRONMENT ACID GLOVES, TRIPLE-POLYMER, MAPA® ADVANTECH

- Tri-polymer blend gloves offer excellent alternative performance to natural rubber gloves
- Superior resistance to many aggressive chemicals
- Chlorination process used allows for easy donning, doffing, and double-gloving
- Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199
- CE marked
- Superior resistance to many aggressive chemicals
- Chlorination process allows for easy donning, doffing, and double gloving
- Precise fit for comfort and reduced hand fatigue
- Meet or exceed ASTM D3577 requirements for AQL, F739 for permeation, and D471 for degradation
- ISO Class 4 (FED-STD-209E Class 10/M2.5)
- In compliance with FDA CFR 21 170-199
- CE marked

Description	Glove size	Model	Length	Thickness	Glove color	Packaging	Cat. No.
Diamond Grip Texture	7	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-229
Z-Pattern Grip Texture	7	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-250
Z-Pattern Grip Texture	8	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-271
Diamond Grip Texture	8	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-235
Diamond Grip Texture	9	O-240	35.6 cm (14")	20 mil	Orange	Pair Packed	32916-234
Z-Pattern Grip Texture	9	E-194	35.6 cm (14")	20 mil	Natural	Pair Packed	32916-293

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

HAND AND ARM PROTECTION

CORESAFE® NATURAL RUBBER AND NEOPRENE CHEMICAL-RESISTANT GLOVES, FLOCK-LINED, SW®

- Two-layer/two-color blue neoprene over yellow latex
- Embossed raised-diamond surface for wet/dry grip
- Flock-lined for donning and comfort
- Straight cut cuff
- Imprinted cuff
- Double chlorinated inner and outer surfaces



Glove size	Length	Thickness	Glove color	Cat. No.
Medium	33 cm (13")	28.0 mil (0.71 mm)	Yellow, Blue	76199-968
Large	33 cm (13")	28.0 mil (0.71 mm)	Yellow, Blue	76199-970
X-Large	33 cm (13")	28.0 mil (0.71 mm)	Yellow, Blue	76199-972

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SHOWA 874 BUTYL II, CHEMICAL RESISTANT GLOVES, BEST GLOVE

- Butyl 14 mil
- Unlined butyl rubber
- Hazmat glove
- TAA compliant



Glove size	Length	Thickness	Glove color	Cat. No.
Smooth Finish				
X-Large	35.6 cm (14")	14 mil	Black	28888-344
Rough Finish				
8	35 cm (13 1/16")	14 mil	Black	28888-402
9	35 cm (13 1/16")	14 mil	Black	28888-322

BUTYL GLOVES, HONEYWELL SAFETY

- High permeation resistance to gas and water vapors
- Resistant to oxygenated solvents and most oxidizing chemicals
- Remain flexible and sensitive, even at lower temperatures
- Hand specific, curved design improves fit and comfort
- Rolled cuff



Glove size	Length	Thickness	Glove color	Cat. No.
Smooth Finish				
8	28 cm (11")	13 mil	Black	32887-920
9	28 cm (11")	13 mil	Black	32887-922
8	35.6 cm (14")	32 mil	Black	32887-970
9	35.6 cm (14")	32 mil	Black	32887-972
Rough Finish				
8	28 cm (11")	13 mil	Black	32887-910
9	28 cm (11")	13 mil	Black	32887-912
10	35.6 cm (14")	32 mil	Black	32887-952
11	35.6 cm (14")	32 mil	Black	32887-954

NITRI-KNIT™ SUPPORTED NITRILE GLOVES, HONEYWELL SAFETY

- High nitrile content offers superior resistance to cuts, snags, and punctures
- Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 food processing regulations
- Length: 30cm (12")
- Superior resistance to cuts, snags, and punctures
- Interlock knit liner adds strength and comfort
- Treated with permanent antibacterial and anti-mildew agent
- Color-coded stitching makes size identification fast and easy
- Compliant with USDA and FDA CFR 21 food-processing regulations



Description	Glove size	Length	Glove color	Cat. No.
Not Insulated	7	61 cm (24")	Blue, Pink	89092-984
Not Insulated	8	61 cm (24")	Blue	89092-986
Not Insulated	9	61 cm (24")	Blue, Green	89092-988



SILVER SHIELD®/4H® GLOVES, HONEYWELL SAFETY

- Resist permeation of more than 280 chemicals
- Compacted, flexible five-layer film is 2.7mil thick
- Protect hands in chemical and petrochemical laboratories, spill cleanups, and other hazardous applications
- Ambidextrous, disposable, usable as secondary inner layer for maximum protection

Description	Glove size	Length	Thickness	Glove color	Cat. No.
PE/EVOH	8	36.8 cm (14 3/8")	2.7 mil	Silver	11000-648
PE/EVOH	9	40.6 cm (15 7/8")	2.7 mil	Silver	11000-646
PE/EVOH	10	40.6 cm (15 7/8")	2.7 mil	Silver	11000-644

TWO-TONE® NEOPRENE NATURAL RUBBER GLOVES, MAPA® PROFESSIONAL

- Recessed diamond-grip pattern provides a nonslip grip, even on hard-to-grasp materials
- Two-color construction ensures visual indicator of glove wear-through
- Yellow, soft, natural rubber provides flexibility and comfort
- Cotton flock lining absorbs perspiration and enables easy on/off
- Flat cuff
- Hand-specific



Glove size	Length	Thickness	Glove color	Cat. No.
8 - 8.5	33 cm (13")	28 mil	Blue, Yellow	32917-206
9 - 9.5	33 cm (13")	28 mil	Blue, Yellow	32917-209
10 - 10.5	33 cm (13")	28 mil	Blue, Yellow	32917-212



GLOVE BOX GLOVES, HONEYWELL SAFETY

- Wide variety of styles and sizes to meet diverse glove box applications

Description	Glove size	Length	Thickness	Glove color	Cat. No.
Ambidextrous	10.5	81.3 cm (31 7/8")	15 mil	Black	11000-566
Hand-Specific	9.75	81.3 cm (31 7/8")	15 mil	Black	32940-073
Ambidextrous, Butyl	9.75	81.3 cm (31 7/8")	15 mil	Black	82031-254
Ambidextrous, Hypalon®/Neoprene	9.75	81.3 cm (31 7/8")	30 mil	Black	82031-274
Ambidextrous, Butyl	9.75	81.3 cm (31 7/8")	30 mil	Black	82031-296
Ambidextrous, Butyl	10.5	81.3 cm (31 7/8")	30 mil	Black	82031-298
Ambidextrous, Butyl	9.75	81.3 cm (31 7/8")	15 mil	Black	94002-638

TEMP-TEC NL-56, KNITTED NEOPRENE GLOVES, MAPA® PROFESSIONAL

- Insulated neoprene gloves
- Positive non-slip roughed grip
- Two-color construction for a visual indicator of glove wear-through



Glove size	Model	Length	Glove color	Cat. No.
8	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	32920-012
9	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	13450-196
10	Temp-Tec NL-56	35.6 cm (14")	Blue, Black	32920-017

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® CRYOGUARD CRYOGENIC GLOVES



- Multi-layer and insulated
- Lightweight, flexible, and durable
- Moisture-wicking liner
- Waterproof
- Various lengths available



Glove size	Length	Glove color	Cat. No.
Water-Resistant Glove			
Medium	Wrist	Blue	97008-198
Large	Wrist	Blue	97008-200
Medium	Mid-Arm	Blue	97008-206
Large	Mid-Arm	Blue	97008-208
Medium	Elbow	Blue	97008-214
Large	Elbow	Blue	97008-216
Waterproof Glove			
Large	Mid-Arm	Blue	97008-240
Medium	Elbow	Blue	97008-246
Large	Shoulder	Blue	97008-256



CRYO-GLOVES® LOW-TEMPERATURE GLOVES, TEMPShield

- Lightweight, breathable, comfortable
- Provide warmth while retaining flexibility, even after prolonged exposure to cryogenic atmospheres
- Offer superior thermal protection when working with ultra-low temperature freezers, blast freezers, dry ice, and in coldrooms
- Also for use with LNG (liquefied natural gas), liquid helium, and liquid oxygen in enclosed systems

Description	Glove size	Length	Glove color	Cat. No.
Low-Temperature Glove				
Wrist Length	Medium	29 to 32.5 cm (11 3/8 to 12 1/16")	Pink	89166-343
Mid-Arm Length	Large	34.5 to 39 cm (13 5/8 to 15 5/16")	Pink	89166-363
Waterproof Glove				
Elbow Length	Medium	44 to 48.3 cm (17 5/16 to 19")	Pink	89166-377
Shoulder Length	Small	62.5 to 68.5 cm (24 5/8 to 26 7/8")	Pink	89166-389
Low-Temperature Glove				
Wrist Length	Medium	29 to 32.5 cm (11 3/8 to 12 1/16")	Blue	32884-187
Mid-Arm Length	Large	34.5 to 39 cm (13 5/8 to 15 5/16")	Blue	32885-758
Elbow Length	Large	44 to 48.3 cm (17 5/16 to 19")	Blue	32884-085
Shoulder Length	Medium	62.5 to 68.5 cm (24 5/8 to 26 7/8")	Blue	32884-122
Waterproof Glove				
Wrist Length	Medium	29 to 32.5 cm (11 3/8 to 12 1/16")	Blue	32884-023
Mid-Arm Length	Large	34.5 to 39 cm (13 5/8 to 15 5/16")	Blue	32884-031
Elbow Length	Large	44 to 48.3 cm (17 5/16 to 19")	Blue	32884-048
Shoulder Length	Large	62.5 to 68.5 cm (24 5/8 to 26 7/8")	Blue	32884-057

HAND AND ARM PROTECTION

KEVLAR® NOMEX® 2610 SEAMLESS HEAT RESISTANT GLOVES, WELLS LAMONT

- Protects up to 500°F
- Excellent thermal properties
- Fully lined
- Continuous cuff



Glove size	Glove color	Cat. No.
Small	Yellow	75836-504
Medium	Yellow	75836-506
Large	Yellow	75836-508



ACTIVARMR® 80-813 FOAM NEOPRENE FLAME RESISTANT GLOVES, ANSELL

- Gloves provide EN407 Level 4 flammability resistance
- HRC 2 rating for arc flash protection
- ANSI Level 4 cut protection (EN388 Level 5)

Glove size	Length	Glove color	Cat. No.
8	22.9 cm (9")	Black, Green, Yellow	89413-046
9	27.2 cm (10 1/16")	Black, Green, Yellow	89413-048
10	25.9 cm (10 3/16")	Black, Green, Yellow	89413-050

KELKLAVE AUTOCLAVE GLOVES, WELLS LAMONT®

- White Terry Cloth Construction
- Gloves Protect Against to 121°C (250°F)
- Clute Cut and Gauntlet Cuff



Glove size	Length	Glove color	Cat. No.
Large	28 cm (11")	Natural	80091-458
Large	12.7 cm (5")	Natural	80091-460

SCIENCEWARE® CLAVIES™ BIOHAZARD AUTOCLAVE GLOVES, BEL-ART

- Heat-resistant
- Machine wash, air dry



Length	Glove color	Cat. No.
33 cm (13")	Orange	32885-805
45.7 cm (17 7/8")	Orange	32885-826

LIGHTWEIGHT KEVLARKLEEN® GLOVES, ANSELL

- SType 70-400 cut-resistant
- Knit from 100% Kevlar® continuous filament fiber



Glove size	Length	Glove color	Cuff color	Cat. No.
Large	22.9 cm (9")	Yellow	Red	56614-204
Small	28 cm (11")	Yellow	Blue	56614-200
Medium	28 cm (11")	Yellow	Green	56614-202

QUALATHERM® 70G 12" QUALATHERM 450 WET/DRY THERMAL PROTECTION, QRP

- Packaged for ISO 5 (Class 100)
- Wet or dry contact temperatures from -78 to 450°F (-61.4 to 232°C)
- PolyTuff silicone elastomer is sulfur-free
- Excellent resistance to chemicals, solder, and fluxes



Glove size	Length	Thickness	Glove color	Cat. No.
Medium	30.5 cm (12")	116 mil	White	32889-013
Large	30.5 cm (12")	116 mil	White	32885-780

HYFLEX® CR+ CUT-RESISTANT GLOVES, ANSELL

- Great cut protection
- Elasticized wrist
- Slightly coarse finish



Glove size	Length	Glove color	Cat. No.
8	20.4 cm (8")	Blue	80090-004
9	20.4 cm (8")	Blue	80090-006
10	20.4 cm (8")	Blue	80090-008

Safety and innovation with superior comfort

VWR's collection of cut-resistant and precision work gloves are state-of-the-art, high-quality protective gloves that are perfectly measured for all types of environments. Made with high-performing materials, our gloves provide users with a balance of comfort, grip, and cut protection with the ultimate in dexterity.

From cut-resistant gloves designed for moderate to extreme cutting hazards or precision work gloves with high dexterity for low cutting hazards, VWR has the right level of protection for your environment.



- **A1: Very low-cut hazards**
(withstands 200 g to 499 g of cutting load)
- **A2: Low cut hazards**
(withstands 500 g to 999 g of cutting load)
- **A3: Moderate cut hazards**
(withstands 1000 g to 1499 g of cutting load)
- **A4: High cut hazards**
(withstands 1500 g to 2199 g of cutting load)
- **A5: Extreme cut hazards**
(withstands 2200 g to 2999 g of cutting load)
- **A6-A9: 3000g and above**

Dedicated to safety and the environment, VWR's cut-resistant and precision work gloves are Oeko-Tex and CE certified when possible*.



Work gloves guide

Use the guide below to understand the features of our reusable cut-resistant and precision work gloves to ensure the right level of protection from your environment.

Description	Coating	Gauge	Color	Palm color	ANSI cut rating	Cat. No.
Cut Protection Gloves						
Cut protection glove, PU coating	Polyurethane	13	Gray	Gray	A2	76408-512
Cut protection glove, NBR coating	Nitrile	13	Gray	Gray	A2	76408-524
Advanced cut protection glove	Polyurethane	13	Gray	Black	A3	76408-536
Maximum cut protection glove	Polyurethane	13	Gray	Gray	A5	76408-548
Precision Grip Gloves						
Precision grip glove, PU coating	Polyurethane	15	Black	Black	A1	76408-560
Precision grip glove with dots	Nitrile	15	Gray	Black	A1	76408-572
Precision grip glove, NBR coating	Nitrile	15	Blue	Black	A1	76408-584



Precision Grip Glove, PU Coating



Precision Grip Glove with Dots
*Oeko-Tex certified products



Precision Grip Glove, NBR Coating
*Oeko-Tex certified products



*Oeko-Tex certified products

VWR is committed to providing products that are completely free from harmful chemicals, safe for human use and that are Oeko-Tex certified. To attain Oeko-Tex Standard 100 certification, the fabric used in our gloves were tested and certified to be free from harmful levels of more than 100 substances known to be harmful to human health.

STANDARD 100 by OEKO-TEX® is one of the world's best-known labels for textiles tested for harmful substances. It stands for customer confidence and high product safety.

HYFLEX® 11-627 CR2 CUT PROTECTION GLOVES, ANSELL

- Palm coating for good grip
- Comfortable wear with great dexterity
- High level of abrasion and cut resistance



Glove size	Length	Glove color	Cat. No.
7	22.1 cm (8 11/16")	Gray	89008-970
9	24.4 cm (9 5/8")	Gray	89008-974
10	25.4 cm (10")	Gray	89008-976

HYFLEX® 11-644 HIGH PERFORMANCE INDUSTRIAL CUT PROTECTION GLOVES, ANSELL

- Naturally molding gloves
- Excellent resistance to tears and cuts
- Tough coating provides a sure grip



Glove size	Length	Glove color	Cat. No.
8	23.2 cm (9 1/8")	Gray	10063-044
9	24.3 cm (9 1/2")	Gray	10063-046
10	25.3 cm (10 7/8")	Gray	10063-048



CHROME SERIES® 4027 GLOVES, HEXARMOR

- SuperFabric®** brand material palm provides ANSI/ISEA level A8 cut resistance for some of the highest cut-resistance available in the industry
- Superior back-of-hand impact protection system utilizes an advanced design to dissipate forceful blows over a large area
- Durable TP-X® palm utilizes the highest-level abrasion resistance while maintaining an oil-resistant grip
- Hi-vis color and reflective tape on back-of-hand
- Elastic cuff with Velcro® closure for a secure fit
- Launderable

Glove size	Model	Length	Glove color	Cat. No.
Small	Chrome Series® 4027	10"	Blue	76207-930
Medium	Chrome Series® 4027	10"	Blue	76207-932
Large	Chrome Series® 4027	10"	Blue	76207-934
X-Large	Chrome Series® 4027	10"	Blue	76207-936
2X-Large	Chrome Series® 4027	10"	Blue	76207-938
3X-Large	Chrome Series® 4027	10"	Blue	76207-940

FLEXTECH™ Y9236 HI-VIS CUT RESISTANT GLOVES WITH NITRILE PALM, WELLS LAMONT

- 15-gauge seamless knit
- Hi-vis shell
- Reinforced thumb crotch
- Knit wrist construction
- Blend of high performance and cooling fibers
- Sandy nitrile palm coating
- Outstanding fit, comfort and flexibility



Glove size	Glove color	Cat. No.
Small	Black, Yellow	75875-670
Medium	Black, Yellow	75875-672
Large	Black, Yellow	75875-674

WHIZARD® POLYESTER/ WIRE CUT-RESISTANT GLOVE LINERS, WELLS LAMONT®

- Lightweight Alternative to Steel Mesh Gloves
- Ergonomically Designed for Comfort
- Reusable and Ambidextrous
- Cuff Color Denotes Sizes
- Polyester Fiber and Stainless Steel Provide Cut Resistance



Glove size	Length	Glove color	Cat. No.
Small	21.6 cm (8 1/2")	Black	32935-392
Medium	21.6 cm (8 1/2")	Black	32935-394
Large	21.6 cm (8 1/2")	Black	32935-396

SPECTRA® FIBER CUT-RESISTANT GLOVE LINERS, WELLS LAMONT®

- Ultrahigh Molecular Weight Polyethylene Fiber Provides Moderate Cut Resistance with High Reusability
- Lightweight, Low Coefficient of Friction Allows Sharp Objects to Slide Across the Surface
- Gloves Can Be Used Outside



Glove size	Length	Glove color	Cat. No.
Small	21.6 cm (8 1/2")	Green	32935-481
Medium	21.6 cm (8 1/2")	Orange	32935-483
Large	21.6 cm (8 1/2")	Blue	32935-485

HAND AND ARM PROTECTION

JACKSON SAFETY™ G60 PURPLE NITRILE® CUT RESISTANT GLOVES, KIMBERLY-CLARK

- Ambidextrous
- Ideal for metal fabrication, glass/sharp part handling, and automotive assembly
- Flexible, nitrile-dotted palm for enhanced grip
- Dyneema® fabric enhances breathability



Glove size	Glove color	Cat. No.
Small	White, Black	89011-804
Medium	White, Black	89011-806
Large	Purple	89011-808

JACKSON SAFETY® G60 LEVEL 3 CUT RESISTANT GLOVES WITH DYNEEMA® FIBER, KIMBERLY-CLARK

- ANSI Level 3/EN 388 Level 3 cut resistance
- Dyneema® yarn with nylon, Lycra® fiber, and glass liner provides cut resistance and a comfortable fit
- Excellent dexterity and dry and oil grip for improved productivity
- Gray polyurethane coating enhances grip
- Meets EN 420 including length
- Gray and salt and pepper color
- Color coded hem for sizing



Description	Glove size	Glove color	Cat. No.
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Medium	Blue	89230-478
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	Large	Purple	89230-480
G60 Level 3 Cut Resistant Gloves with Dyneema® Fiber	X-Large	Gray	89230-482

SHOWA 541 POLYURETHANE PALM COATED, A2 CUT RESISTANT GLOVE, GRAY, BEST GLOVE

- Palm Coated
- Ergonomic design
- Excellent grip in oil
- A2 Cut Resistance



Glove size	Length	Glove color	Cat. No.
Medium	27.9 cm (11")	Gray	94024-048
Large	27.9 cm (11")	Gray	94024-050
X-Large	27.9 cm (11")	Gray	94024-052

ULTRATECH DYNEEMA® GLOVES, MCR SAFETY

- 9676 UltraTech Dyneema® glove features a 13 gauge certified DSM Dyneema® blended shell with PU coated palm and fingers
- 9676 carries a CE score of 4343 and ANSI cut level of 2



Glove size	Length	Glove color	Cat. No.
Small	28.4 cm (11 1/8")	Gray	89087-958
Medium	29.5 cm (11 5/8")	Gray	89087-956
Large	30.9 cm (12 1/8")	Gray	89087-954

MAXIFLEX® ENDURANCE™ SEAMLESS KNIT NYLON GLOVES, PROTECTIVE INDUSTRIAL PRODUCTS

- Gloves incorporate unique Micro Dots on palm for excellent grip
- Ultra cool and comfortable to wear
- Excellent dexterity, sensitivity, and tactility
- Designed to produce minimal lint and dust
- Minimal penetration keeps inner liner soft



Glove size	Length	Glove color	Cat. No.
Nitrile Coated Micro Foam Grip on Palm and Fingers			
Small	20.5 cm (8 1/8")	Gray, Black	20002-368
Medium	21.5 cm (8 5/8")	Gray, Black	20002-370
Large	22 cm (8 5/8")	Gray, Black	20002-372
Nitrile Coated Micro Foam Grip on Palm, Fingers, and Knuckles			
Small	20.5 cm (8 1/8")	Gray, Black	20002-376
Medium	22 cm (8 5/8")	Gray, Black	20002-378
Large	22.5 cm (8 13/16")	Gray, Black	20002-380

GRAIN LEATHER Y0143 DRIVER GLOVES, WELLS LAMONT

- Grain leather
- Split back
- Gunn cut, keystone thumb
- Bound hem
- Double shirred elastic wrist



Glove size	Glove color	Cat. No.
Medium	Natural	75836-524
Large	Natural	75836-526
X-Large	Natural	75836-528

SPLIT COWHIDE DRIVER'S GLOVES, PROTECTIVE INDUSTRIAL PRODUCTS

- Keystone thumb design for comfort and extended wear
- Elastic bands on backs keep gloves securely on hands
- Premium grade
- Color: gray



Glove size	Length	Glove color	Cat. No.
Large	25.4 cm (10")	Gray	20001-459
Medium	25.4 cm (10")	Gray	20001-461
Small	25.4 cm (10")	Gray	20001-463

COTTON LISLE INSPECTION GLOVES, WELLS LAMONT®

- Hand and Product Protection for Light Duty Inspection Purposes
- Lightweight and Medium Weight
- Men's and Women's
- Cotton Lisle (100%)
- Ambidextrous



Description	Length	Glove color	Cat. No.
Lightweight	22.9 cm (9")	White	32935-460
Lightweight	22.9 cm (9")	White	32935-461

COTTON CANVAS GLOVES, PROTECTIVE INDUSTRIAL PRODUCTS

- Single-palm, clute cut pattern
- Knitted wrists hold gloves in place and keep out debris
- Medium weight (10oz. and 12oz.) designs provide enhanced protection and extended wear
- Color: natural
- Size: men's



Description	Length	Glove color	Cat. No.
Premium Grade, 8 oz. Fabric Weight, Extra Long 12.7 cm (5") Knit Wrist	35.6 cm (14")	Natural	20001-942
Economy Grade, 8 oz. Fabric Weight, Knit Wrist	22.9 cm (9")	Natural	20001-954
Premium Grade, 10 oz. Fabric Weight, Knit Wrist	22.9 cm (9")	Natural	32932-245

STERILE LATEX GLOVES, KIMTECH™ G3, KIMBERLY-CLARK

- Ideal for critical environments
- Hand specific
- Sterilized by gamma radiation
- Traceability system and irradiation certifications meet internal validation requirements



Glove size	Length	Thickness	Glove color	Cat. No.
7	30.5 cm (12")	9 mil	Natural	32933-885
7.5	30.5 cm (12")	9 mil	Natural	32933-883
8	30.5 cm (12")	9 mil	Natural	32933-881

KIMTECH PURE® G5 STERLING™ NITRILE GLOVES, KIMBERLY-CLARK

- Powder-free, latex-free, silicone-free
- Tactile sensitivity with tensile strength
- Static dissipative in use
- Suitable for use in the manufacture of pharmaceuticals, medical devices, electronics, disk drives, flat panel displays, and semiconductors
- Ambidextrous, beaded cuff, textured fingertips



Glove size	Length	Glove color	Cat. No.
Small	30.5 cm (12")	Gray	89093-006
Medium	30.5 cm (12")	Gray	89093-008
Large	30.5 cm (12")	Gray	89093-010

PROTEGRITY® CP STERILE LATEX GLOVES WITH NITRILE, CARDINAL HEALTH®

- Triple layer, powder free
- Comfort of natural rubber latex with the strength of nitrile for exceptional grip and tactile properties
- Hand specific, beaded cuff, bisque finish
- Sterilized by gamma irradiation to SAL 10⁻⁶



Glove size	Length	Glove color	Cat. No.
6.5	30.5 cm (12")	White	PH2Y72N2
7.5	30.5 cm (12")	White	PH2Y72N4
8.5	30.5 cm (12")	White	PH2Y72N6

NITRILITE® 93-311, NITRILE GLOVES, ANSELL

- Strength and comfort in critical environments
- Significantly reduces particulate and extractable levels
- Powder free with no plasticizers, silicone, or pigments
- Ideal for electronics manufacturing, medical laboratories, pharmaceutical, and research laboratories



Glove size	Length	Glove color	Cat. No.
Small	30.5 cm (12")	White	47748-212
Medium	30.5 cm (12")	White	47748-214
Large	30.5 cm (12")	White	47748-216

A proprietary glove mold for natural hand movement



CARDINAL HEALTH™ CLEANROOM GLOVES COMBINE INNOVATION WITH STATE-OF-THE-ART TECHNOLOGY TO HELP PROVIDE PROTECTION, PERFORMANCE AND EXPERTISE WHEN YOU NEED IT MOST. IN ADDITION, WEARER COMFORT IS A TOP PRIORITY.

Taking wearer comfort into consideration, cardinal health developed a proprietary glove mold with performance in mind using an independent thumb feature that replicates the anatomical position of the resting hand. The thumb on the Cardinal Health™ glove mold is prominent and positioned away from – or in front of – the finger plane to allow for natural movement in the fingers, thumb and palm.

Independent study:

In order to demonstrate the benefit of this proprietary glove mold feature, from – or in fr sponsored an independent study through a third-party lab comparing samples produced on two different glove molds: one with an independent thumb feature and the other without. The study simulated the flexion (i.e., movement towards the palm) and extension (i.e., movement away from the palm) of the thumb on an artificial hand, measuring the force required to flex and extend the thumb.

The results of the study demonstrated that the samples featuring the independent thumb required less force for similar displacements of the thumb than those without an independent thumb feature



From protection to performance, we have you covered.

- Esteem® cp sterile polyisoprene cleanroom gloves recommended for iso 6/class 1000 or higher
- Duraprene™ cp sterile neoprene cleanroom gloves recommended for iso 5/class 100 or higher
- Protegrity® cp sterile latex glove with nitrile coating recommended for iso 6/class 1000 or higher

To order, contact your VWR sales representative, call **1.800.932.5000** or visit vwr.com/cardinalgloves

DURAPRENE™ CP STERILE SYNTHETIC GLOVES, CARDINAL HEALTH®

- Nitrile and neoprene blend
- Latex free, powder free
- Hand specific, beaded cuff



Glove size	Length	Thickness	Glove color	Cat. No.
7.5	30.5 cm (12")	8 mil	Yellow	89027-164
8	30.5 cm (12")	8 mil	Yellow	89027-166
8.5	30.5 cm (12")	8 mil	Yellow	89027-168

ESTEEM® CP STERILE SYNTHETIC GLOVES, CARDINAL HEALTH®

- Superior protection against bacteria and particulates
- Highly breathable and fluid-resistant
- Low particle shedding
- Soft and hypoallergenic
- Malleable noseband ensures custom, secure seal



Glove size	Length	Glove color	Cat. No.
7.5	30.5 cm (12")	White	PH2Y72PL75
8	30.5 cm (12")	White	PH2Y72PL80



TECHNIPAK CLASS 100 NITRILE CLEANROOM GLOVES, TECHNIGLOVE

US ONLY

- Plastic (PVC) dispenser box
- Class 100
- 9.5" length, powder-free
- 100% Nitrile
- Ambidextrous

Glove size	Length	Thickness	Glove color	Cat. No.
X-Small	24.1 cm (9 1/2")	5 mil	Blue	89415-066
Small	24.1 cm (9 1/2")	5 mil	Blue	89415-068
Medium	24.1 cm (9 1/2")	5 mil	Blue	89415-070

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

NEW



SENSICARE® POLYISOPRENE SURGICAL GLOVES WITH ALOE, MEDLINE INDUSTRIES

- Ideal for general surgery
- Coated with aloe vera to soothe and moisturize skin
- Made from unique synthetic polyisoprene, isolex
- Smooth finish with controlled grip for excellent handling
- Synthetic polymer coating for effortless damp hand donning
- ARC (anti-roll down cuff) designed to reduce cuff roll-down common with many gloves
- Not made with natural rubber latex

Glove size	Length	Glove color	Cat. No.
5.5	30.5 cm (12")	White	89068-645
6	30.5 cm (12")	White	54720-111
6.5	30.5 cm (12")	White	54720-113
7	30.5 cm (12")	White	54720-115
7.5	30.5 cm (12")	White	54720-117
8	30.5 cm (12")	White	89068-647
8.5	30.5 cm (12")	White	89068-649
9	30.5 cm (12")	White	76332-767

VWR® PURETOUCH CUT-RESISTANT GLOVE LINERS



- Compatible underglove for all cleanroom requirements
- 13-gauge white nylon with HPPE
- Ambidextrous
- Color-coded for visual size identification
- Sturdy, launderable, and reusable
- ANSI 2 cut resistant



Description	Glove size	Thickness	Glove color	Cat. No.
VWR® PureTouch Full Finger Liners	Small	2 mm ± 10%	Green	76102-378
VWR® PureTouch Full Finger Liners	Medium	2 mm ± 10%	Orange	76102-380
VWR® PureTouch Full Finger Liners	Large	2 mm ± 10%	Blue	76102-382
VWR® PureTouch Full Finger Liners	X-Large	2 mm ± 10%	Red	76102-384

VWR® GLOVE LINERS



- Ambidextrous glove liners
- Reduces perspiration and wicks away moisture
- Low-lint, 100% 15 denier nylon composition
- Sturdy, launderable, and reusable
- Color-coded cuffs indicate size
- Pre-laundered; will not shrink



Description	Glove size	Glove color	Cat. No.
Full Finger Liners, with Orange Cuff	Medium	White	94000-610
Full Finger Liners, with Blue Cuff	Large	White	94000-612
Full Finger Liners, with Red Cuff	X-Large	White	94000-614

BCR® POLYESTER GLOVE LINERS, BERKSHIRE

- Liners can be re-laundered and used again
- No seams on the gloves that could unravel and cause contamination
- Composition allows moisture to be absorbed and wicked away from skin during extended wear
- Ambidextrous for easy stock control
- Color coded cuffs to identify sizes
- Polyester glove liners can be sterilized by beta or steam



Description	Glove size	Glove color	Cuff color	Cat. No.
BCR® Polyester Half-Finger Glove Liner	One size	White	White	32891-470
BCR® Polyester Half-Finger Glove Liner	One size	White	White	10810-322
BCR® Polyester Full-Finger Glove Liner	One size	White	White	32891-474

HAND AND ARM PROTECTION



BCR® POLYESTER CLEANROOM GLOVE LINERS, BERKSHIRE

- 100% continuous filament knitted polyester
- Polyester offers a thinner yet durable barrier for the wearer
- Half-fingered design covers palm and parts of fingers to permit tactile use while wicking moisture from palms
- Reusable, ambidextrous, seamless construction

Description	Glove size	Glove color	Packaging	Cat. No.
Half-Finger Gloves	Large	White	Bulk, 200 Pairs per Pack	89212-859

HIGHLY REUSABLE NYLON GLOVE LINERS, WELLS LAMONT®

- Ambidextrous
- Full-Finger Style
- Regular Cuff
- Gloves Prevent Skin Irritation
- Nylon



Glove size	Glove color	Cat. No.
Medium	Orange	32935-583
Large	Blue	32935-585
X-Large	Red	32935-587

NYLON GLOVE LINERS, WELLS LAMONT®

- Latex-Free, Fitted Cuffs
- Nylon Construction (100%)
- Ambidextrous
- Full Finger or Half-Finger Liners Available
- Reusable



Description	Glove size	Length	Glove color	Cuff color	Cat. No.
Full-Finger Liners	Small	22.9 cm (9")	White	Green	14224-270
Full-Finger Liners	Medium	22.9 cm (9")	White	Orange	13500-888

SPEC-TEC® SPECTRA® FIBER STERILE CRITICAL ENVIRONMENT GLOVE LINERS, WELLS LAMONT®

- Cut-Resistant Liners Feature Excellent Tactile Sensitivity
- Spectra Fiber for Moderate Cut Resistance with High Reusability
- Knit Cuff
- White
- Ambidextrous and Sterile



Glove size	Glove color	Cat. No.
Medium	Orange	80091-124
Large	White	80091-122

DUPONT™ TYCHEM® 2000 SLEEVES

- Elastic at both ends
- Bound seams
- One size fits most



Length	Color	Cat. No.
18 3/4"	Yellow	13450-338

DUPONT™ TYCHEM® 6000 SLEEVES

- Stitched and over-taped seams
- Strong, durable, and lightweight



Length	Color	Cat. No.
18"	Gray	76205-422

FLAME-RESISTANT SLEEVES, KEVLAR® WITH COTTON LINING, WELLS LAMONT®

- Yellow
- Four Sizes Available
- Kevlar Construction for Protection
- Cotton Lining for Comfort
- Flame Resistant



LxW	Cat. No.
25.4x7.6 cm (10x3")	80091-774
35.6x7.6 cm (14x3")	80091-780
45.7x7.6 cm (18x3")	80091-790
61x7.6 cm (24x3")	80091-802

WHIZARD® DEFENDER ARMGUARD, WELLS LAMONT

- High performance yarn and stainless steel construction
- Clip provided
- ANSI level 4



Color	Length	Cat. No.
Blue	22"	80090-657

TERRYCLOTH SLEEVES, WELLS LAMONT®

- Cut and Heat-Resistant Sleeves
- Medium and Extra Heavyweight Available
- Terry Cloth
- Elastic Tops
- White



Type	Color	Length	Cat. No.
Extra heavy-weight sleeves	White	30.5 cm (12")	80091-756

SKC HIGH PERFORMANCE CUT AND FLAME RESISTANT SLEEVES, WELLS LAMONT

- Patented combination of fibers
- Blousy fit
- Elastic on both ends
- Available in several lengths with or without a thumb hole



Type	Length	Cat. No.
SKC sleeve with thumb hole	24"	10859-950

VINYL SLEEVES, ANSELL

- Great protection against punctures and abrasions
- Resistance against acids and chemical splashes



US ONLY

Length	Thickness	Color	Cat. No.
45.7 cm (18")	8 mil	White	47727-570
45.7 cm (18")	4 mil	Clear	47729-370
45.7 cm (18")	-	Blue	80078-899

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



HYFLEX® 11-280 INTERCEPT™ CUT RESISTANT SLEEVE WITHOUT THUMB SLOT, ANSELL

- Engineered to perform in combination with any HyFlex® cut resistant glove
- Available in multiple lengths and widths
- Silicone-free material
- Open wrist
- Knitted cuff style

Description	Length	Color	Cat. No.
Narrow Fit	16"	Gray	76303-080
Narrow Fit	18"	Gray	76303-084
Narrow Fit	22"	Gray	76303-088
Wide Fit	12"	Gray	76303-078
Wide Fit	16"	Gray	76303-082
Wide Fit	18"	Gray	76303-086
Wide Fit	22"	Gray	76303-090



VWR® ADVANCED PROTECTION SLEEVES

- Significant fluid and particulate barrier
- Durable, lightweight fabric
- Excellent breathability and water vapor transmission rate
- Soft tactile feel
- Thumb loop versions also available

Size	Length	Color	Cat. No.
Sleeves without Thumb Loop			
Universal	49.5 cm (19 1/2")	White	414004-421
X-Large	54.6 cm (21 1/2")	White	414004-420
Sleeves with Thumb Loop			
Universal	49.5 cm (19 1/2")	White	76169-442
X-Large	54.6 cm (21 1/2")	White	76169-444

HAND AND ARM PROTECTION



US ONLY

VWR® STERILE SLEEVES

- Excellent breathability and water vapor transmission rate
- Superior fluid and particulate barrier
- Lowest level of particle shedding
- Durable yet soft, cloth-like fabric
- Gamma irradiated to SAL of 10⁻⁶

Description	Size	Length	Color	Cat. No.
Sterile Sleeves without Thumb Loop	Universal	49.5 cm (19½")	White	414004-510
Sterile Sleeves with Thumb Loop	Universal	49.5 cm (19½")	White	76169-446
Sterile Sleeves without Thumb Loop	X-Large	54.6 cm (21½")	White	414004-511
Sterile Sleeves with Thumb Loop	X-Large	54.6 cm (21½")	White	76169-448

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



VWR® BASIC PROTECTION DISPOSABLE SLEEVE

- Garments feature serged seams
- Reliable protection in a variety of applications



Description	Size	Length	Color	Cat. No.
VWR® Basic Protection Sleeve	Universal	49.5 cm (19.5")	White	89208-758

DUPONT™ TYVEK® 400 SLEEVES

- Elastic at both ends
- Serged seams
- One size fits most



Length	Color	Cat. No.
Tyvek® 400 Sleeves		
18¾"	White	10010-136



KLEENGUARD® A70 CHEMICAL SPRAY PROTECTION SLEEVE, KIMBERLY-CLARK®

Length	Color	Cat. No.
53.3 cm (21")	Yellow	89030-870

KIMBERLY-CLARK® STERILE SLEEVE PROTECTOR, KIMBERLY-CLARK PROFESSIONAL®

- Sterile sleeve protector
- Double bagged for protection



Size	Color	Cat. No.
Universal	Blue	15628-276



KIMTECH™ A5 STERILE CLEANROOM SLEEVE PROTECTOR, KIMBERLY-CLARK PROFESSIONAL

- 18" length
- Cuff fold with integrated thumb loop
- Triple bagged, vacuum packed, suitable for ISO Class 5 or higher cleanrooms
- Each individually bagged pair of sleeves has a visual gamma sterilization indicator
- Not made with natural rubber latex, BHT preservative, silicone
- Manufactured in an ISO-certified facility, clean-processed, and individually packaged under cleanroom conditions

Color	Sterility	Cat. No.
White	Sterile	89428-610



COMPOSITELITE™ SAFETY BOOT, PORTWEST

- Composite protective toecap
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant PU outsole
- Removable EVA cushion footbed
- Anti-static

Shoe size	Color	Cat. No.
9	Black	76104-030
10	Black	76104-032
11	Black	76104-034



STEELITE™ LADIES SAFETY TRAINER, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Cement construction
- Lightweight EVA cushioned midsole
- Slip-, fuel-, and oil-resistant rubber outsole
- Heat-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Shoe size	Color	Cat. No.
9	Black/Blue	76104-916
10	Black/Blue	76104-918
11	Black/Pink	76104-936



STEELITE™ WORK, PROTECTOR SHOE, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Direct injected dual density construction
- Lightweight PU cushioned midsole
- Slip-, fuel-, and oil-resistant outsole
- Removable EVA cushion footbed
- Anti-static

Shoe size	Color	Cat. No.
9	Black	76104-162
10	Black	76104-396
11	Black	76104-398



STEELITE™ TOTAL SAFETY KNEE BOOTS, FW95, PORTWEST

- Protective steel toecap
- Puncture-resistant steel midsole
- Dual density PVC/Nitrile construction
- Slip-, fuel-, and oil-resistant PVC/Nitrile outsole
- 100% waterproof
- Washable nylon inner lining
- 15" height
- Anti-static

Shoe size	Color	Cat. No.
9	Black	76104-474
10	Black	76104-476
11	Black	76104-478

FOOT PROTECTION



COMPOSITELITE™ WELDERS BOOT, FW01, PORTWEST

- Protective composite toecap
- Puncture-resistant composite midsole
- Water-resistant upper
- Lightweight PU cushioned midsole
- Slip-, fuel-, oil and heat-resistant rubber outsole
- Ergonomic quick release buckle
- Anti-static

Shoe size	Color	Cat. No.
9	Black	76104-346
10	Black	76104-348
11	Black	76104-350



SLICKER BOOTS, OVERBOOTS WITH STRAP, ONGUARD

- Excellent cold weather flexibility
- Non-absorbent polyester liner for easy cleaning and quick drying
- Non-conductive, adjustable polyester strap with plastic buckle and snap for better fit
- Self-cleaning, cleated sole
- Kick-off lug for easy boot removal

Shoe size	Color	Cat. No.
10	Yellow	21921-804
11	Yellow	21921-806
12	Yellow	21921-808



SUREFLEX BOOTS WITH SAFETY-LOC™ OUTSOLE, ONGUARD

- Protective steel toe cap
- PVC/nitrile soles, high performance PVC compound uppers, and steel toes
- Slip resistant

Shoe size	Color	Cat. No.
9	Black/Orange	89031-588
10	Black/Orange	89031-590
11	Black/Orange	89031-592



US ONLY

HAZMAX® KNEE BOOTS, ONGUARD

- Nonconductive adjustable polyester strap with non-metallic buckle and snaps
- High-visibility green upper with black, easy-to-clean, nonslip cleated sole
- Heel kick-off lug for easy removal
- Available in men's sizes only

Shoe size	Color	Cat. No.
9	Green	21921-788
10	Green	21921-790
11	Green	21921-792

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



RUBBER WORK OVERSHOES, TINGLEY

- Reinforced heel and toe
- Excellent tensile strength
- Heavy-duty heel kick-off cleat for easy no-hands removal
- Molded-in button for secure closure
- Material will not crack or stiffen in cold weather
- Unlined for easy cleaning and decontamination.
- Additional material in the heel, toe, and sole provide longer wear; less material in the upper reduces weight and leg fatigue

Shoe size	Color	Cat. No.
Small	Black	83007-898



SERVUS™ STRAP-ON RUBBER OVERSHOES, HONEYWELL SAFETY

- Each 100% waterproof boot features an adjustable side strap for a snug fit
- Tough, comfortable net lining for easy on and off
- 46cm (18") high overshoe has a Cross Rib™ outsole

Color	Shoe size	Cat. No.
Yellow	8	35557-570
Yellow	9	35557-572
Yellow	10	35557-574



SERVUS® XTP™ SAFETY KNEE BOOTS, HONEYWELL SAFETY

- Protective steel toe cap
- Extended, ribbed steel shanks for support, steel toes for protection, and contour comfort
- Graduated heights decrease chafing of calf

Shoe size	Color	Cat. No.
10	Black	11001-078
12	Black	94023-968
14	Black	94023-972



SPLICING AND MAINTENANCE CHAPS, SERIES 9911, HEXARMOR

- Cut, puncture and abrasion resistant, with front-to-back leg coverage
- Three layers of protection on knee (front only)
- Reflective tape for visual awareness
- Launderable

Color	Clothing size	Cat. No.
Black, with Reflective Stripes	M	76208-130
Black, with Reflective Stripes	L	76208-132
Black, with Reflective Stripes	XL	76208-134
Black, with Reflective Stripes	XXL	76208-136
Black, with Reflective Stripes	3XL	76208-238

FOOT PROTECTION

VWR® BASIC PROTECTION INDUSTRIAL CPE SHOE COVERS

- Two color options are available
- Durable garments fit easily over most shoe sizes



Description	Color	Cat. No.
VWR® Basic Protection Industrial CPE Shoecover	White	76008-562

KIMBERLY-CLARK® XTRA-TRACTION™ CLEANROOM SHOE COVERS, KIMBERLY-CLARK PROFESSIONAL®

- Protective three-layer SMS fabric
- Fully elasticized for comfortable fit
- Traction fabricsoles to minimize slipping
- Sewn seams



Size	Color	Cat. No.
Medium/Large	Blue	89135-426
X-Large/XX-Large	Blue	89135-428

VWR® BASIC PROTECTION SPP SHOE COVERS

- Economical, disposable first-line barrier
- Maximum breathability
- Low linting



Description	Size	Length	Color	Cat. No.
Standard Shoe Covers	Universal	44.5 cm (17½")	Blue	97041-234
Anti-Skid Shoe Covers	Universal	44.5 cm (17½")	Blue	97041-236

KIMTECH PURE® A8 UNITRAX™ SHOE COVERS, KIMBERLY-CLARK PROFESSIONAL®

- Protects workers in critical process manufacturing and quality control environments
- Recommended for use in clean environments



Size	Color	Cat. No.
Universal	White	89428-606
X-Large/XX-Large	White	89428-608



VWR® ADVANCED PROTECTION ANTI-SKID SHOE COVERS

- Specially formulated polypropylene/polyethylene microporous film
- Excellent fluid and barrier protection
- Highly durable, ensure long-lasting abrasion and skid resistance
- Standard or static-dissipative formats
- Tested and manufactured in ISO-certified facility
- Lot controlled and validated through independent lab testing

Size	Dimensions	Color	Cat. No.
Standard Shoe Covers			
Universal	39.4Lx15.9H cm (15½x6¼")	Blue	414004-498
X-Large	43.2Lx17.1H cm (17x6¾")	Blue	414004-499
XX-Large	47Lx17.8H cm (18½x7")	Blue	414004-500
Static Dissipative Shoe Covers			
Universal	39.4Lx17.8H cm (15½x7")	Blue	414004-644
X-Large	43.2L x 17.8H cm (17 x 7")	Blue	414004-645



VWR® MAXIMUM PROTECTION FLUID-IMPERVIOUS BUTTERFLY-STYLE SHOE COVERS

- Fluid-imperious material with seamless bottom to repel water
- Skid resistance on wet and smooth surfaces
- Excellent particulate barrier
- Low linting
- Serged seams

Size	Dimensions	Color	Cat. No.
Universal	39.4 Lx16.5 H, cm (15½x6½")	Blue	414004-641
Universal	39.4 Lx16.5 H, cm (15½x6½")	White	414004-646
X-Large	43.2 Lx17.8 H, cm (17x7")	Blue	414004-642
X-Large	43.2 Lx17.8 H, cm (17x7")	White	414004-647

TINGLEY® BOOT SAVER® DISPOSABLE LATEX SHOE COVERS, NEW PIG

- Durable, natural rubber latex stretches over shoes or boots
- Withstands snags, tears, and abrasions
- Textured outsole, non-slip shoe cover provides grip on wet and dry surfaces
- Ambidextrous design allows boot covers to fit both right and left feet
- Powder-free finish eliminates concerns of powder contamination



Clothing size	Color	Cat. No.
L	Black	76415-026
M	Blue	76415-034
XL	Red	76415-044
XXL	Yellow	76415-054

BOOTIEBUTLER® SHOE COVERS, PROTEXER

- Super anti-skid, slip-resistant pattern
- Antistatic material
- Lightweight and durable for extra-long wear
- One size fits most
- Specifically designed for use in the BootieButler® automatic dispenser

Description	Size	Color	Cat. No.
BootieButler® Shoe Covers	Universal	Blue	10836-051



DUPONT™ TYVEK® ISOCLEAN® SHOE COVERS WITH PVC SOLE

- PVC sole
- Elastic opening
- Serged seams

Size	Height	Length	Color	Cat. No.
L	5 1/4"	14"	White	89125-644
XL	5 1/4"	15 1/2"	White	89127-348



KINETICBUTLER SHOE COVER DISPENSER, PROTEXER

- Designed for low, moderate, or high volume areas where speed, safety, and compliance are critical
- Hands-free application enables workers to enter facilities without dropping tools or touching dirty shoes
- Dispensers available in two sizes: large unit has handle for safety and stability while applying shoe covers, small unit more easily transported
- Requires no electricity for operation



Description	Size	Cat. No.
KineticButler Shoe Cover Dispenser	Large	10842-396

AUTOMATIC SHOE COVER DISPENSERS AND SHOE COVERS, SHOE INN™

- Increase efficiency and productivity
- Reduce worker's compensation injuries
- Favored by regulators and inspectors
- Improve compliance
- Avoid contamination
- Ergonomically friendly
- No electricity required

Description	Material	Color	Cat. No.
Automatic Dispensers			
Large Automatic Shoe Cover Dispenser with Handlebar	ABS Plastic/Stainless Steel	Cream/Gray/Silver	76336-922
Small Automatic Shoe Cover Dispenser	ABS Plastic/Stainless Steel	Cream/Gray/Silver	76336-924

FOOT PROTECTION

WORKBRUTES® PVC OVERSHOES, TINGLEY RUBBER

- Covers work shoe up to ankle
- Heavy duty heel kick off for easy off

Shoe size	Color	Cat. No.
X-Small	Black	76199-744
Small	Black	76199-746
Medium	Black	76199-748
Large	Black	76199-154
X-Large	Black	76199-156
XX-Large	Black	76199-158

TURBO TOE SAFETY STEEL TOE CAPS, MAGID®

- Made of flexible, pliable PVC
- Wide size range to accommodate both men and women
- Toe is color-coded to indicate size
- 100% waterproof, will not harden, stiff or crack

Shoe size	Color	Cat. No.
XX-Small	Purple	76213-986
Small	White	76214-006
Medium	Yellow	76214-004
Large	Red	76214-002
X-Large	Blue	76214-008
XX-Large	Green	76213-984
3X-Large	Black	76213-988

INDUSTRIAL-GRADE BOOT COVERS, YULEYS CLEAN STEP SYSTEM, HEXARMOR

- Hands-free on-and-off usage
- Slip-reducing tread design
- Heel-locking grip system
- Autoclavable
- Superior chemical and abrasion resistance
- Greater flexibility at extreme temperatures
- Silicone free



Type	Color	Shoe size	Length	Cat. No.
Industrial-grade work boot covers	Blue	B	26.7 - 27.9 cm (10 1/2 - 11")	10147-404
Industrial-grade work boot covers	Blue	C	27.9 - 29.8 cm (11 - 11 3/4")	10147-406
Industrial-grade work boot covers	Blue	D	29.8 - 31.3 cm (11 3/4 - 12 5/16")	10147-416
Industrial-grade work boot covers	Blue	E	31.3 - 32 cm (12 5/16 - 12 5/8")	10147-418



HAZMAT BOOT COVERS, ONGUARD

- High visibility yellow color
- Strong enough to be reusable, economical enough to be disposable
- Ribbed and textured sole provides safe, dependable traction

Size	Diameter	Height	Cat. No.
Large	Hazmat Boot Cover	30.5 cm (12")	21921-844
X-Large	Hazmat Boot Cover	30.5 cm (12")	21921-846



SILVER SHIELD®/4H® BOOTIES, HONEYWELL SAFETY

- Five-layer fabric compacted into 2.7mil
- High-energy polymer (EVOH) with a low-energy polymer (PE), impervious to at least 90% of all organic chemicals for 4 hours at 35°C (95°F)
- Each layer acts as a barrier against various epoxies and industrial chemicals
- Wear as a liner or as a cover
- One size fits all

Description	Size	Cat. No.
Silver Shield®/4H® Booties	Universal	11000-628

NORTH™ LATEX BOOTIES, HONEYWELL SAFETY

- 30.5cm (12") stretchable latex
- Slip-resistant, textured outsole
- Disposable
- 100% Waterproof



Size	Color	Cat. No.
Large	Yellow	63550-140

DUPONT™ TYVEK® 400 BOOT COVERS WITH FC SKID RESISTANT SOLE

- Elastic top
- Coverage up to calf
- Special FC slip-resistant coating on sole
- One size fits most



Size	Height	Length	Color	Cat. No.
Large	18"	16"	White	10016-958

VWR® MAXIMUM PROTECTION FLUID-IMPERVIOUS ANKLE-HIGH BOOT COVERS

- Fluid-impervious material with seamless bottom to repel water
- Skid resistance on wet and smooth surfaces
- Excellent particulate barrier
- Low linting



Size	Dimensions	Color	Cat. No.
X-Large	42 Lx28 H, cm (16"/sx11")	Blue	414004-638
Universal	38.1 Lx28 H, cm (15x11")	White	414004-640

DUPONT™ TYVEK® ISOCLEAN® BOOT COVERS WITH GRIPPER™ SOLE

- Gripper™ soles provide enhanced skid-resistance and durability
- Elastic at ankles allows for a secure fit
- Elastic opening
- Coverage up to calf



Size	Height	Length	Color	Cat. No.
Tyvek® IsoClean® Boot Covers, Clean Processed				
L	18"	13 3/4"	White	10147-888
XL	18"	15 1/4"	White	10147-980
Tyvek® IsoClean® Boot Covers, Clean Processed, Sterile				
2X	18"	—	White	10016-088

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® MAXIMUM PROTECTION NON-SKID HIGH-TOP BOOT COVERS

- Superior coefficient of friction ensures maximum traction
- Maximum skid resistance on wet and smooth surfaces
- Serged seams for extra protection
- Clean, low-linting fabric



Description	Size	Dimensions	Color	Cat. No.
Elastic Tops and Ankles	X-Large	38.1 Lx45.7 H, cm (15x18")	White	414004-415
Elastic Tops and Ankles	Universal	35.6 Lx44.5 H, cm (14x17 1/2")	White	414004-414
Elastic Tops and Ankle Ties	Universal	35.6 Lx47 H, cm (14x18 1/2")	White	414004-418
Elastic Tops and Ankle Ties	X-Large	38.1 Lx48.3 H, cm (15x19")	White	414004-419

KIMTECH PURE® A5 CLEAN PROCESSED APPAREL, KIMBERLY-CLARK PROFESSIONAL®

- High standard of protection and comfort
- Cloth-like SMS material, contains no natural rubber or latex
- Manufactured in ISO-certified facility, individually bagged under cleanroom conditions
- Optional hoods and boot covers designed for use with coveralls



Description	Size	Color	Sterility	Cat. No.
Boot Covers	Small/Medium	White	Nonsterile	89166-200
Boot Covers	X-Large/XX-Large	White	Nonsterile	89166-202

FOOT PROTECTION

KIMTECH PURE® A5 STERILE BOOT COVERS WITH CLEAN-DON™ TECHNOLOGY AND GRASP TIES, KIMBERLY-CLARK PROFESSIONAL®

- Two steps in one saves time, minimizes risk of contamination
- Edged vinyl sole to reduce slipping and liquid penetration
- Side grasp ties for secure fit
- Type 6 PPE Category III
- SAL 10⁻⁶



Size	Color	Cat. No.
Small/Medium	White	89203-942
Universal	White	89203-944

Safer. Smarter. Stronger.

Ansell

BIOCLEAN-D™ STERILE DROP-DOWN GARMENTS

DROP-DOWN GARMENT - STERILE

- Elasticated back, hood, cuffs and ankles
- Foot-loop to aid smooth closure of zip
- Thumb loops to ensure a secure hold
- Quick release press stud tabs for aseptic donning
- Low-linting cleantough material

The BioClean-D drop-down garment with hood is a sterile antistatic disposable garment manufactured from low-linting cleantough material. Its unique design offers true aseptic donning, with internal coloured tabs to indicate safe touch points to prevent touching the outside surface. The innovative up-and-over donning design eliminates the risk of the garment touching the floor, and strategically placed quick-release tabs (to hold and remove during zip closure) ensure aseptic donning throughout the donning process.



Ordering table

Description	Cat. No.
Garment drop-down BioClean-D 176-182 cm XS	75845-800
Garment drop-down BioClean-D 176-182 cm S	75845-796
Garment drop-down BioClean-D 176-182 cm M	75845-794
Garment drop-down BioClean-D 176-182 cm L	75845-792
Garment drop-down BioClean-D 176-182 cm XL	75845-798
Garment drop-down BioClean-D 176-182 cm XXL	75845-802

Description	Cat. No.
Garment drop-down BioClean-D 182 cm XXXL	75845-804
Garment drop-down BioClean-D 182 cm XXXXL	75845-806
Garment BioClean-D Drop-down with hood 5XL	76271-424
Garment BioClean-D Drop-down with hood 6XL	76271-426
Garment BioClean-D Drop-down with hood 7XL	76271-428
Garment drop-down BioClean-D with hood 8XL	76271-366

General safety supplies

- Ergonomics and matting
- Fall protection
- First aid
- Cleaning
- Hand care
- Material handling and storage
- Spill control and waste disposal
- Radiation protection
- Shields
- Lockout/Tagout
- Monitoring and detection
- Printers, labels, and signs



VWR® ERGONOMIC MATS

- Stimulate the body to increase blood circulation and alertness
- Molded beveled edges eliminate tripping hazards
- Silicone- and latex-free
- Solid mat throughout - no hollow bubbles that collapse
- Anti-static and meets ISO class 5 (Class 100) compliance
- Easy-to-clean, closed-cell/non-porous top surface
- Highly resistant to chemicals and UV light

Color	W x L	Cat. No.
Economy Bubble Mats		
Black	0.6 x 1.2 m (2 x 4')	89185-336
Black	0.9 x 0.9 m (3 x 3')	89185-370
Black	0.9 x 3 m (3 x 10')	89185-384
Bubble Mats		
Blue	0.6 x 0.9 m (2 x 3')	89184-910
Blue	0.6 x 1.2 m (2 x 4')	89184-912
Blue	0.6 x 1.8 m (2 x 6')	89184-916
Blue	0.9 x 1.5 m (3 x 5')	89184-950
Gray	0.6 x 0.9 m (2 x 3')	89185-016
Gray	0.6 x 1.2 m (2 x 4')	89185-018
Gray	0.6 x 1.5 m (2 x 5')	89185-020
Economy Smooth Mats		
Black	0.6 x 0.9 m (2 x 3')	89185-440
Black	0.6 x 1.2 m (2 x 4')	89185-442
Black	0.9 x 1.5 m (3 x 5')	89185-480
Smooth Mats		
Blue	0.6 x 0.9 m (2 x 3')	89185-122
Blue	0.9 x 1.8 m (3 x 6')	89185-164
Blue	0.6 x 1.5 m (2 x 5')	89185-126
Gray	0.6 x 0.9 m (2 x 3')	89185-228
Gray	0.6 x 1.5 m (2 x 5')	89185-232
Gray	0.9 x 1.8 m (3 x 6')	89185-270



BUBBLE MAT: Outstanding ergonomic support

SMOOTH MAT: Ideal for high cart and trolley traffic

PIG® TRAFFIC MAT® POLY-BACK ABSORBENT RUG, NEW PIG

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Poly backing prevents absorbed liquids from reaching floors



PIG® TRAFFIC MAT® HEAVY-DUTY ABSORBENT RUG, NEW PIG

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Cuts easily with scissors or utility knife
- Can be incinerated after use to reduce waste or for fuels blending
- Heavy-duty rug is twice as heavy and absorbent as standard Traffic Mat Rug



Description	Dimensions	Cat. No.
Mediumweight	91.4 cmx30 m (36"x100')	56620-074

Description	Dimensions	Cat. No.
Heavyweight	91.4 cmx46 m (36"x150')	89205-916

The ideal mat for a laboratory environment requiring ergonomic comfort 24/7



MARBLE TUFF™ ANTI-FATIGUE MATTING

AN EASY-TO-SANITIZE TOP SURFACE WITH A SAFE TRANSITION ON AND OFF MAT.

- Durable smooth attractive vinyl top surface easy to sweep or mop clean
- Dense closed cell foam base provides ergonomic support
- Beveled on all 4 sides
- Available in 3 colors: blue, black, gray
- Standard sizes: 2ft x 3ft., 3ft. x 5ft., 3ft. X 12ft.
- Roll sizes: 2ft. x 75ft., 3ft. X 75ft., 4ft. X 75ft.




Description	Cat. No.
Marble-Tuff Anti-Fatigue Matting 24 in. x 36 in. Black	76310-642
Marble-Tuff Anti-Fatigue Matting 36 in. x 60 in. Blue	76310-690
Marble-Tuff Anti-Fatigue Matting 36 in. x 144 in. Gray	76310-796

ERGONOMICS AND MATTING

ERGOMAT® CLASSIC ANTIFATIGUE MATS, ERGOMAT®

- Durable, easy to clean, shock absorbent, static dissipative
- For use in ISO Class 5 (FED-STD-209E Class 100/ M3.5) cleanrooms
- Ideal for dry, nonabrasive areas
- 1.6 cm (⁵/₈") thick with four beveled edges



WxL	Color	Cat. No.
0.6x0.9 m (2x3')	Charcoal Gray	22231-010
0.6x1.2 m (2x4')	Charcoal Gray	22231-024
0.6x1.5 m (2x5')	Charcoal Gray	22231-026
0.6x1.8 m (2x6')	Charcoal Gray	22231-012
0.9x1.5 m (3x5')	Charcoal Gray	22231-030
0.9x3.6 m (3x12')	Charcoal Gray	22231-112

ERGOMAT® INDUSTRY MATS ERGOMAT®

- Heavy-duty nitrile
- For areas with extreme moisture or heavy fluid flow, from water to cutting oils
- Anti-slip surface and 5.1 cm (2") molded bevels for increased safety
- Suitable for use in ISO Class 5 (FED-STD-209D Class 100/ M3.5) cleanrooms



WxL	Cat. No.
61x91 cm (2'x3')	22231-186
122x182.88 cm (4'x6')	89170-078
122x518.16 cm (4x17')	89170-100

NOTRAX® T17 SUPERFOAM™ MATTINGS, JUSTRITE®


- Closed cell nitrile foam, does not absorb liquids
- Durable and abrasion resistant
- Solid for dry areas
- Perforated drainage holes to remove liquid and debris for worker platform
- Non-allergenic, silicone-free compound
- 45° beveled edges on all four sides



Description	Length	Thickness	Width	Color	Weight	Cat. No.
6 sq. ft. Coverage Area	24"	0.625"	36"	Black	5 lbs.	76310-662
9 sq. ft. Coverage Area	36"	0.625"	36"	Black	7 lbs.	76310-948
12 sq. ft. Coverage Area	48"	0.625"	36"	Black	10 lbs.	76310-694
15 sq. ft. Coverage Area	60"	0.625"	36"	Black	12 lbs.	76310-730

ERGOMAT® COMPLETE SMOOTH ANTI-FATIGUE MATS, ERGOMAT

- Fire retardant, open cell, virgin polyurethane
- Tolerates mild exposures of oil and other liquids
- Silicone free, latex free, antistatic, UV resistant
- Certified for use in ISO Class 5 (100) cleanrooms



WxL	Color	Cat. No.
61x91.44 cm (2x3')	Gray	22230-828
91.44x152.4 cm (3x5')	Gray	22230-890
121.92x609.6 cm (4x20')	Gray	22230-976

ULTRASOFT TILE-TOP ANTI-FATIGUE MAT WITH ANTI-MICROBIAL SPONGE, WEARWELL®

- Premium Anti-Microbial sponge
- Non-porous, Anti-Microbial surface
- 2X the resilience and 3X the life of look-alikes
- Maximized standing area
- Lay-flat design



Description	Length	Thickness	Width	Color	Cat. No.
UltraSoft Tile-Top Anti-Microbial Beveled Mat	3'	0.875"	2'	Blue	94001-020
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	2'	Black	94001-026
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5'	0.875"	3'	Black	94001-034
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5'	0.875"	3'	Charcoal	94001-038
UltraSoft Tile-Top Anti-Microbial Beveled Mat	5'	0.875"	3'	Gray	94001-040
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	3'	Black	94001-042
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	3'	Blue	94001-044
UltraSoft Tile-Top Anti-Microbial Beveled Mat, Full Roll	60'	0.875"	4'	Charcoal	94001-054

PIG® GRIPPY® FLOOR MAT, NEW PIG

- Highly efficient and absorbent mat soaks in moisture and wicks it away from the center to prevent puddling on the surface
- Design allows liquids to disperse evenly so the mat dries out quickly



Dimensions	Absorbency	Color	Packaging	Weight	Cat. No.
36" x 100'	8 Gal./Roll	Black	1 Roll	Medium Weight	10811-188
36" x 50'	4 Gal./Roll	Black	1 Roll	Medium Weight	10811-190
36" x 5'	4 Gal./Roll	Black	10 Mats/Roll	Medium Weight	10811-218
36" x 10'	4 Gal./Roll	Black	5 Mats/Roll	Medium Weight	10811-220

DIAMOND-PLATE SPONGECOTE™ AND ULTRASOFT MATS, WEARWELL®

- Industrial strength
- Antifatigue
- Resists abrasion and most chemical spills



Description	Thickness	WxL	Color	Cat. No.
SpongeCote™ Diamond-Plate Mat	2.4 cm (5/16")	0.9x1.5 m (3x5')	Black	89020-406
SpongeCote™ Diamond-Plate Mat	2.4 cm (5/16")	0.9x1.5 m (3x5')	Gray	89020-410
UltraSoft Diamond-Plate Mat	2.4 cm (5/16")	0.9x1.5 m (3x5')	Black with Yellow Border	89020-800



CORRUGATED SWITCHBOARD ANTI-FATIGUE MATTING, WEARWELL®

- Conforms to ANSI/ASTM D-178-01 Type II, Class 2
- Dielectric Strength: 30,000 volts
- Recommended Maximum Usage per ASTM D178-01: up to 17,000 volts
- Easy to clean corrugated surface design

Description	Length	Thickness	Width	Color	Cat. No.
Corrugated Switchboard Matting, Full Roll	75'	0.25"	2'	Black	89021-394
Corrugated Switchboard Vinyl Matting, Full Roll	75'	0.375"	3'	Black	89020-854

AUTOCLAVABLE MAT, WEARWELL®

- For sterile areas including operating rooms, pharmacies, laboratories, radiology rooms, and hazmat areas
- 100% nonporous, antimicrobial nitrile
- Withstands extensive cycles in autoclave, can also be wiped clean
- Underside features knobs that are positioned for safety and comfort



Thickness	WxL	Color	Cat. No.
1.3 cm (1/2")	61x91.4 cm (24x36")	Light Gray	89040-123

NOTRAX® 351 SANI-TRAX® PLUS MATTINGS, JUSTRITE®

- Tough rubber compound resists most chemicals and variations in temperature
- Overall mat thickness is 2.5"
- Free of DOP, free of DMF, free of ozone depleting substances, free of silicone, and free of heavy metals
- 1248 sq. in. coverage area



Length	Thickness	Width	Color	Weight	Cat. No.
39"	2.5"	32"	Black	35 lbs.	76310-936
39"	2.5"	32"	Black/Yellow	35 lbs.	76310-674

NOTRAX™ 355 SHOE SANITIZING AND DRYING MAT SYSTEMS, JUSTRITE®

- Effective shoe cleaner prior to sanitizing shoes
- A simple, safe solution to help disinfect shoes from spreading contaminants
- Easy instruction to sanitize shoes
- Vinyl backed to prevent slipping
- Adhesive backed replaceable mats for hassle free cleaning
- Easy to set up and move



Description	Dimensions	Length	Thickness	Width	Color	Cat. No.
Shoe sanitizer 355 2-zone unit	Area 9.3 sq. ft.	52.5"	0.625", 70 mil vinyl thickness	25.5"	Black	76441-368
Disinfectant 2-zone 355, Berber carpet type, PET fiber, 24 oz. face weight	Area 2.6 sq. ft.	21"	0.29"	18"	Charcoal	76441-370
Drying mat 2-zone 355, Berber carpet type, PET fiber, 32 oz. face weight	Area 4 sq. ft.	24"	0.26"	24"	Black	76441-372
Shoe sanitizer 355 3-zone unit	Area 20.3 sq. ft.	108.5"	0.625", 70 mil vinyl thickness	27"	Black	76441-374
Clean disinfect 3-zone 355, Berber carpet type, PET fiber, 24 oz. face weight	Area 4 sq. ft.	24"	0.29"	24"	Charcoal	76441-376
Drying mat 3-zone 355, Berber carpet type, PET fiber, 32 oz. face weight	Area 8 sq. ft.	48"	0.26"	24"	Black	76441-378

ERGONOMICS AND MATTING

HEAVYWEIGHT HIGH TRAFFIC UNIVERSAL ABSORBENT ROLL, BRADY® SPC® ABSORBENTS

- Highly versatile, gray absorbents pick up water-based, petroleum-based, and non-aggressive chemical fluids
- Heavyweight design specifically useful for continuous leaks and larger spills
- 2-ply construction combines tough, spunbond coverstock with meltblown polypropylene; great for placement in aisles and around work stations
- Perforations provide cost control and reduce waste by allowing users to utilize only the amount needed



Description	Length	Width	Color	Cat. No.
High Traffic Universal Absorbent Roll, Perforated every 18"	150'	15"	Gray	10810-756
High Traffic Universal Absorbent Roll, Perforated every 15"	150'	30"	Gray	10810-840

PERSONAL ANTI-FATIGUE MAT™ INSOLES, MEGACOMFORT®

- Maximum mega comfort and shock absorption
- Ergonomically designed by a doctor
- Soft contoured arch support for balance, comfort and cushioning
- Silver ion anti-microbial technology in top cloth offering anti-bacterial, anti-perspiration, & anti-odor protection
- Temperature regulating aeration holes
- Machine washable



Description	Mens Size	Womens Size	Cat. No.
Anti-Fatigue Insole	8 - 9	10 - 11	89219-220
Anti-Fatigue Insole	10 - 11	13	89219-222
Anti-Fatigue Insole	12 - 13	-	89219-224

PERSONAL ANTI-FATIGUE MAT™ ESD INSOLES, MEGACOMFORT®

- ESD anti-static threads provide electro-static dissipation
- Patented 100% dual-layer memory foam
- Ergonomically designed by a doctor
- Soft contoured arch support for balance, comfort, and cushioning
- Silver ion anti-microbial technology in top cloth offering anti-bacterial, anti-perspiration, and anti-odor protection
- Temperature regulating aeration holes
- Machine washable



Description	Mens Size	Womens Size	Cat. no.
Anti-Static Insole	8 - 9	10 - 11	89219-232
Anti-Static Insole	10 - 11	13	89219-234
Anti-Static Insole	12 - 13	-	89219-236



DUAL-FLEX™ WRIST SUPPORTS, ALLEGRO®

- Four stays
- Velcro fasteners
- Supports fit both right and left hands

Size	Color	Cat. No.
Small	Black	300056-808
Medium	Black	300056-810
Large	Black	300056-812
X-Large	Black	300056-814

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



WRIST WRAP, ERGODYNE®

- Ambidextrous, made of durable woven elastic
- Single hook-and-loop closure
- Universal size
- Machine washable

Description	Cat. No.
Wrist Wrap	56618-084



RIST-RAPS WRIST SUPPORTS, ALLEGRO®

- Lightweight wrist support
- Elastic with a velcro closure

Size	Material	Color	Cat. No.
One Size	Elastic	Black	300056-804
One Size	Elastic	Black	300056-806

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

PROFLEX® 350 GEL KNEE PADS, ERGODYNE®

- Adjustable, breathable neoprene stretch strap adds to the gel comfort
- 12mm NBR gel padding and 20mm EVA padding
- 420D nylon and hypalon rubber composite pad
- Dry surface technology for optimal grip in dry conditions
- Hook and loop closure



Size	Color	Cat. No.
Universal	Black	89135-630

PROFLEX® 315 TEXTURED CAP KNEE PADS, ERGODYNE®

- Dry surface technology for optimal grip in dry conditions
- Antimicrobial treatment for odor prevention
- Conveniently available in one size and easily adjustable for an exact fit
- Buckle closure



Size	Color	Cat. No.
Universal	Black with White Cap	56618-280



HEAVY-DUTY KNEE PADS, OK-1® SAFETY

- Slim and comfortable design slips on and off easily
- Small model pads are designed for wear under work clothing, utilizing a firmly fitting woven elastic cover instead of straps
- Large pads attach to leg with dual elastic straps and self-gripping closures
- Universal sizing

Size	Cat. No.
Large	39870-338



PROFLEX® 335 AND 335HL SLIP-RESISTANT RUBBER CAP KNEE PADS, ERGODYNE®

- Designed to offer long lasting resistance to abrasion and puncture force
- Antimicrobial treatment is incorporated for odor prevention
- Conveniently available in one size and easily adjustable for an exact fit
- Black grommets

Description	Size	Color	Cat. No.
Model 335HL, with Hook & Loop Closure	Universal	Black	89065-254

SPANBAK™ BACK SUPPORT BELTS, ALLEGRO

- Medical grade with suspenders to help reduce the chance of back injury



Size	Waist size	Cat. No.
Medium	91.4–101.6 cm (36–40")	56614-692
Large	101.6–111.8 cm (40–44")	56614-694

BACK SUPPORT BELT, OK-1® SAFETY

- For moderate lifting requirements
- Includes double-overlapping closure system, open mesh body to reduce heat build-up
- Two-way stretch elastic is doubled-up for greater support
- Interior rubber keeps the belt in place
- Features suspenders with detachable swivel clip system



Size	Waist size	Cat. No.
Large	89–112 cm (35–44")	39870-073
X-Large	107–132 cm (42–52")	39870-075

FALL PROTECTION

MILLER DURAFLEX® ULTRA AND PYTHON® ULTRA HARNESSES, HONEYWELL SAFETY

- Sleek, quick-connect chest and leg strap buckles for easy donning
- Buckles have a dual-tab release mechanism to prevent accidental opening
- Comfort-Touch back D-ring pad is designed with woven, breathable material for cooler extended-wear comfort
- Pad orients harness for quick, tangle-free donning



Description	Type	Cat. No.
Harness with Mating-Buckle Leg Straps	DuraFlex Python® Ultra Harnesses	56619-012
Harness with Mating-Buckle Leg Straps and Side D-Rings	DuraFlex Python® Ultra Harnesses	56619-014
Harness with Mating-Buckle Leg Straps	DuraFlex® Ultra Harnesses	56619-018
Harness with Grommited-Buckle Leg Straps	DuraFlex® Ultra Harnesses	56619-020
Harness with Grommited-Buckle Leg Straps and Side D-Rings	DuraFlex® Ultra Harnesses	56619-022

EXOFIT NEX™ CONSTRUCTION HARNESSES, DBI/SALA



- Spring loaded torso buckles for quick and easy adjustment
- Soft yet extremely durable anti-absorbent webbing
- Strategically placed padding, and protective elements that prolong the service life of the harness
- With comfort hip pad and belt

Size	Color	Description	Connector	Cat. No.
Medium	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-274
Large	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-276
X-Large	Blue/Gray	Construction Harness, with Duo-Lok™ Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300087-278
Large	Blue/Gray	Construction Harness, with Tongue Buckle & Polyester Strap	Back & Side D-Rings	300087-280

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

DELTA™ NO-TANGLE™ HARNESSES, DBI/SALA

- Delta™ No-Tangle™ design for added comfort and easy donning
- Spring loaded stand-up back D-ring ensures fast, easy, and safe connections
- Parachute buckles on lower shoulder straps for quick and easy adjustment
- Adjustable non-slip chest strap with easy to use pass-thru buckle
- Coated hardware for corrosion resistance



EXOFIT™ HARNESSES, DBI/SALA

- Incorporates a breathable Aero-Spacer™ Dri-Lex® lining that immediately draws moisture away from the body, keeping workers dry and comfortable
- Ergonomic design incorporates built-in shoulder, hip, and leg padding
- Lycra® edging moves with the wearer, preventing uncomfortable rubbing or chafing and enhancing comfort and mobility
- The industry's first and only one-handed quick connect buckles
- Wrap around, no-tangle design
- Adjustable non-slip chest strap with intuitive quick connect buckle
- Torso buckles adjust easily, yet hold straps firmly in place to complete the 5-point adjustment system
- Soft, lightweight polyester webbing is strong without feeling stiff or coarse
- Coated hardware for corrosion resistance



Size	Color	Description	Connector	Cat. No.
Medium	Yellow/Navy	Vest Harness, with Tongue Buckles and Polyester Strap	Back D-Ring, (2) Waist D-Rings	300006-195
Large	Yellow/Navy	Vest Harness, with Tongue Buckles and Polyester Strap	Back D-Ring, (2) Waist D-Rings	300006-196
Universal	Yellow/Navy	Vest Harness, with Tongue Buckle Legs and Polyester Strap	Back D-Ring	300006-197
X-Large	Yellow/Navy	Vest Harness, with Tongue Buckles and Polyester Strap	(2) Waist D-Rings, Back D-Ring	300051-788
Universal	Yellow/Navy	Cross Over Harness, with Pass-Thru Buckle Legs and Polyester Strap	Front & Back D-Rings	300058-284
X-Large	Yellow/Navy	Vest Harness, with Tongue Buckle Legs and Polyester Strap	Back D-Ring	300075-520
Universal	Yellow/Navy	Vest Harness, with Tongue Buckle Legs and Polyester Strap	Back, Shoulder Retrieval	300075-522
Universal	Yellow/Navy	Vest Harness, with Parachute Buckles and Polyester Strap	Back D-Ring	300075-524
Universal	Yellow/Navy	Vest Harness, with Tongue Buckle Legs/Tongue Buckles and Polyester Strap	Back and Side D-Rings	300075-526

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

Size	Color	Description	Connector	Cat. No.
Medium	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back D-Ring	300006-198
Large	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back D-Ring	300058-286
Small	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back D-Ring	300075-542
X-Large	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back D-Ring, Loops for Belt	300075-544
Medium	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Front & Back D-Rings	300075-554
Large	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Front & Back D-Rings	300075-556
Medium	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300075-558
Large	Blue/Gray	Vest Harness, with Quick Connect Buckles & Polyester Strap	Back & Side D-Rings	300075-560

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

MILLER® MINILITE™ FALL LIMITER, HONEYWELL

- Light weight, compact design that fits in the palm of your hand
- Quick-activating, high-strength stainless steel braking system
- Prominent reflective labeling provides high visibility for evening work activities
- No annual factory recertification required



Length	Max. capacity	Includes	Weight	Cat. No.
11'	400 lbs. (with SofStop shock absorber)	Steel Twist-Lock Carabiner; Locking Snap Hook	2½ lbs.	89400-514

MILLER MANYARD® II SHOCK-ABSORBING LANYARDS, HONEYWELL SAFETY

- Shock-absorbing inner core expands up to 1.1m (3.6') to reduce fall arrest forces to 408kg (900lbs.) or less
- Stretches from 1.2–1.8m (4–6') for maximum maneuverability while reducing chances of tripping, snagging, or dragging
- Heavy-duty, tubular outer jacket serves as a backup up to the inner core
- Warning flag signals when lanyard is unfit for service due to previous falls
- Bright red core makes visual inspection easier and more reliable
- Weighs 0.9kg (2lbs.), handles working loads up to 141kg (310lbs.)



Description	Cat. No.
Lanyard with Two 1.9 cm (¾") Gate Openings	56619-054
Lanyard with One 1.9 cm (¾") and One 6.4 cm (2½") Gate Openings	56619-056

SEALED BLOK™ SELF RETRACTING LIFELINES, DBI/SALA

- Sealed Blok™ self retracting lifeline, galvanized wire rope lifeline



Connection type	Load capacity	Length	Cable material	Cat. No.
Swivel Snaps with 1 Leg	900 lb [Max]	30 ft	Galvanized Steel	300075-624
Swivel Snaps with 1 Leg	900 lb [Max]	15 ft	Galvanized Steel	300075-626
Swivel Snaps with 1 Leg	900 lb [Max]	30 ft	Galvanized Steel	300075-628

ULTRA-LOK™ SELF RETRACTING LIFELINES, DBI/SALA

- Limits arresting forces to 900 lbs or less
- Reserve lifeline retention system for added safety
- Self-locking swivel snap hook with impact indicator
- Stainless steel working components for corrosion resistance
- Swiveling anchorage loop to prevent twisting of lifeline



US ONLY

Hook opening	Cable diameter	Load capacity	Hook type	Length	Cable material	Cat. No.
¾"	⅜"	900 lb [Max]	Swivel Snap	50 ft	Galvanized Steel	300075-636
¾"	⅜"	900 lb [Max]	Swivel Snap	50 ft	Stainless Steel	300075-638

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SAFLOK® CARABINERS, DBI/SALA

- Self-closing/Self-locking gate for increased safety and security



Hook opening	Material	Load capacity	Hook type	Weight	Cat. No.
1⅞"	Steel	3600 lbs. [Max]	Self-Closing	0.60 lbs.	300058-294
2⅞"	Steel	3600 lb [Max]	Self-Closing	1 lbs.	300058-296

CHAIN REBAR ASSEMBLIES, DBI/SALA

- Chain rebar assembly with self locking snap hooks at leg ends and swiveling aluminum hook



Connection type	Hook opening	No. of legs	Material	Load capacity	Length	Weight	Cat. No.
Self-Locking Snaps	2¼"	2	Chain	5000 lb [Max]	22 in	3.60 lbs.	300075-650

FALL PROTECTION/FIRST AID

CONCRETE DETENT ANCHORS, DBI/SALA

- Allows anchor to be moved from location to location
- Anchor receptacle is installed in concrete
- Good for permanent installs where visual appearance needs to be pleasing



Material	Load capacity	Length	Description	Weight	Cat. No.
316 Stainless Steel	5000 lb [Max]	4 1/4 in [Max]	Concrete Detent Anchor, Ø 7/8"	14.40 oz	300075-608

FIXED BEAM ANCHORS, DBI/SALA

- Also available in models that fit flanges up to 36" wide and 2-1/2" thick
- This fixed beam anchor easily clamps to vertical or horizontal I-beams 1-1/2" thick to provide fixed anchor for lanyards, self retracting lifelines or pre-engineered horizontal lifelines



Connection type	Material	Load capacity	Weight	Cat. No.
D-Ring	Steel	5000 lb [Max]	5.20 lbs.	300058-306
D-Ring	Steel	5000 lb [Max]	5.90 lbs.	300075-620

CONFINED SPACE WINCHES, DBI/SALA

- Used with tripod
- 60, 90 and 120 ft. lengths available



Description	Weight	Cat. No.
Winch	36 lbs.	300075-662

GLYDER2 SLIDING BEAM ANCHORS, DBI/SALA

- Fits flanges up to 1-1/4" thick
- This lightweight and smooth running sliding beam anchor installs and removes from I-beam in seconds to provide anchor and mobility when walking on or under horizontal I-beams
- When used at foot level must be used with DBI-SALA ForceCell shock absorbing lanyard (1245006)



Connection type	Load capacity	Weight	Cat. No.
O-Ring	5000 lb [Max]	3.70 lbs.	300058-304

DESCENT DEVICES, DBI/SALA

Fisk Descender™ descent control system designed for durability, thermal capacity and smooth flow.

Description	Weight	Cat. No.
Descent Device	1.80 lbs.	300075-610



D-RING ANCHOR PLATES, DBI/SALA

- D-ring is cadmium plated with stainless steel anchor plate
- Designed to be bolted (with 2 x 1/2" grade 8 bolts, not included) to suitable anchorages
- Other models available with stainless D-ring, and unplated steel plate for welding



Connection type	Material	Load capacity	Weight	Cat. No.
D-Ring	Stainless Steel	5000 lb [Max]	1 lbs.	300058-298

10 PERSON FIRST AID KIT, ANSI A, REFILL, FIRST AID ONLY

- ANSI Class A compliant
- Perfect to keep at home or in a small office setting



Description	Pieces per unit	Cat. No.
10 Person First Aid Kit, ANSI A, Refill	71	76049-058

25 PERSON BULK ANSI A, FIRST AID KIT REFILL, FIRST AID ONLY

- Complete first aid kit refill pack
- Includes all products necessary to refill the original kit
- ANSI Class A compliant



Description	Pieces per unit	Cat. No.
25 Person Bulk ANSI A, First Aid Kit Refill	89	76049-026

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

25 PERSON ANSI A+, FIRST AID REFILL, FIRST AID ONLY

- Class: A+
- Type: I & II
- Person: 25
- Pieces: 141
- Size: 9.5" x 7.25" x 2.75"



Description	Pieces per unit	Cat. No.
25 Person ANSI A+, First Aid Refill	141	76049-046

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

50 PERSON ANSI A+, FIRST AID REFILL, FIRST AID ONLY

- 2015 ANSI compliant
- First aid refill
- Case size 9" x 8" x 2.5"



Description	Pieces per unit	Cat. No.
50 Person ANSI A+, First Aid Refill	183	76049-048

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

FIRST AID ONLY™ SMARTCOMPLIANCE RETROFIT

- Convert any brand first aid cabinet over 15" wide with three or more shelves
- Consists of three fully-stocked grids and extra supplies to make a cabinet ANSI B compliant



Dimensions	Cat. No.
SmartCompliance Retrofit First Aid Kit	76322-170

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

REDI-CARE KIT™ FOR FIRST AID, HONEYWELL SAFETY

- General-industry first aid kit
- Lightweight and portable
- Packaged in soft-sided, durable, red nylon bags
- Lightweight, portable, economical alternative to standard hard-sided metal or plastic kits
- Several styles have belt loops or can be slipped into pockets



Description	Cat. No.
Redi-Care Kit™ for First Aid	11000-765

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

FIRST AID ONLY™, BLEEDING CONTROL KIT POUCH - STANDARD, ACME UNITED

- Empowering a bystander with all the right tools for a traumatic life-safety bleeding event before professional help arrives
- A sure-grip, non-slip, non-bendable metal windlass SOFT-T XS tourniquet
- A pouch with zipper-pull tabs to unzip in an emergency
- A pouch with velcro strip to attach to a backpack or velcro belt in an emergency



Description	Cat. No.
Bleeding Control Kit Pouch - Standard	76302-816

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

TRAMUA PAC, EMERGENCY MEDICAL INTERNATIONAL

- Packs have three outside pockets for instruments, seat belt cutter, gloves, etc.
- Two large zippered inside pockets can easily hold all supplies and equipment
- Adjustable nylon webbing can fit 20" to 54" waists and has a quick-release buckle



Description	Cat. No.
Fanny Pack Trauma Kit, Navy	10755-894
Fanny Pack Trauma Kit, Orange	10755-892

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® Bulk First Aid Kits

- Meet ANSI/ISEA Z308.1-2015 Standards
- Available in ANSI A and A+ Classes
- Metal or plastic case options
- Wall mountable



Description	10 Person Bulk Plastic First Aid Kit	25 Person Bulk Metal First Aid Kit	25 Person Bulk Plastic First Aid Kit	50 Person Bulk Metal First Aid Kit	50 Person Bulk Plastic First Aid Kit
Cat. No.	76049-204	76049-034	76049-036	76049-038	76049-054
Class/Type	ANSI A, Type III	ANSI A, Type III	ANSI A+, Type III	ANSI A+, Type III	ANSI A+, Type III
Dimensions	8" x 5" x 3"	9.5" x 6-1/2" x 3"	9" x 6-5/16" x 2-3/8"	9-3/4" x 10" x 2-5/8"	9-1/8" x 9-1/8" x 2-3/4"
Pieces	71	89	141		183
Contents (Quantity)	<ul style="list-style-type: none"> • Plastic Bandages, 1" x 3" (16) • First Aid Tape, 1/2" x 5 yd. (1) • Triple Antibiotic Ointment Packets (10) • BZK Antiseptic Towelettes (10) • Burn Cream Packets, 0.9g (10) • Burn Dressing, 4" x 4" (1) • Cold Compress, 4" x 5" (1) • Sterile Eye Pads (2) • Eyewash, 1oz (1) • Hand Sanitizer Packets, 0.9g (6) • Nitrile Gloves (4) • Conforming Gauze Roll, 2" (1) • Gauze Dressing Pads, 3" x 3" (2) • Trauma Pads, 5" x 9" (2) • Scissors (1) • Triangular Sling/Bandage, 40" x 40" x 56" (1) • CPR Mask with One-Way Valve (1) • First Aid Guide (1) 	<ul style="list-style-type: none"> • Plastic Bandages, 1" x 3" (32) • First Aid Tape, 1/2" x 5 yd. (1) • Triple Antibiotic Ointment Packets (10) • BZK Antiseptic Towelettes (10) • Burn Cream Packets, 0.9g (10) • Burn Dressing 4" x 4" (1) • Cold Compress 4" x 5" (1) • Sterile Eye Pads (2) • Eyewash, 1oz (1) • Hand Sanitizer Packets, 0.9g (6) • Nitrile Gloves (2) • Conforming Gauze Roll, 2" (1) • Gauze Dressing Pads, 3" x 3" (4) • Trauma Pads 5" x 9" (2) • Scissors (1) • Triangular Sling/Bandage, 40" x 40" x 56" (1) • CPR Mask with One-Way Valve (1) • First Aid Guide (1) 	<ul style="list-style-type: none"> • Plastic Bandages, 1" x 3" (50) • First Aid Tape, 1/2" x 5 yd. (1) • Triple Antibiotic Ointment Packets (10) • BZK Antiseptic Towelettes (12) • Burn Cream Packets, 0.9g (10) • Burn Dressing, 4" x 4" (1) • Cold Compress, 4" x 5" (1) • Sterile Eye Pads (2) • Eyewash, 1oz (1) • Hand Sanitizer Packets, 0.9g (10) • Nitrile Gloves (4) • Conforming Gauze Roll, 2" (1) • Gauze Dressing Pads, 3" x 3" (6) • Trauma Pads, 5" x 9" (2) • Scissors (1) • Triangular Sling/Bandage, 40" x 40" x 56" (1) • CPR Mask with One-Way Valve (1) • Fingertip Fabric Bandages (5) • Knuckle Fabric Bandages (5) • Insect Sting Relief Wipes (3) • Tweezers (1) • First Aid Guide (1) • Aspirin Tablets (12) 	<ul style="list-style-type: none"> • Plastic Bandages, 1" x 3" (60) • First Aid Tape, 1/2" x 5 yd. (1) • Triple Antibiotic Ointment Packets (12) • BZK Antiseptic Towelettes (15) • Burn Cream Packets, 0.9g (12) • Burn Dressing, 4" x 4" (1) • Cold Compress, 4" x 5" (1) • Sterile Eye Pads (2) • Eyewash, 1oz (1) • Hand Sanitizer Packets, 0.9g (10) • Nitrile Gloves (4) • Conforming Gauze Roll, 2" (2) • Conforming Gauze Roll, 4" (1) • Gauze Dressing Pads, 3" x 3" (6) • Trauma Pads, 5" x 9" (2) • Scissors (1) • Triangular Sling/Bandage, 40" x 40" x 56" (1) • Elastic Bandage, 2" x 5yd. (1) • CPR Mask with One-Way Valve (1) • Fingertip Fabric Bandages (10) • Knuckle Fabric Bandages (10) • Insect Sting Relief Wipes (3) • Tweezers (1) • Alcohol Wipes (20) • Povidone-Iodine Infection Control Wipes (4) • First Aid Guide (1) 	

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® First Aid Metal Cabinets with Medications

- Meet ANSI/ISEA Z308.1-2015 Standards
- Solid steel case
- Supplied with carrying handle and is wall mountable



Description	75 Person 2-Shelf Metal First Aid Cabinet	100 Person 3-Shelf Metal First Aid Cabinet
Cat. No.	76049-056	76049-060
Class/Type	ANSI A+, Type I & II with Medications	ANSI A+, Type I & II with Medications
Dimensions	14.75" x 10.25" x 4.63"	15" x 16.15" x 5.56"
Pieces	347	669
Contents (Quantity)	<ul style="list-style-type: none"> • Plastic Bandages, 3/4" x 3", 100ct. (1) • Fabric Bandages, 1" x 3", 50ct. (1) • Fingertip Fabric Bandages, 10ct. (1) • Knuckle Fabric Bandages, 8ct. (1) • First Aid Tape, 1/2" x 5yds. (1) • Antibiotic Ointment Packets, 10ct. (1) • Antiseptic Spray, 4oz. (1) • Alcohol Wipes, 10ct. (2) • Burn Spray, 4oz. (1) • Burn Dressing, 4" x 4" (1) • Cold Compress, 4" x 5" (1) • 4 Sterile Eye Pads & 4 Strips (1) • Eyewash, 1oz. (1) • Hand Sanitizer Packets, 0.9g, 10ct. (1) • Nitrile Gloves (2) • Nitrile Exam Gloves (2) • Conforming Gauze Rolls, 2" (2) • Gauze Dressing Pads, 3" x 3", 2ct. (2) • Trauma Pad, 5" x 9" (1) • Hema-Flex 5" x 9" Trauma Pad in 4" x 4" Gauze (1) • Scissors (1) • Tweezers (1) • Triangular Sling/Bandage, 40" x 40" x 56" (1) • CPR Mask with One-Way Valve (1) • Aspirin Tablets, 50ct. (1) • Non-Aspirin Tablets, 50ct. (1) • First Aid Guide (1) 	<ul style="list-style-type: none"> • Fabric Bandages, 2" x 3", 10ct. (1) • Fabric Bandages, 1" x 3", 100ct. (1) • Fabric Knuckle and Fingertip Bandages, 50ct. (1) • Elastic Bandage, 4" x 5yds. (1) • First Aid Tape, 1/2" x 5yds. (1) • Triple Antibiotic Ointment Packets, 25ct. (1) • Antiseptic Spray, 4oz. (1) • Alcohol Wipes, 100ct. (1) • Burn Spray, 4oz. (1) • Burn Dressing, 4" x 4" (1) • Cold Compress, 6" x 9" (1) • 4 Sterile Eye Pads & 4 Strips (1) • Eyewash, 4oz. (1) • Hand Sanitizer Packets, 0.9g, 10ct. (1) • Nitrile Gloves (2) • Nitrile Exam Gloves, 10ct. (1) • Conforming Gauze Roll, 2" (1) • Gauze Dressing Pads, 2" x 2", 2ct. (5) • Gauze Dressing Pads, 3" x 3", 10ct. (1) • Gauze Dressing Pads, 4" x 4", 2ct. (5) • Trauma Pad, 5" x 9" (1) • Hema-Flex 5" x 9" Trauma Pad in 4" x 4" Gauze (1) • Scissors (1) • Tweezers (1) • Triangular Sling/Bandages, 40" x 40" x 56" (2) • CPR Mask with One-Way Valve (1) • Cotton Tipped Applicators, 3", 100ct. (1) • Non-Aspirin Tablets, 100ct. (1) • Antacid Tablets, 100ct. (1) • First Aid Guide (1)

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

FIRST AID

PIG® BLOOD, VOMIT AND URINE CLEANUP KITS, NEW PIG

- Compact design lets you store a spill kit virtually anywhere you need one for fast response
- Easy-open, resealable bag protects kit contents from dirt and moisture
- Biohazard disposal bag help you control germs and reduce the risk of infection



Description	Details	For use with	Absorbency	Packaging	Cat. No.
PIG® Blood, vomit and urine cleanup kit	Includes: 3x 10x13" PIG® Absorbent mat pad; 1x 3 oz. PIG® Sheen Clean® Loose absorbent; 1x 9.25x13x4" Bag single use - blood, vomit and urine cleanup kit; 1x 12" L SHOWA NITRI-DEX® Nitrile gloves (GLV970-XL); 1x Biohazard waste bag; 1x Disposable scoop and scraper	Bodily fluids, urine	Absorbs up to 37.4 oz. per kit	Single kit	76326-530
PIG® Blood, vomit and urine cleanup kit	Includes: 30x 10x13" PIG® Absorbent mat pad; 10x 3 oz. PIG® Sheen Clean® Loose absorbent; 10x 9.25x13x4" Bag single use - blood, vomit and urine cleanup kit; 10x 12" L SHOWA NITRI-DEX® Nitrile gloves; 10x Biohazard waste bag; 10x Disposable scoop and scraper	Bodily fluids, urine	Absorbs up to 2.9 gal. per case	10 kits/case	76326-532

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

ZING GREEN SAFETY ECO SAFETY TRI VIEW SIGN, AED, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality

Description	Material	Length	Width	Cat. No.
ZING Sign AED	Plastic	7.5"	20"	76025-982
ZING Sign AED	Glow Plastic	7.5"	20"	76025-984
ZING Sign AED	Plastic	12"	9"	76025-990
ZING Sign AED	Glow Plastic	12"	9"	76026-038

AED LIFELINE AND LIFELINE VIEW AUTOMATED EXTERNAL DEFIBRILLATORS, DEFIBTECH

- AEDs Withstand Dust and Water Ingress
- Biphasic Defibrillation Can Resuscitate on the First Shock
- Upgradable Technology, Clear Voice Prompts, and Cutting-Edge Display Monitors
- Lightweight, Durable, and User Friendly
- Units Evaluate Patient Impedance for Proper Pad Connection, Monitors Signal Quality, and Analyzes Patient ECG for Shockable/Non-Shockable Rhythms



Description	Capacity	Dimensions	Battery life	Charge time	Weight	Cat. No.
Defibtech Lifeline Automated External Defibrillator (AED), with 5-Year Battery and Prescription	125 Shocks or 8 Hours Continuous Operation	22x30x7 cm (8.5x11.8x2.7)"	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-706
Defibtech Lifeline Automated External Defibrillator (AED), with 7-Year Battery and Prescription	300 Shocks or 16 Hours Continuous Operation	22x30x7 cm (8.5x11.8x2.7)"	7 Years	< 6 Seconds	2 kg (4.4 lbs.)	89401-708
Defibtech View Automated External Defibrillator (AED), with Prescription	125 Shocks or 8 Hours Continuous Operation	18.5x24x5.8 cm (7.3x9.5x2.3)"	4 Years	< 4 Seconds	< 1.4 kg (< 3 lbs.), with Battery	89401-710
Defibtech Lifeline AED Starter Kit	125 Shocks or 8 hours Continuous Operation	22x30x7 cm (8.5x11.8x2.7)"	5 Years	< 9 Seconds	1.9 kg (4.2 lbs.)	89401-712

Description	Cat. No.
Accessories	
Lifeline Standard 5-Year Battery Pack	89401-714
Lifeline View 4-Year Battery Pack	89401-718
9 Volt Lithium Battery Pack for Lifeline AEDs	89401-720
Lifeline AED Adult Pad Package	89401-722
Lifeline AED Pediatric Pad Package	89401-724
Lifeline View AED Adult Pad Pack	89401-726

Description	Cat. No.
Accessories	
Lifeline View AED Pediatric Pad Pack	89401-728
Wall-Mount AED Bracket	89401-760
Wall-Mount AED Cabinet	89401-762
Wall-Mount AED Cabinet with Alarm	89401-764
CPR Rescue Pack with CPR Mask, Eye Shield, and Towel	89401-784



US ONLY



VWR® EYEWASH STATIONS

- Wall-mountable stations in Single or Double configurations
- 16 oz. or 32 oz. bottle options
- Includes PhysiciansCare eyewash solution

Description	Dimensions	Cat. No.
Eyewash Station, Single 16 oz. Bottle	15x4x11"	76049-022
Eyewash Station, Double 16 oz. Bottles	17.5x4x11"	76049-028
Eyewash Station, Single 32 oz. Bottle	11.5x4x15"	76049-030
Eyewash Station, Double 32 oz. Bottles	19x4x14.5"	76049-032

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

EYEWASH BOTTLES, FIRST AID ONLY

- Bottles feature a twist-off top
- Sterile, isotonic buffered solution is perfect for flushing or irrigating the eyes or skin

US ONLY



Description	Size	Cat. No.
Unitized Refills		
Eyewash Bottle	16 oz.	76049-014
Eyewash Bottle	32 oz.	76049-016

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

BEL-ART DOUBLE EYE WASH STATION

- Vacuum-formed backboard
- Bottle dust covers keep out contamination
- Provided without eye wash solution



Description	Cat. No.
Double Eye Wash Station, with Two Empty 32 oz. Bottles	89522-668

FAUCET-MOUNT EYEWASHES, WATERSAVER FAUCET

- Threaded inlet attaches to any standard faucet
- Easy-to-use pull-knob activates the eyewash
- Water pressure keeps the eyewash in operation, leaving hands free



Description	Cat. No.
Faucet-Mount	56611-002
Extended Faucet-Mount	56611-004

FENDALL® SALINE EYEWASH WALL STATIONS, HONEYWELL SAFETY

- Two-sided tape and screws are provided for mounting
- Extended flow openings and twist-off tops for easy access in an emergency
- Each bottle is expiry dated and lot numbered for end-user protection
- Classified as personal/secondary eyewash device



Description	Size	Cat. No.
Single Station	950 mL (32 oz.)	56611-128
Double Station	950 mL (32 oz.)	56611-130

FENDALL® PORTA STREAM® I AND PORTA STREAM II EYEWASH STATIONS, HONEYWELL SAFETY

- Full flow nozzles cover a wide area around the eyes
- Stations can be wall-mounted or placed on mobile carts or stands
- Bright green color ensures easy identification in emergency situations
- Sturdy, one-piece molded construction of each station features a large fill hole and illustrated operating instructions



Description	Dimensions	Shipping weight	Cat. No.
Porta Stream I with Saline Concentrate	59.7x40.6x35.6 cm (23"/x16x14)"	8.2 kg (18 lbs.)	56611-102
Porta Stream II with Saline Concentrate	66x50.8x50.8 cm (26x20x20)"	15.9 kg (35 lbs.)	56611-104
Porta Stream II with Fendall Water Preservative	66x50.8x50.8 cm (26x20x20)"	10.4 kg (23 lbs.)	89030-548

FIRST AID

HYDROSEP® EYE WASH BOTTLE, ENCON

- Duration of effectiveness is dependent upon type of device
- Proven effective for 180 days in a sealed, pressurized, portable, or air-driven TWS shower system
- Recommended cleaning and fluid replacement every 90 to 120 days in unsealed, gravity-fed eyewashes



Description	Cat. No.
Hydrosep® 4-Pack of 8 fl. oz. Bottles	45500-180

HALOTRON® I FIRE EXTINGUISHERS, KIDDE

- Leaves no residue
- Acceptable alternative to Halon 1211
- Agent will not cause thermal shock
- Class A capability
- High performance clean agent
- Metal valve, handle and lever



Material	Diameter	UL rating	Cat. No.
Steel	4 1/4"	5-B:C	300080-098
Steel	7 1/4"	1-A, 10-B:C	300080-100
Steel	7 1/4"	10-B:C, 2-A	300080-102

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SCIENCEWARE® FIRE BLANKET, BEL-ART

- Extinguishes small class "A", light oil and grease fires without the mess of foam or chemical agents
- Packaged in instant-access container that can be hung on the wall or stored in any accessible location
- Made of woven fiberglass with textured surface
- All edges serged with fireproof Kevlar® thread



Description	Cat. No.
Fire Cover	56611-199

COMBINATION CARBON MONOXIDE & SMOKE ALARM, KIDDE

- Talking alarm announces hazard type detected
- Low-battery warning
- Without batteries installed



Description	Cat. No.
Alarm with 85 dB Sound Level	300055-102

PROLINE™ MULTI-PURPOSE DRY CHEMICAL FIRE EXTINGUISHERS, ABC TYPE, KIDDE

- Tough impact-resistant metal valve, handle and lever
- Powder-coated cylinder for corrosion protection
- Extinguishing material is monoammonium phosphate
- Meets most commercial and industrial specifications



Material	Diameter	Charge weight	UL rating	Unit weight	Cat. No.
Steel	13 cm (5 1/8")	4.5 kg (10 lbs.)	4-A, 60-B:C	8.8 kg (19.5 lbs.)	300000-165
Aluminum	11.4 cm (4 1/2")	2.3 kg (5 lbs.)	3-A, 40-B:C	3.9 kg (8.5 lbs.)	300050-260
Aluminum	11.4 cm (4 1/2")	2.3 kg (5 lbs.)	3-A, 40-B:C	3.9 kg (8.5 lbs.)	300050-892
Aluminum	8.4 cm (3 3/16")	1.2 kg (2.6 lbs.)	1-A, 10-B:C	1.9 kg (4.2 lbs.)	300050-894

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SMOKE TEST™ BRAND SMOKE DETECTOR TESTERS, CRC

- Simulates smoke to provide a true, functional test for smoke detectors
- Convenient package makes testing easy, increasing the likelihood that detectors will be tested on a regular basis
- No harmful residue, plastic safe, non-staining
- Contains no Class I Ozone Depleting Chemicals



Color	Description	Cat. No.
Clear	Aerosol Can	300038-724

BATTERY OPERATED SMOKE ALARMS, KIDDE

- With test button and low-battery indicator
- Available with dust cover



Description	Cat. No.
Smoke Alarm	300080-128

FIRE EXTINGUISHER GLOW-IN-THE-DARK STANDARD "V" SIGN, WITH PICTO, BRADY

- High visibility "V" shaped signs are designed to be seen from all access points in a facility



Description	Size	Legend	Cat. No.
Acrylic Backed Glow-in-the-Dark Standard "V" Sign	6Hx9Wx4D"	Fire Extinguisher (with Picto)	55607-306

ZING GREEN SAFETY ECO SAFETY SIGN, FIRE EXTINGUISHER W/ ARROW, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign FIRE EXTINGUISHER	Glow Plastic	14"	3.25"	76024-374
ZING Sign FIRE EXTINGUISHER	Self-Adhesive	14"	3.25"	76024-436

EMERGENCY SHOWERS, WATERSAVER FAUCET

- Spray pattern is 50.8cm (20") diameter at 152.4cm (60") above the floor
- IPS valve is brass with chrome plating or white epoxy/polyester hybrid powder coating
- Pipe nipple on standard construction is orange powder-coated galvanized steel
- Pipe nipple on ColorTech construction (VFCTES647) is brass



Description	Cat. No.
Vertical Pull Rod, Chrome Valve	59380-010
Horizontal Pull Rod, White Valve	VFCTES647

SAFETY SHOWER STATIONS, WATERSAVER FAUCET

- Supplied with rigid stainless steel pull rods
- Self-regulating flow controls are positioned inside each spray head
- Stations are provided with an ANSI-compliant sign



Description	Pipe/fittings material	Cat. No.
With 25.4 cm (10") Orange ABS Plastic Shower Head		
Shower with Eye Wash	Galvanized Steel with Orange Polyethylene Covers	56611-008
Shower with Eye Wash	Orange Powder-Coated Steel	59380-034
Shower with Eye/Face Wash	Orange Powder-Coated Steel	59380-036
Barrier-Free Shower with Eye Wash	Orange Powder-Coated Steel	59380-038
With 20.3 cm (8") Cast Brass Shower Head		
Shower with Eye Wash	White Powder-Coated Brass	VFCTSS912
Shower with Eye/Face Wash	White Powder-Coated Brass	VFCTSS919
Barrier-Free Shower with Eye Wash	White Powder-Coated Brass	VFCTSSBF919



DECK-MOUNT SWING-OUT EYEWASHES, WATERSAVER FAUCET

- LDPE filter removes scale, deposits, and debris from the water and keeps the water line impurities out of the user's eyes
- Deck-mounted eyewashes include self-adjusting flow controls, impact-resistant polypropylene body, and flip-top dust covers
- Auto-flow models are activated when the head assembly is swung from storage to operation position
- Flag-handle models are activated when the head assembly is swung from storage to operation position and the flag handle is pushed
- An ANSI-compliant eyewash sign is included with all units

Description	Cat. No.
Auto-Flow Eyewashes	
Right-Hand, Chrome-Plated	59380-018
Left-Hand, Chrome-Plated	59380-020
Right-Hand, White Epoxy Powder-Coated Brass	VFCTEW805
Flag-Handle Eyewashes	
Right-Hand, Chrome-Plated	59380-022
Left-Hand, Chrome-Plated	59380-024
Right-Hand, White Epoxy Powder-Coated Brass	VFCTEW806

CLEANING

EYESAVER® EYEWASH FAUCETS, GOOSENECK SPOUT, SPEAKMAN®

- 'LIFT' activator for eyewash
- Aerated plastic spray outlets with flip-top dust caps
- Lead-free brass construction



Description	Cat. No.
Model SEF-1850-4WH Eyewash Faucet with 4" Wrist Blade Handles	89370-972
Model SEF-1850-8 Eyewash Faucet with 8" Spread Gooseneck Spout	89369-690
Model SEF-1850-8-ST Eyewash Faucet with 8" Spread Gooseneck Spout, Serrated Tip, and Vacuum Breaker	89369-682
Model SEF-1850-8-TW Eyewash Faucet with 8" Spread Gooseneck Spout and SE-370 Thermostatic Mixing Valve	89369-684
Model SEF-1850-8-4WH Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles	89370-974
Model SEF-1850-8-4WH-TW Eyewash Faucet with 8" Spread Gooseneck Spout, 4" Wrist Blade Handles, and SE-370 Thermostatic Mixing Valve	89369-688

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® LIGHT-DUTY TISSUE WIPERS

- Virgin fiber tissue
- Absorbent, strong, and low-linting



Description	WxL	Packaging	Cat. No.
1-Ply Light-Duty Tissue Wipers in Perforated Box	4 1/2 x 8 3/8"	280/Box	82003-820
1-Ply Light-Duty Tissue Wipers	14x16 1/2"	140/Box	82003-822
3-Ply Light-Duty Tissue Wipers	14x16 1/2"	90/Box	82003-824

WYPALL® L40 WIPERS, KIMBERLY-CLARK PROFESSIONAL®

- For wiping surfaces, parts, instruments, and lens cleaning
- 100% virgin fiber
- Wipe clean without scratching or leaving any residue
- Handy, space-saving POP-UP™ dispenser box dispenses wipers one at a time, to reduce waste
- Extra Low Linting, Anti-Static



Description	Size	Color	Packaging	Cat. No.
L40 Wipers	31.7x33 cm (12.5x13")	White	Quarter Fold	21908-000

KIMTECH SCIENCE® KIMWIPES™ DELICATE TASK WIPERS, KIMBERLY-CLARK PROFESSIONAL®

- For wiping surfaces, parts, instruments, and lens cleaning
- 100% virgin fiber
- Wipe clean without scratching or leaving any residue
- Handy, space-saving POP-UP™ dispenser box dispenses wipers one at a time, to reduce waste
- Extra Low Linting, Anti-Static



Description	Size	Thickness	Packaging	Cat. No.
KIMWIPES™ Delicate Task Wipers	11.2x21.3 cm (4.4x8.4")	1-Ply	POP-UP™ Box	21905-026

WORKWIPES® SERIES 60 HEAVY-DUTY WIPERS, NEW PIG

- Textured surface helps remove dirt and grime
- Ideal for applying disinfectants, degreasers, and solvents
- Additional applications include grease removal, wiping hands, fast cleanups, and cleaning glass or stainless steel



WxL	Packaging	Weight	Cat. No.
30.5x33.7 cm (12x13 1/4")	Quarter-Fold	7 kg (15.5 lbs.)	89073-944
30.5x30.5 cm (12x12")	Jumbo Roll (1100 Sheets)	6.7 kg (14.8 lbs.)	89073-946
20.3x40.6 cm (8x16")	Pop-Up Box	6.8 kg (14.9 lbs.)	89073-948

WYPALL® X70 WIPERS, KIMBERLY-CLARK PROFESSIONAL®

- Fast absorbing HYDROKNIT® material is a hydroentangled cellulose/polypropylene blend with no adhesives or chemical binders
- Durable, rag-tough construction and textured surface
- Reusable, will not fall apart when wet
- Ideal for cleaning oil, dirt, grime, and solvents
- Picks up water almost instantly, and hangs on for fewer drips, outperforming laundered shop rags



WxL	Color	Packaging	Cat. No.
31.8x42.7 cm (12 1/2 x 16 13/14")	White	200/BRAG™ Box	76325-982

PR40 ALL-PURPOSE WIPERS, PIG

- Thick and absorbent
- Quickly soaks up oils, degreasers, and other liquids
- High-quality binder to increase strength



Description	Size	Cat. No.
PIG® PR40 All-Purpose Wipers	1 Roll	10852-998
PIG® PR40 All-Purpose Wipers	2 Rolls	10853-000

PIG® HEAVY-DUTY MAINTENANCE WIPERS, NEW PIG

- Excellent for heavy-duty maintenance jobs like machine wipedowns and degreasing parts
- Low-lint construction won't shed, pill, or leave behind unwanted fibers when wiping parts
- Binder-free construction withstands solvents, degreasers, and cleaning agents



WxL	Color	Packaging	Weight	Cat. No.
30.5x33.7 cm (12x13.25")	White	¼-fold	4.1 kg (9 lbs.)	89073-974

WYPALL® HEAVY-DUTY REUSABLE FOODSERVICE CLOTHS, EXTENDED USE, KIMBERLY-CLARK PROFESSIONAL

- Durable, absorbent cloths stay strong for cleaning and sanitizing
- Cleans residue that rags leave behind
- Absorbs 25% faster than competitive disposable wipers
- 100 quarter-folded sheets per box
- Each foodservice cloth measures 12.5x23.5" (unfolded)



Description	WxL	Color	Cat. No.
Absorbent Foodservice Cloths	12.5x23.5"	Blue	76415-168
Absorbent Foodservice Cloths	12.5x23.5"	Red	76415-170
Absorbent Foodservice Cloths	12.5x23.5"	White	76415-172

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

DIVERSEY™ OXIVIR® 1 WIPES, CHARACTERISTIC SCENT

- Fast acting, convenient formula, suitable for daily use, and contact time of one minute or less
- Kills MRSA and Norovirus
- Formulated with patented AHP® technology containing no phosphates, quats, or phenols
- Specially designed to penetrate the toughest soils
- Harnesses the cleaning power of hydrogen peroxide
- Single-ply wipes



Description	WxL	Color	Chemical compound	No. of towels/wipes per container	Weight	Cat. No.
Oxivir® 1 wipes	6x7"	White	Hydrogen Peroxide	160	28.05 lbs.	76461-970
Oxivir® 1 wipes	7x8"	White	Hydrogen Peroxide	60	17 lbs.	76461-968
Oxivir® 1 wipes	10x10"	White	Benzyl Alcohol; Hydrogen Peroxide	60	30.4 lbs.	76461-984
Oxivir® 1 wipes	11x12"	White	Hydrogen Peroxide	160	28 lbs.	76461-972
Oxivir® 1 wipes, refill pack	11x12"	White	Hydrogen Peroxide	160	27.12 lbs.	76461-974

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CLOROX® HYDROGEN PEROXIDE DISINFECTING WIPES, JANITORIAL SUPPLIES

- Pre-moistened germicidal wipes
- Active ingredient: Hydrogen peroxide
- Use this one-step disinfecting cleaner on a broad range of surfaces



Description	WxL	Color	Packaging	Cat. No.
Hydrogen Peroxide Disinfecting Wipes	5.75x6.75"	White	155/can	76380-494
Hydrogen Peroxide Disinfecting Wipes	9x6.75"	White	95/can	76380-492
Hydrogen Peroxide Disinfecting Wipes	11x12"	White	185/can	76380-496
Hydrogen Peroxide Disinfecting Wipes	11x12"	White	185/pack	76380-498

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CLEANING

CLOROX® HEALTHCARE® DISPATCH® HOSPITAL CLEANER DISINFECTANT TOWELS WITH BLEACH

- Disinfectant towels with bleach
- Individually wrapped wipers were designed for on-the-go cleaning
- EPA registered to kill a total of 32 microorganisms
- Proven efficacy against outbreak-causing viruses Influenza A and B viruses and Norovirus in one minute
- Kill HAI-causing bacteria including MRSA and Vancomycin-resistant enterococci in one minute
- Contains Bleach/Sodium Hypochlorite



Material	Length	Ply	Color	Scent	No. of towels/wipes per container	Packaging	Cat. No.
Non-Woven Fiber	8"	1	White	Unscented	150	Canister	89042-154
Non-Woven Fiber	10"	1	White	Unscented	60	Resealable Pack	47735-634

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

LAB CLEAN IPA WIPES, UNITED SCIENTIFIC SUPPLIES

- Easy to dispense
- 70% isopropyl alcohol



Description	Material	LxW	Packaging	Cat. No.
Lab Clean IPA Wipes	Polyester	18x14 cm (7x5")	100 wipes/canister	76443-230

VWR® OPTIK-WIPES™

- Individually dispensed
- Strong, cleanroom-grade cloth is soft and lint-free
- Clean and polish with one swipe



Description	Material	Packaging	Cat. No.
Wipers Premoistened with Eyewear Cleaning Solution	Polypropylene	100/Canister	23609-168

VWR® SPEC-WIPE® 3

- 45% polyester and 55% cellulose
- For use in critical environments
- Low extractables
- Creped fabric



WxL	Style	Cat. No.
30.5x30.5 cm (12x12")	Spec-Wipe® 3	21912-042

VWR® SPEC-WIPE® 7 WIPERS

- 100% interlock knit polyester
- Sealed edges
- No-run material



WxL	Cat. No.
22.9x22.9 cm (9x9")	21913-214



VWR® SPEC-WIPE® 3 PRESATURATED WIPERS

- Blend of 45% white polyester and 55% white cellulose
- Presaturated
- Mechanically bonded

WxL	Solvent	Cat. No.
22.9x22.9 cm (9x9")	70% IPA/30% DI H2O	47751-458

TUFFSTUFF™ CRITICAL TASK WIPERS, CONTEC®

- Recommended for ISO Class 6 to 8 environments
- Hydroentangled nonwoven wipes are strong and durable without the use of binders
- Medium and heavy-duty wipes available to match the ideal wipe for the specific application
- Offers strength wet or dry, no residues or binders left behind
- Highly sorbent without the use of surfactants
- Multiple wipe sizes allow optimum selection for each job



Description	W×L	Packaging	Cat. No.
TuffStuff™ Heavy-Duty Wipes, Pop-Up Dispenser Box	22.9×41.9 cm (9×16.5")	100/Box, 8 Boxes/Case	33502-722

MICRO-90® CONCENTRATED CLEANING SOLUTION, INTERNATIONAL PRODUCTS

- Mildly alkaline, aqueous cleaner lifts, disperses, emulsifies, sequesters, dissolves, suspends, and decomposes soils
- Concentrate mixes instantly with water
- Safe-to-use
- Cleaner is environmentally friendly, with no CFCs, ODCs, phosphates, or phenols



Size	Cat. No.
19 L (5 gal.)	21830-420
208 L (55 gal.)	21830-422
1 L (0.26 gal.)	89210-138
4 L (1.1 gal.)	89210-140

DISINFECTING WIPES, EPA REGISTERED, AZER SCIENTIFIC

- EPA Registered for range of viruses and bacteria, including Coronavirus
- 10 min contact time for most viruses



Description	W×L	Packaging	Cat. No.
Disinfecting Wipes, EPA Registered	5.9×6.7"	300/container	76443-228

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CLOROX® CONCENTRATED GERMICIDAL BLEACH

- For use on ceramics, cement/concrete, enamel, fabric, glass, laminate, metal, plastic
- Cleans bacteria, fungus, germs, grease, mildew, organic matter, soil, and stains
- From Clorox commercial solutions
- Ergonomically enhanced package makes it easier to pour, handle and carry
- Suitable for food-contact surfaces
- Regular scent



Description	Size	Cat. No.
Clorox® Germicidal Bleach, Regular	1.8 l (64 oz.)	10028-048
Clorox® Germicidal Bleach, Regular	3.4 l (121 oz.)	89501-620

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



OXIVIR® 1 RTU DISINFECTANT CLEANER

- Disinfectant cleaner formulated with patented hydrogen peroxide technology (AHP®) to deliver effective cleaning
- Contains no phosphates, quat or phenol
- Cleans, disinfects and deodorizes in one step
- Broad spectrum, multi-surface bactericidal, fungicidal, tuberculocidal and 10 second non-food contact sanitizer
- Disinfects viruses and is a soft surface sanitizer, both in 30 seconds
- Kills MRSA, Norovirus, RSV and Adenovirus; meets bloodborne pathogen standards for decontaminating surfaces soiled with blood and body fluids
- Harnesses the cleaning power of hydrogen peroxide; specially designed to penetrate the toughest soils

Description	Size	Packaging	Cat. No.
Oxivir® 1 RTU Disinfectant Cleaner	12× 32 oz.	Spray Bottle	76461-966

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CLEANING

DIVERSEY™ VIREX® PLUS ONE-STEP DISINFECTANT CLEANER AND DEODORANT

- One-step, quaternary-based disinfectant cleaner concentrate
- Provides broad spectrum disinfection at 1:256 dilution
- Bactericidal, virucidal and fungicidal
- Kills MRSA and VRE
- Blue in color with no added fragrance



NEW

Description	Size	Packaging	Cat. No.
Virex® Plus One-Step Disinfectant Cleaner and Deodorant	2x 1500 ml	Closed-Loop Plastic Jug	76461-988

DIVERSEY™ VIREX® TB DISINFECTANT CLEANER

- Quaternary-based, hospital-grade disinfectant that cleans and deodorizes
- Kills HBV and HIV-1 (AIDS virus) in one minute
- Provides broad spectrum kill of gram positive and gram negative microorganisms
- Kills Tb in five minutes and all other bacteria in three minutes. Kills Norovirus in 30 seconds
- Bactericide, tuberculocide, virucide, fungicide
- Meets bloodborne pathogen standards for decontaminating blood and body fluids
- The ready-to-use formula provides excellent, cost-effective cleaning and disinfection in one step



NEW

Description	Size	Packaging	Cat. No.
Virex® Tb Disinfectant Cleaner	4x 1 gal.	Bottle	76461-992

ISOPROPYL ALCOHOL CLEANER, STONER®

- IPA is 99.9% pure
- Evaporates fast
- Leaves no residue



Description	Size	Cat. No.
Pail	19 L (5 gal.)	89065-938

CLOROX® HEALTHCARE® BLEACH GERMICIDAL CLEANER

- No pre-cleaning required
- Designed for easy refilling to meet needs of heavy users
- EPA registered to kill a total of 50 micro-organisms
- Proven efficacy against outbreak-causing viruses Influenza A and B viruses, Measles virus and Norovirus
- Kill HAI-causing pathogens including *Clostridioides difficile* spores, MRSA and VRE in 3 minutes or less
- Broad Spectrum disinfection efficacy against over 50 pathogens
- 3 minutes contact time to kill *Clostridioides difficile* spores - Tested in the presence of 3-part organic soil load following the latest EPA testing recommendations (Nov. 2016)
- Feature an anti-corrosion agent to ensure compatibility with healthcare surfaces
- Tested for surface safety on common healthcare and office surfaces and equipment



US ONLY

Capacity	Chemical/physical specifications	Cat. No.
22 oz.	Sodium Hypochlorite	21850-204
32 oz.	Sodium Hypochlorite	21850-206
128 oz.	Sodium Hypochlorite	21850-210

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

CRYSTAL SIMPLE GREEN, SIMPLE GREEN®

- Suitable for critical cleaning tasks that demand a fragrance-free solution
- Clear, unscented formulation



pH	Volume	Specific gravity	Packaging	Cat. No.
9.35	5 gal.	1.02	Pail	300009-878

VWR® AIR DUSTER SPRAY

- Filtered for 100% purity
- Leaves no residue
- Moisture free
- Odorless
- Non-flammable/Non-conductive
- Very low order of toxicity



Size	Cat. No.
311 g (11 oz.)	75780-350

TWINKLE® STAINLESS STEEL CLEANER AND POLISH, JOHNSON DIVERSEY

- Water-based formula removes grease, dirt, fingerprints, smudges and water marks from stainless steel, brass, aluminum and chrome
- Leaves no residue or greasy film
- Protects against resoiling
- Contains no CFCs



Size	Packaging	Cat. No.
17 oz	Aerosol Can	300086-954

SANIHOL® FILTERED 70% ETOH SOLUTION, DECON LABS

- Solution is filtered to 0.2 µm to remove particulate contamination
- Evaporates completely, leaving no residue



Description	Size	Cat. No.
Trigger Spray Bottle	473 mL (16 oz.)	89125-222

INVISIBLE GLASS CLEANER, STONER®

- Aerosol formula - contains no soaps, foams, scents or dyes
- Superior cleaning power and invisible clarity
- Cleans windows, mirrors, windscreens and other glass surfaces
- No streak, no haze, no residue formula



Description	Size	Cat. No.
Aerosol Can	538 g (19 oz.)	89065-936

DESCAL, ACIDIC DETERGENT, DECON LABS

- Dissolves calcium, magnesium, sodium, and iron deposits - just about every salt left behind from hard water
- Powerful enough to remove crystallized urine deposits from animal cages



Size	Packaging	Cat. No.
3.8 L (1.0 gal.)	Poly Bottle	89233-172

SOLUJET® LOW-FOAMING LIQUID DETERGENT

- Phosphate-free detergent ideal for clean-in-place (CIP) systems and floor-standing lab washing machines
- Recommended for cleaning glass, PTFE, ceramic, cement and alkali-resistant plastics, and metals such as stainless steel
- Can be used for manual cleaning if proper skin and eye protection is used
- Biodegradable and readily disposable
- No interfering residues



Size	Packaging	Cat. No.
19 L (5 gal.)	Jerrycan	80077-360



SCIENCEWARE® AQUET® DETERGENT FOR GLASSWARE AND PLASTICS, BEL-ART

- Convenient, pre-portioned pouches make one gallon of 1% solution
- 3.8 L (1 gal.) bottle comes with 473 mL (16 oz.) working solution dispenser bottle
- 20 L (5 gal.) Cubitainer™ is available for frequent users
- Not for use in automatic dishwashers

VWR® STERILE 70% ISOPROPANOL

- Contains 70% USP grade isopropanol and 30% USP grade deionized water
- Double-bagged and gamma-irradiated to a Sterility Assurance Level of 10⁻⁶
- Ideal for use with sterile cleanroom wipers



Description	Size	Cat. No.
Trigger Spray Bottle	473 mL (16 oz.)	89108-160
Trigger Spray Bottle	946 mL (32 oz.)	89499-420

Description	Size	Cat. No.
Pouch, Box of 20	20 mL (0.68 oz.)	74950-097
1 Gallon Bottle	3.8 L (1 gal.)	75783-970
Cubitainer® Container	19 L (5 gal.)	54848-004

CLEANING

PREEMPT™ RTU DISINFECTANT SOLUTION AND WIPES, CONTEC®

- 1 Minute Bactericidal, Virucidal
- 5 Minute Tuberculocidal
- 10 Minute Fungicidal
- 30 Second Broad-Spectrum Sanitizing



Description	Size	Packaging	Cat. No.
PREempt™ RTU Disinfectant Wipes, Meltblown Polypropylene	15.2 x 17.8 cm (6 x 7")	160 Wipes/Canister, 12 Canisters/Case	10822-456

STERI-PEROX®, VELTEK ASSOCIATES

- Filled in an ISO 5 (Grade A/B, Former Class 100)
- Prefiltered to 0,2 um
- Completely traceable and validated for sterility and shelf life
- Available in 3% and 6% concentrations
- 16 oz and 32 oz containers come with sterile spray attachments
- Low residue content



Description	Size	Concentration	Sterility	Cat. No.
STERI-PEROX®	473 mL (16 oz.)	6%	Sterile	14003-384

CIP 200® ACID CLEANER, STERIS®

- Flexibility - Effective cleaning against a wide variety of pharmaceutical process residues CIP, clean-out-of-place (COP), and manual applications
- Facilitates cleaning validation with a comprehensive support documentation package including specific and non-specific analytical methods, toxicity, and substrate compatibility reports
- Cost Savings - Reduces water consumption and cleaning time due to superior rinsing and low foaming characteristics
- Global Availability - and manufactured with biodegradable surfactants to support harmonization of cleaning processes



Size	Packaging	Cat. No.
114 L (30 gal.)	Drum	14004-132

HYPO-CHLOR® CLEANING AGENT, VELTEK ASSOCIATES

- Filled in ISO 5 (Grade A/B, Former Class 100)
- Made with USP Water for Injection
- Filtered at 0.2 microns
- Sterility tested according to current USP compendium
- Assayed according to current USP compendium
- Completely traceable from start to finish
- Completely validated for sterility and shelf life



US ONLY

Size	Concentration	Packaging	Cat. No.
3.8 L (1 gal.)	0.52%	Bottle	14003-328
473 ml (16 oz.)	0.52%	Trigger Sprayer	14218-554

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



US ONLY

DECK MOPS, MOPS

- Mounted mops with handles

Size	Material	Handle length	Handle material	Type	Weight	Cat. No.
24 oz.	Cotton	54"	Wood	Mounted Mop	1.50 lb	300006-711
32 oz.	Cotton	54"	Metal	Mounted Mop	3.38 lb	300006-713
16 oz.	Cotton	48"	Metal	Mounted Mop	1 lb	300059-180

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SWINGER LOOP® WET MOP HEADS, RUBBERMAID® COMMERCIAL

- Four-ply, balanced blend of cotton and synthetic yarn for absorbency and strength
- Launderable for long product life
- Looped ends and woven tailband reduce tangling and fraying
- PVC-coated mesh resists moisture
- Washable
- Cotton/Synthetic Blend
- Headband Color: Green
- Mop Head Color: White
- Looped end



US ONLY

Color	Packaging	Cat. No.
Blue	6/Cs	89073-306
Green	6/Cs	89073-308
White	6/Cs	89073-304

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**GRIPPER® MOP HANDLE
RUBBERMAID® COMMERCIAL**

- Allows quick mop changes
- Plastic jaws



US ONLY

Handle length	Length	Color	Handle material	Cat. No.
Fiberglass Handle				
60"		Gray	Fiberglass	89073-544
Vinyl-Coated Aluminum Handles				
60"	152.4 cm (60")	Gray/Yellow	Vinyl Covered Aluminum	89073-744

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**STEEL SPONGE MOPS,
RUBBERMAID COMMERCIAL**

- Cellulose head



US ONLY

Length	Color	Weight	Cat. No.
12"	Bronze	2.21 lb	300009-778

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**PLASTIC MOP BUCKETS,
MAGNOLIA BRUSH**

- Yellow mop bucket with wringer designed for durability
- Corrosion resistant
- No crack or crevices to collect dirt
- Wringer is resistant to cleaning chemicals



US ONLY

Length	Width	Weight	Cat. No.
18 3/8"	15 5/16"	20 lb	300009-086

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

DOUBLE-BLADE SQUEEGEES, NEW PIG

- Solid, 60" handle keeps users a safe distance from spill
- Non-sparking, easy-to-clean PVC won't rust or corrode



Description	Size	Cat. No.
Straight Head	45.7 cm (18")	56620-768
Straight Head	61 cm (24")	89012-112

**CURVED SQUEEGEES,
MAGNOLIA BRUSH**

- Steel bracket handle
- Multiple handle lengths available



US ONLY

Material	Length	Length	Weight	Cat. No.
Rubber	24"	24"	3.17 lb	300009-071
Rubber	36"	36"	3.83 lb	300009-074
Rubber	24"	24"	2.17 lb	300072-930

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

**VWR® POCKET MOP
CLEANROOM MOPS**

- Cleanroom grade materials of construction
- Lightweight, ergonomic hardware
- Angled head for easy application of disinfectant or detergent
- Available in NovaPoly, PolySorb, Microfiber and MegaTex materials
- Launderable/Autoclavable mop heads



Description	Size	Cat. No.
Microfiber Fabric Outer Layer/Foam Inner Layer; For use with Adapter QPSL-07	17.8 cm (7")	10204-930
MicroFiber Outer Layer, Urethane Foam Inside Layer, Irradiated, White	35.6 cm (14")	10029-764
NovaPoly Polyester Outer Layer, Urethane Foam Inside Layer	35.6 cm (14")	10029-738
PolySorb Textured Polyester Outer Layer, Urethane Foam Inside Layer	45.7 cm (18")	10029-724

VWR® FLAT MOPS

- Autoclavable
- Easily clean large surfaces
- Heavy-duty construction offers additional resistance to textured floors and aggressive cleaning methods



Description	Size	Cat. No.
PolyTex™ Mop Heads	36 cm (14")	68400-762
PolyTex™/Microfiber Mop Heads	36 cm (14")	94023-760



VWR® MICROFIBER STRING MOP

- Highly absorbent
- Durable

Description	Weight	Cat. No.
Microfiber String Mop	16 oz.	89495-468

VWR® TUBULAR KNIT MOP HEADS

- Tubular-knit, 100% polyester string mop heads
- Excellent sorbency
- Mop heads are double clear poly-bagged for cleanroom use



Description	Cat. No.
Tubular Knit Mop Head, Sterile	33502-730

T-MOP™ MOP, MICRONOVA

- Wide assortment of fabric slipcovers are available
- All slipcovers are launderable
- All components sold separately



Description	Width	Cat. No.
Microfiber Slipcover, Thick Foam, Bulk Packed, Blue	45.7 cm (18")	10146-120

PADMOP™ FLAT HEAD MOPS, MICRONOVA

Description	For use with	Cat. No.
SlimLine™ Stainless Steel Mop Frame, 360° Swivel, Quick Disconnect	9" Flat Head Mops	11310-596



SNAPMOP™ FLAT HEAD MOP COVERS, MICRONOVA

- Easy to change covers fit securely over mop frame
- Urethane foam interiors fully encased in a choice of fabrics
- NovaPoly: 100% smooth knit polyester provides excellent disinfectant dispersal
- PolySorb: 100% textured polyester for removing residues and dispersing disinfectant
- MegaTex: 100% non-woven polyamide is absorbent with a mildly abrasive surface
- PolyMesh: 100% polyester with a layer of mesh provides a mild scrubbing surface
- 9" covers are excellent for pass-throughs and smaller spaces
- 14 and 18" covers are ideal for floors, walls, and ceilings

Description	Material	Length	Cat. No.
White Microfiber SnapMop™ Flat Head Mop Covers			
SnapMop™ Flat Head Mop Covers; White	Microfiber, 80% Polyester; 20% Polyamide	36 cm (14")	52428-588

Description	For use with	Cat. No.
Accessories		
SlimLine™ Stainless Steel Mop Frame, 360° Swivel, Quick Disconnect	9" Flat Head Mops	11310-596

ULTRAMOP™ MOP HEAD FOR CLEANROOM ENVIRONMENTS, FOAMTEC INTERNATIONAL

Description	Cat. No.
UltraMOP™ Polyester Cover	94024-540




Simple, effective cleaning system

MICRONOVA SLIDEMOP™

The SlideMop™ is a simple, effective mopping system that can be used in the traditional "dip and wring" method or as a "charging" method where liquid disposal and/or space saving is an issue. The sturdy, collapsible plate(s) – available in both plastic and electropolished stainless steel – slides into the polyester mop head and allows an easy swivel to ensure correct lift and pull or figure-8 cleaning techniques.

- With a lightweight, economical design, the SlideMop can be used throughout the facility from unclassified work areas to the sterile core
- Quilted design holds and distributes cleaning agents effectively
- Choice of stainless steel or plastic frame
- Robust construction, can be laundered and autoclaved multiple times



Description	Cat. No.
Polyester Mop Head	76404-178
Polyester Mop Head Irradiated	76404-180
Plastic Mop Frame – 16"	76404-182
Plastic Extendable Handle	89428-634
Stainless Steel Frame 16"	76423-456



CLEANING

VERTIKLEAN® MAX™ MOPPING SYSTEMS, CONTEC®

- Hydrophilic polyurethane foam and knitted polyester mop head retains liquids
- When the mop is applied to a surface, the liquid is evenly released without dripping
- Laser cutting seals the edges of the foam and polyester, reducing the chance of fiber and particle contamination
- VertiKlean® MAX™ Mop enables the uniform application of disinfectants and cleaning solutions
- Excellent chemical and abrasion resistance
- Lasts longer than traditional sponge mops
- Compatible with a wide range of solutions
- All three sizes available with a sealed edge
- Available gamma irradiated. Validated sterile to a Sterility Assurance Level of 10⁻⁶



Description	Size	Sterility	Packaging	Cat. No.
Large System				
Large VertiKlean® MAX™ Ribbed Microfiber Mop Head	38x10.2x2.5 cm (15x4x1")	Non sterile	4/Bag, 6 Bags/Case	10119-380

SLIM™ DOUBLE BUCKET CART AND WRINGERS, MICRONOVA

- Simple and effective, double bucket mopping system
- Designed for use with a variety of flat head and string style mops
- Crafted from electropolished stainless steel for durability and long life
- 360° rotation, heavy-duty caster wheels for excellent maneuverability
- Includes two, 48.3 cm (19") blue and yellow polypropylene buckets
- 6 gal. (22.7 L) buckets include liter and gallon markings
- Frame, casters, and buckets are autoclavable



Description	Details	Dimensions	Cat. No.
Slim T™ Double Bucket Cart; Buckets Not Included	Stainless Steel Frame and Casters Prevents Polyurethane Wheels	Cart: 58Lx56Wx38H cm (23x22x15")	10798-896

SLIM T™ BUCKETS, MICRONOVA

- 6 gallon capacity
- Volume graduations with gallon and liter marks
- Color-coded with a choice of red, yellow, blue, green, and gray
- B-7: Use as replacement buckets for SlimLine™ and Slim T™ series carts
- B-7AC: Use as replacements in BucketBinder™ multi bucket systems
- Autoclavable



Description	Capacity	Length	Color	Cat. No.
Slim T™ Polypropylene Bucket	22 L (6 gal.)	49 cm (19.25")	Blue	68400-752

BUCKETLINERS, MICRONOVA

- Laminate is 75% LDPE, 25% nylon
- Excellent for disinfectants and cleaning solutions
- Ideal for product parts or raw material transfer
- Thickness of 3 mil
- Will hold up to autoclaving with liquid contents
- Available sterile (Irradiated) or non sterile



Dimensions	Sterility	Cat. No.
24x24"	Irradiated	89426-906

VILEDA® PROFESSIONAL COMPACT BUCKET SYSTEM

- Perfect for use with all Roll-O-Matic® Mops (without sieve)
- Solid and stable polypropylene plastic buckets and bails are 100% autoclavable
- Unique electro-polished sieve (sold separately) with hole pattern, integrated bucket splash guard, and handle support



Description	Capacity	Color	Cat. No.
Single Bucket with Casters	22.7 L (6 gal.)	Blue	10769-302

VWR® STERILE BUCKET LINERS

- Sterile with Sterility Level of Assurance (SAL 10⁻⁶)
- LDPE/nylon blend fabrication
- Provide an impermeable barrier against strong disinfectant solutions



Description	Cat. No.
Fits 1 gal. Buckets, Sterile	89495-436
Fits 6 gal. Buckets, Sterile	89495-438

O'CEDAR® PUSH BROOMS, VILEDA PROFESSIONAL-FHP

- Broom head never comes loose
- Anti-rotation socket locks handle during use
- Multi-Surface Push Broom has soft outer green bristles and sturdy inner black bristles that sweep fine dirt particles and larger debris
- Rough surface push broom has sturdy red bristles that sweep larger debris
- Eco-friendly components, recycled block or RPET fiber



Description	Broom width	Length	Bristle type	Cat. No.
Maxi-Lok Multi-Surface Push Broom	61 cm (24")	142.2 cm (56")	RPET	89132-716
Maxi-Lok Multi-Surface Push Broom	45.7 cm (18")	142.2 cm (56")	RPET	89132-718
Maxi-Lok Rough Surface Push Broom	45.7 cm (18")	142.2 cm (56")	RPET	89132-722

RUBBERMAID® COMMERCIAL ANGLED LOBBY BROOM

- Ideal for one-handed sweeping and cleaning
- Flagged bristles trap fine particles
- Will not stain, discolor, or absorb odors



Color	Handle diameter	Handle material	Cat. No.
Black	2"	Vinyl Coated Metal	89073-342

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

VWR® SOFTCIDE® EXTRA-MILD HAND SOAP

- Antimicrobial strength
- Effective against broad spectrum of microorganisms
- pH balanced for skin



Size	Packaging	Cat. No.
473 mL (16 oz.)	Pump Bottle	56700-124
946 mL (32 oz.)	Pump Bottle	56614-420
3.8 L (1 gal.)	Refill Jug	56614-424

VWR® SOFTCIDE®-NA HAND SOAP

- Extra-mild cleansing
- Frequent-use formula
- pH balanced for skin



Size	Packaging	Cat. No.
946 mL (32 oz.)	Pump Bottle	56700-144

Description	Cat. No.
Accessories	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138



VWR® SOFTCIDE®-ES ANTIMICROBIAL HAND SOAP

- Mild on hands
- Designed for frequent hand washing
- Effective against broad spectrum of microorganisms
- High sudsing power

Size	Packaging	Cat. No.
32 oz.	Pump Bottle	89137-124

Description	Cat. No.
Accessories	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

HAND CARE

HAND CARE PRODUCTS, MICRONOVA

- 500 ml saddle pump bottles can be used as stand-alone dispensers
- Saddle pump bottles can also be used with VWR® MicroDispenser™ Touch-Free Dispenser to ensure uncontaminated results



Description	Form	Volume	Packing type	Cat. No.
Hy-G-Clenz™ Anti-Microbial Soap	0.13% Benzalkonium Chloride	500 ml (16.9 oz.)	Pump Bottle	68400-029
AquaHol™ Sterile Isopropyl Alcohol Solution	70% Sterile IPA in 30% WFI	500 ml (16.9 oz.)	Cap Bottle	68400-440

AUTOMATIC HAND SANITIZER DISPENSER, MARLIN STEEL WIRE PRODUCTS

- 'Touch-free' sensor activation for better hygiene
- 30 oz. reservoir for liquid soap, alcohol gel, liquid alcohol, hand sanitizers, or iodine
- Made of durable stainless steel
- Can be quickly and easily attached to a dispenser stand, or wall mounted



Description	Material	Capacity	Cat. No.
Automatic Hand Sanitizer Dispenser	Stainless Steel	30 oz.	76421-830

BACDOWN HANDSOAP, DECON LABS

- Soothing, gentle coconut-based surfactants
- Can be used repeatedly with minimal skin drying
- Pleasant almond fragrance



Size	Packaging	Cat. No.
1 L (34 oz.)	Poly Bottle	89233-194
5 L (1.32 gal.)	Poly Bottle	89233-196
500 mL (16 oz.)	Poly Bottle	89233-198

UNIVERSAL HAND SANITIZER STANDS AND HOLDERS, MARLIN STEEL WIRE PRODUCTS

- Varied models are designed to hold specific sanitizer dispensing products
- Universal stand works with SC Johnson, Deb, Purell, and Martin Steel brands
- Portable stands can be easily moved to convenient locations or areas of high traffic



Description	For use with	Cat. No.
Sanitizer Stands and Components		
Universal Hand Sanitizer Stand	—	76421-824

VWR® MICRODISPENSER™ TOUCH-FREE SOAP DISPENSER

- Reduces cross-contamination and waste in the cleanroom and gowning areas
- Activated by an electronic eye
- Delivers a consistent, premeasured dose of soap, lotion, or sanitizer into the palm
- Gravity fed with no tubes or pumps
- No-drip unit may be wall-mounted
- Complies with OSHA, CDC, and ADA requirements



Description	Color	Description	Cat. No.
Touch-free dispenser	White		89128-812

VWR® ALCOSCRUB® INSTANT ANTISEPTIC HAND SANITIZER AND CLEANSER

- Fast-acting antimicrobial gel for use when water is not available
- Ideal for reducing bacteria count on hands prior to donning gloves and entering aseptic environment
- Dries quickly and leaves no sticky residue
- Emollients help moisturize hands and keep them chap-free
- Contains 62% ethyl alcohol formula



Size	Packaging	Cat. No.
473 ml (16 oz.)	Pump Bottle	56700-116
946 ml (32 oz.)	Pump Bottle	56700-148

Description	Cat. No.
Accessories	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138



ALCARE PLUS® ANTISEPTIC HANDRUB, STERIS®

- Foamed, 62% ethyl alcohol-based surgical scrub
- Emollients provides hand antiseptics and moisturizing at the same time
- Mild formulation for high-frequency professional use
- Compatible with CHG products

Description	Size	Cat. No.
Alcare® Plus Foamed Antiseptic Handrub	266 mL (9 oz.)	21899-782



PURELL® ADVANCED HAND SANITIZER SOOTHING GEL REFILL

- Standard 800ml (27oz.) sizes
- Multiple scents (and unscented) options available

Size	Color	Scent	Packing type	Cat. No.
800 ml (27 oz.)	Clear	Unscented	Dispenser Refills	89068-694

HAND SANITIZER SPRAY, COM-PAC

- Pump spray top



Description	Size	Packaging	Cat. No.
Hand Sanitizer Spray	4 oz.	48 Bottles/Case	76415-464



HAND SANITIZER, 80% ALCOHOL, COLE-PARMER

- Made in accordance with the World Health Organization (WHO) formulation
- Produced with zero nonessential additives
- Unscented

Description	Volume	Container type	Scent	Cat. No.
Liquid Hand Sanitizer, 80% Alcohol	1 gal.	Bottle	Unscented	76415-416



KLEENEX® HARD ROLL TOWEL, KIMBERLY-CLARK PROFESSIONAL®

Description	Size	Thickness	Color	Cat. No.
Hard Roll Towel	8" x 600'	1-Ply	White	89020-030

GEORGIA PACIFIC SOFPULL® CENTER PULL HAND TOWEL DISPENSERS



Description	Height	Height	Color	Cat. No.
Regular Capacity Towel Dispenser	11 1/2"	11 1/2"	Translucent Smoke	500008-378

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

HAND CARE/MATERIAL HANDLING & STORAGE

FOLDED HAND TOWELS, WINDSOFT®

- High-quality folded towels are thicker, stronger and more absorbent, so you use less



Ply	Color	System format	Weight	Cat. No.
1	Brown	Single-Fold	1.03 lb	300053-414

SAN JAMAR® OCEANS® TEAR-N-DRY ELECTRONIC TOUCHLESS ROLL TOWEL DISPENSER

- Dispenses all qualities of paper without jamming
- Break-resistant plastic
- Lock prevents pilferage



Color	Cat. No.
Black Pearl	500008-416

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



VWR® SOFTGUARD® EXTRA-STRENGTH BARRIER HAND CREAM

- Nongreasy cream absorbs immediately
- Prevents and relieves irritation caused by latex chemicals and harsh soaps
- Fragrance free

Size	Packaging	Cat. No.
89 mL (3 oz.)	Flip-Top Tube	56614-410
473 mL (16 oz.)	Pump Bottle	56614-414

Description	Cat. No.
Accessories	
Wall-Mounted Dispenser for 800 mL (27 oz.) Bag-in-a-Box	56700-138

VWR® HAND CREAM

- Nongreasy skin moisturizer absorbs quickly upon application
- Prevents irritation from latex gloves, harsh soaps, and other irritants
- Fragrance free, petroleum free



Description	Size	Cat. No.
Pump Bottle	473 mL (16 oz.)	89005-468

PROGUARD® PROFESSIONAL HANDCREAM, DECON LABS

- Combines emollients to moisturize dry, cracked skin with a barrier film that seals in the moisture, seals out the problems
- Effective in eliminating the irritation caused by latex gloves
- Does not contain perfumes, oils, greases, petroleum, aloe or cocoa butter
- Compatible with and will not compromise the protection of latex gloves



Size	Packaging	Cat. No.
85 g (3 oz.)	—	89233-206
500 mL (16 oz.)	Poly Bottle	89233-208

VWR® ACID AND SOLVENT BOTTLE CARRIERS

- Cone-style lid has 16mm (5/8") opening in the top for insertion of tubing, simplifies the transfer of liquids without pouring
- Truncated style lid permits pouring without the removal of the lid
- Designed to hold standard US reagent bottles



Capacity	Diameter	Height	Style	Cat. No.
Acid Bottle Carriers				
2.5 L (5 pt.)	17.1 cm (6 ³ / ₄ "	35 cm (13 ¹ / ₂ "	Cone Style	56608-811
2.5 L (5 pt.)	17.1 cm (6 ³ / ₄ "	32 cm (12 ¹ / ₂ "	Truncated Style	56608-886
Solvent Bottle Carriers				
4 L (1 gal.)	20 cm (8")	37 cm (14 ³ / ₈ "	Cone Style	56608-864
4 L (1 gal.)	20 cm (8")	35 cm (13 ³ / ₈ "	Truncated Style	56608-900

VWR® RUBBER ACID BUCKET

- Great chemical resistance
- Safety grip construction
- Stainless steel handle with rubber grip
- Internal graduated markings



Capacity	Cat. No.
11.4 L (3 gal.)	17302-117

LAB PACK POLY DRUMS, EAGLE

- Chemical and weather resistant
- UV protection
- Approved for use with packing groups i, ii and iii



Description	Capacity	Dimensions	Color	Cat. No.
Lab Pack Poly Drum, with Screw-On Lid	30 gal.	21.125 O.Ø×28.5" H	Yellow	76369-704
Lab Pack Poly Drum, Open Head, with Metal Lever-Lock Ring	30 gal.	21.125 O.Ø×28.5" H	Blue	76369-706

NALGENE® BIO-SAFE CARRIER, POLYCARBONATE, THERMO SCIENTIFIC

- Closed-system carrier protects user and hazardous samples during transportation
- Tough, break-resistant polycarbonate with excellent visibility
- Easy-to-grasp side handles are molded in
- Clamps securely hold carrier closed and ensure leakproof seal
- Suitable for use with NALGENE® Unwire™ test tube racks with tube O.D. of 13 or 16mm



Description	Cat. No.
Carrier	56609-112

OVERPACK POLY DRUMS, EAGLE

- Chemical and weather resistant
- UV protection
- Approved for use with packing groups i, ii and iii



Description	Capacity	Dimensions	Color	Cat. No.
Overpack with Screw-On Lid	65 gal.	31 O.Ø×33.75" H	Yellow	76369-708

OVERPACK AND SALVAGE DRUMS, UN AND DOT, EAGLE MANUFACTURING

- Constructed of blow-molded high-density polyethylene with UV inhibitors for superior strength
- Chemically-resistant to most materials
- Safety yellow with removable head
- Forkliftable
- Nestable for easy storage
- Suitable for secondary containment storage, transportation, and cleanup



Description	Capacity	Dimensions	Un markings	Weight	Cat. No.
Salvage Drums	113.6 L (30 gal.)	53.7 O.D.×72.4 H, cm (21 ¹ / ₈ ×28 ¹ / ₂)"	1H2/X100/S	7.3 kg (16 lbs.)	56618-528
Salvage Drums	75.7 L (20 gal.)	55.9 O.D.×52.1 H, cm (22×20 ¹ / ₂)"	1H2/X75/S	6.8 kg (15 lbs.)	56618-550



LIFE LATCH® NEW GENERATION PAILS AND LIDS, M&M INDUSTRIES

- Moisture-resistant, air-tight seal
- White screw-top pail supplied with white gasketed lid
- FDA grade raw materials
- 8 color offset printing
- Tamper evident
- Patented "no gasket cover" allows products to breathe

Description	Capacity	Height	Top I.D.	Wall thickness	Cat. No.
With Lid					
Life Latch® New Generation Pail	2.27 L (0.6 gal.)	6.88"	6.19"	0.05"	89093-134
Life Latch® New Generation Pail	4.7 L (1.25 gal.)	8.36"	7.80"	0.06"	89093-136
Life Latch® New Generation Pail	13.2 L (3.5 gal.)	11.25"	11.25"	0.09"	89093-138
Life Latch® New Generation Pail	18.9 L (5 gal.)	15.25"	11.25"	0.09"	89093-140
Life Latch® New Generation Pail	24.6 L (6.5 gal.)	18.75"	11.25"	0.09"	89093-142

MATERIAL HANDLING & STORAGE

TRANSLUCENT UN RATED POLY DRUM, NEW PIG

- FDA-approved resins for containment of food products
- High-density polyethylene construction
- Molded-in calibration measures liquid volume; no need for meters or gauges
- 360-degree top drum chime makes drums easy to move with drum lifter or other drum-handling device



Description	Capacity	Cat. No.
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-768
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-770
Drum, UN1H1/Y1.9/100	208.2 L (55 gal.)	89208-772

OPEN-HEAD UN RATED POLY DRUM, WITH METAL LEVER-LOCK RING, EAGLE MANUFACTURING

- Durable
- Lightweight
- Chemical and weather resistant
- Color blue



Description	Capacity	Diameter	Height	Color	Lid style	Un markings	Weight	Cat. No.
Open-Head Poly Drums	55 gal.	21"	36 ³ / ₈ "	Blue	Metal Lever Locking Ring	1H2/X200/S, 1H2/Y250/S	10.7 kg (23.5 lbs.)	75845-054

OPEN-HEAD UN RATED POLY DRUM, NEW PIG

- Rigid, high-density polyethylene is lightweight and won't rust
- Compatible with a wide range of materials, liquids and chemicals
- Made of USDA- and FDA-Certified and Approved resins for direct containment of food products



Description	Capacity	Cat. No.
Drum, UN1H2/Y100/S, UN1H2/X65/S	53 L (14 gal.)	46000-706
Drum, UN1H2/X120/S, UN1H2/Y180/S	113.6 L (30 gal.)	46000-708

55 GALLON OPEN-HEAD UN RATED STEEL DRUM, NEW PIG®

- UN Rated and tested to help ensure safe shipping of hazardous materials
- Open-head design and removable lid offer full, convenient access to inside of drum
- 12-gauge bolt ring closure, sponge rubber gasket and plated bolt/nut provide tight seal to help prevent leaks and spills
- Interior is coated with a corrosion inhibitor; choose optional phenolic/epoxy lining for added resistance



Dimensions	Color	Cat. No.
Internal: 22 ⁷ / ₈ dia x 32" H External: 23 ¹ / ₂ dia x 33" H	Black/White	10860-020

TRANSLUCENT UN RATED POLY PAIL, NEW PIG

- Walls eliminate guesswork to help prevent overfilling or running out of materials
- Made from FDA-approved resins for containment of food products
- High-density polyethylene construction is strong and lightweight
- 5-gallon pail provides efficient storage and transfer of smaller quantities
- Sturdy fold-down handle makes pail easy to carry
- UN1H1/Y1.8/100



Capacity	Cat. No.
18.9 L (5 gal.)	89095-316

TIGHT-HEAD UN RATED POLY DRUM, NEW PIG

- Rigid, high-density polyethylene is lightweight and won't rust
- Compatible with a wide range of materials, liquids and chemicals
- Meets UN certifications for shipping liquids by land, sea or rail
- 360 and #176;
- Top drum chime makes drums easy to move with drum lifter or other drum handling device



Description	Capacity	Cat. No.
Drum, UN1H1/Y1.8/100	56.8 L (15 gal.)	89208-762
Drum, UN1H1/Y1.8/100	113.6 L (30 gal.)	89208-764
Drum, UN1H1/Y1.9/100	208.2 L (55 gal.)	89208-766

**TIGHT-HEAD UN RATED
POLY PAIL, NEW PIG**

- One-piece, blow-molded, high-density polyethylene construction
- Tight-head container ideal for storing liquids
- Design allows stacking, saves storage space
- UN Certification 1H1/Y1. 3/100



Capacity	Cat. No.
18.9 L (5 gal.)	56620-714

PIG® PUNCTURE REPAIR KIT, NEW PIG

- Includes wooden wedges, pegs, cones, and rubber mallet for fixing larger holes
- Fix smaller holes with PIG® Repair Putty, washers, screws, lead wool, and tape



Description	Cat. No.
Puncture Repair Kit, 43 Pieces	46000-766

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

PIG® POLY DRIP DECKS, NEW PIG

- Low-profile, 5.75"H design is easy to load or unload; pumps and funnels easy to access
- Molded-in sump catches leaks, drips and spills, keeps storage areas clean and safe
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals



Description	Load capacity	Sump capacity	Cat. No.
Holds Two 55-gal. Steel or Poly Drums	1360.8 kg (3000 lbs.)	83.3 L (22 gal.)	89208-790
Holds Four 55-gal. Steel or Poly Drums	2721.6 kg (6000 lbs.)	166.5 L (44 gal.)	89208-792

PIG® STEEL LOADING RAMP, NEW PIG

- Heavy-duty steel construction is strong and durable
- Adjustable legs for use with a range of pallet and deck heights
- Edge guards guide drum trucks and help prevent them from rolling off the sides
- Lip of ramp secures to edge of pallet or deck



Description	Cat. No.
For 4" to 5/4" H Steel or Poly Spill Containment Decks	56620-616

**PIG® POLY MODULAR
SPILL DECK, NEW PIG**

- Unique "flow-through" sump lets liquid pass freely from one sump to another to comply with containment regulations
- Bulkhead fittings and predrilled ports connect to other decks
- Mix & match sections to fit your space and help meet sump capacity requirements
- Special tools and hardware to connect sections included with each system
- Low-density polyethylene (LDPE) resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- Translucent white sidewalls allow easy visual inspection



Description	Load capacity	Sump capacity	Cat. No.
Holds One 55-gal. Steel or Poly Drum	1500 lb.	11 gal.	56620-610
Holds Four 55-gal. Steel or Poly Drums	6000 lb.	44 gal.	56620-614

**UNINSULATED BONDING/
GROUNDING WIRES, NEW PIG**

- Reduces static sparks generated by the movement and flow of flammable liquids
- Helps you meet 29 CFR 1910.106 (e)(6)(ii) for grounding and bonding when transferring Class I flammables



Description	Cat. No.
Alligator Clip Grounding End, Alligator Clip Bonding End, 91.4 cm (3')	56620-208
C-Clamp Grounding End, Hand Clamp Bonding End, 91.4 cm (3')	56620-206

MATERIAL HANDLING & STORAGE

RUBBERMAID® COMMERCIAL COMMERCIAL HEAVY-DUTY UTILITY CART

- Ergonomic push handle provides optimum control
- Molded-in storage compartments, holsters, hooks, and notches
- Molded-in customizable fittings
- High density structural resin construction
- Easy-access bottom shelf



Material	Load capacity	Depth	Casters	Color	No. of shelves	No. of wheels	Cat. No.
Structural Foam	500 lbs.	38 1/2"	Two 5" Swivel Non-Marking Casters	Beige	2	—	66005-908
Structural Foam	500 lbs.	45 1/2"	Four 8" Pneumatic Wheels	Beige	2	—	66005-920

UTILITY CARTS, RUBBERMAID COMMERCIAL

- Rounded corners to protect walls and furniture
- Lightweight and maneuverable
- 2 fixed; 2 swivel casters



Load capacity	Depth	Height	Width	Caster size	Color	No. of shelves	Weight	Cat. No.
500 lbs.	38 1/2"	38 3/4"	17 1/4"	5"	Beige	2	22 lbs.	300005-914
500 lbs.	45 1/4"	33 1/4"	25 7/8"	5"	Beige	2	41.40 lbs.	300009-774

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

TILT TRUCKS, RUBBERMAID COMMERCIAL

- Easy to handle and maneuver through commercial doorways and onto elevators
- Angled front end is designed for convenient dumping
- Inset wheels on 1/2 cu. yd. (.4 m3) and 1 cu. yd. (.8 m3) models protect walls, fixtures and patrons
- Smooth surface is easy to clean and resists pitting and corroding
- Optional domed lids available



Capacity	Load capacity	Height	Length	Width	Color	Weight	Cat. No.
1 yd³	1250 lbs.	43 3/4"	72 1/4"	33 1/2"	Black	99 lbs.	300000-190
1 yd³	850 lbs.	43 3/4"	72 1/4"	33 1/2"	Black	91 lbs.	300000-191
1/2 yd³	850 lbs.	38 5/8"	60 1/2"	28"	Black	77.20 lbs.	300000-193
1/2 yd³	450 lbs.	38 5/8"	56 3/4"	28"	Black	59 lbs.	300000-194

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

LIFT-AND-LOAD SINGLE CYLINDER HAND TRUCK, JUSTRITE®

- Built-in clamping system with welded loop chain secures the cylinder for lifting and transport
- Accepts cylinder sizes from 102 to 305 mm (4 to 12") in diameter
- Fully welded construction, protected with durable, corrosion-resistant, red powder-coat finish



Capacity	Load capacity	Depth	Height	Width	Color	Weight	Cat. No.
1 Cylinder (4 - 12" dia.)	1000 lbs.	20"	56"	22"	Red	69 lbs.	76292-516

GAS CYLINDER CART, JUSTRITE®

- Carts include two 102 mm (4") locking swivel casters and two fixed direction casters for movement of cylinders with ease
- Exclusive bumper guard edging with steel reinforced vinyl protects cylinders from damage, while providing extra grip
- Heavy-duty 38x1372 mm (1.5x54") polypropylene support straps, rated at 516 kg (1138 lbs.)
- Straps feature steel cinch buckle and hold individual cylinders securely to prevent tipping



Capacity	Load capacity	Depth	Height	Width	Color	Weight	Cat. No.
4 Cylinders (4 - 12" dia.)	1600 lbs.	40"	31"	24"	Gray	133 lbs.	76292-518
6 Cylinders (4 - 12" dia.)	2000 lbs.	52"	36"	24"	Gray	163 lbs.	76292-520

DRUM HANDLING TRUCKS, HARPER TRUCKS

- Design enables one person to quickly, easily and safely move drums weighing up to 1000 or 1200 lbs.
- Lifting toes create a cradle for easy break-over
- Handles drums from 21 to 43 inches high
- Replaceable chime hook and lifting toes ensure a long product life
- Spring-loaded swing axle keeps truck in upright position when not in use
- Also available with WH87 and WH89P wheels



Description	Load capacity	Height	Width	Color	Wheel diameter	Weight	Cat. No.
Truck with Mold-On Rubber Wheels	1200 lbs.	60"	24 1/2"	Harper Green	10"	48 lbs.	300068-634
Truck with Polyolefin Wheels	1200 lbs.	60"	24 1/2"	Harper Green	10"	38 lbs.	300079-786
Truck with Mold-On Rubber Wheels	1200 lbs.	60"	24 1/2"	Harper Green	10"	52 lbs.	300079-788

SERIES 600 TRUCKS, HARPER TRUCKS

- Available in two and four wheel models and is designed to handle heavy CRYOGENIC LIQUID GAS CYLINDERS
- This larger sized frame and repositioned front wheels which allow secure handling without excessive force
- The 650A50-51 is designed to handle larger 20" -26" diameter liquid gas cylinders
- This model equipped with the QUAD Hook will handle a wide variety of large gas cylinders
- Newly designed single hook adjusts from 50" to 60" in height which makes it more versatile for handling a variety of cylinder types
- All available with pneumatic or mold on rubber tires



Load capacity	Height	Width	Color	Wheel diameter	Weight	Cat. No.
870 lb	59 in	28 in	Harper Green	16 in, 10 in	83 lb	300008-179
900 lb	59 in	23 1/2 in	Harper Green	10 in	69 1/2 lb	300068-610

WIDE-MOUTH SAFETY DRUM FUNNELS, JUSTRITE®

- Funnel has brass fill tube that directs flow to drum bottom, reducing splashing and vapors
- Larger funnels accept a lock to prevent unauthorized access



Description	Capacity	Dimensions	Cat. No.
Drum Funnel with Tip-Over Protection System	9.8 L (2.6 gal.)	27.3 Dia.x25.4 H cm (10 ³ / ₄ x10)"	56610-000
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia.x25.4 H cm (10 ³ / ₄ x10)"	56610-501
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia.x25.4 H cm (10 ³ / ₄ x10)"	56610-526
Drum Funnel	9.8 L (2.6 gal.)	27.3 Dia.x25.4 H cm (10 ³ / ₄ x10)"	56610-528

PIG® BURPLESS® ONE-HAND-SEALABLE STEEL DRUM FUNNEL, NEW PIG

- Lockable to prevent unauthorized access
- Suitable for 5 to 55 gal steel drums and pails with 2" NPT
- Durable, chemical-resistant powder coat helps ensure long service life



Description	Cat. No.
PIG® Burpless® One-Hand-Sealable Steel Drum Funnel	89073-811

Description	Cat. No.
Accessories For Steel Drum Funnels	56620-606

DRUM GAUGE, JUSTRITE™

- When drum is almost full, indicator pops up
- Nonmetallic 12.7 cm (5") long gauge fits 1.9 cm (3/4") bung



Description	Cat. No.
Drum Gauge	56610-506



AEROSOLV® RECYCLING SYSTEM AND COMPONENTS, JUSTRITE®

- Save thousands of dollars on hazardous waste disposal costs
- Turn aerosolv cans into recyclable steel; save on landfill space for a cleaner environment
- The only system certified by the United States Environmental Protection Agency

Description	Cat. No.
Aerosolv® Super System with Counter	75870-988

CYLINDER LOCKERS, JUSTRITE™

- Sloped roof to shed water and ice
- Solid top to reinforce stability
- Warning and full/empty cylinder labels
- Extruded framework for extra strength
- Padlock lug for security
- Pre-drilled holes at each corner for anchoring



Description	Capacity	Depth	Height	Width	Shipping weight	Cat. No.
6 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	49 ¹ / ₂ "	32"	30"	97 lbs.	56609-688
12 Cylinder Horizontal Locker	20 lbs. or 33 lbs. Cylinders	49 ¹ / ₁₀ "	32"	60"	178 lbs.	56609-692
5-10 Cylinder Vertical Locker	Up to 10 Compressed Gas Cylinders	65"	32"	30"	102 lbs.	56609-696
10-20 Cylinder Vertical Locker	Up to 20 Compressed Gas Cylinders	32"	65"	60"	187 lbs.	56609-698

VWR® SAFETY CABINETS FOR FLAMMABLES AND CORROSIVES



- Fully welded, 18-gauge double-wall construction for fire protection
- Upper and lower diametrically opposed side vents
- All models fire tested and approved by FM Global

Depth	Height	Width	Color	Door type	No. of shelves	Cat. No.
30 Gallon Flammable Storage						
18"	44"	43"	Yellow	Bi-Fold	1	89522-618
18"	44"	43"	Yellow	Manual	1	89522-620
18"	44"	43"	Yellow	Self Close	1	89522-616
45 Gallon Flammable Storage						
18"	65"	43"	Yellow	Bi-Fold	2	89522-624
18"	65"	43"	Yellow	Manual	2	89522-626
18"	65"	43"	Yellow	Self Close	2	89522-622
60 Gallon Flammable Storage						
34"	65"	34"	Yellow	Bi-Fold	2	89522-630
34"	65"	34"	Yellow	Manual	2	89522-632
34"	65"	34"	Yellow	Self Close	2	89522-628

EMERGENCY PREPAREDNESS CABINETS, JUSTRITE™



- Fire resistant design with durable powder print "emergency orange" finish for high visibility
- GloAlert™ glow-in-the-dark labels ensure fast location during power outages
- Spacious design includes four adjustable shelves, providing dependable storage for flashlights, radios, respirators, first aid items, and much more

Description	Cat. No.
Emergency Preparedness Cabinet	89209-856
Emergency Preparedness Cabinet with PowerPort™ Electrical Pass-Through Connection, External 9 Foot Power Cord and 10 amp Rated, 6-Outlet Power Strip with 38" Cord, for Charging Walkie Talkies, Flashlights, etc. Inside the Cabinet	89209-858

EN FIRE-RATED SAFETY CABINETS, JUSTRITE



- Hybrid-close door action; manual close doors stop in any position, but self-close in the event of a fire to protect contents
- Cabinets are supplied with 3 adjustable shelves

Description	Capacity	Color	Cat. No.
30-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-740
30-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-742
90-Minute, 30-Gallon EN Safety Storage Cabinet	30 gal.	Yellow	10803-744
90-Minute, 45-Gallon EN Safety Storage Cabinet	45 gal.	Yellow	10803-746



SURE-GRIP® EX DRUM STORAGE CABINETS, JUSTRITE™

- Exclusive Sure-Grip® EX features include U-Loc™ handles that include two keys and accept padlocks
- Haz-Alert™ reflective exterior labeling for easy identification in fire conditions or power outages
- Galvanized steel SpillSlope™ shelves safely direct all spills to the 5.1cm (2") leakproof sump

Description	Capacity	Depth	Height	Width	Color	Door type	No. of drums	Shipping weight	Cat. No.
Horizontal Cabinets	53 gal.	48"	50"	30"	Yellow	Manual	1	355 lbs.	97001-374
Horizontal Cabinets	53 gal.	48"	50"	30"	Yellow	Self-Close	1	364 lbs.	97001-376
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Manual	1	375 lbs.	97001-404
Vertical Cabinets	53 gal.	34"	65"	34"	Yellow	Self-Close	1	375 lbs.	97001-408
Vertical Cabinets	106 gal.	34"	65"	59"	Yellow	Manual	2	591 lbs.	97001-414
Flammable Waste Cabinets	106 gal.	34"	65"	59"	White	Manual	2	615 lbs.	97001-416
Flammable Waste Cabinets	53 gal.	34"	65"	34"	White	Manual	1	405 lbs.	97006-136

Captures toxic fumes 24/7



HALO SMART PROFESSIONAL LABORATORY GRADE AIR PURIFIERS

- Autonomous filtration unit no HVAC connection required
- Real time room and system monitoring technology
- Simple to install
- Ceiling mounted, does not take up floor space
- Captures chemical emissions and aerosolized contaminants at the source

HALO SMART reduces propagation of all chemicals, viruses, and bacterial pollutants. The Halo works with 2 filter types, carbon filtration powered by neutrodine technology®, and particulate HEPA H14, or ULPA U17 filters. Halos can be installed in any room to provide optimal protection.

Specifications:

Electrical	90-240V, 50-60Hz
Coverage Area	250 Sq. Ft.
Energy Consumption	50W
Airflow	135 CFM

Description	Cat. No.
HALO Smart P Medical Grade Air Purification System	76460-882

HALO SMART C LABORATORY AIR FILTRATION SYSTEM

Each Halo is designed to effectively clean 250sq. ft. of space. There is no need for any HVAC additions or upgrades as each Halo is an independent system, taking polluted laboratory air, capturing the molecules and circulating clean purified air back into the laboratory. Each Halo comes with Erlab's state-of-the-art filters.



Description	Cat. No.
Halo Smart chemplus acids with chemplus filter	76202-616
Halo Smart chemplus solvents with chemplus filter	75784-652
Halo Smart formaldehyde with formaldehyde filter	76202-618
Halo Smart VOC with VOC Filter	75784-654

VWR spill control products

We offer multiple options to help keep your areas and workers safe. Use the guide below to understand the VWR spill control product features.

	Product Type	Intended Use	VWR Product Series
	<p>General-Purpose pads and rolls</p>	<p>Soaks up leaks and spills fast. Can absorb water-based liquids, petroleum products, and solvents</p>	<p>82028-028</p>
	<p>Oil-Only pads and rolls</p>	<p>Ideal for catching drips and soaking up spills. Can absorb oil and fuels, but not water. Visual saturation levels.</p>	<p>82028-020</p>
	<p>Hazmat pads</p>	<p>Great for small spills, lining benches and fume hoods</p>	<p>82028-024</p>
	<p>Hazmat rolls</p>	<p>Ideal for covering larger areas and soaking up leaks and overspray</p>	<p>82028-026</p>
	<p>Hazmat pillows</p>	<p>Large surface area and sorbent filler handles large spills quickly</p>	<p>89169-002</p>
	<p>Hazmat socks</p>	<p>Can shape or mold in areas like corners and walls to absorb and contain liquids from spreading to larger areas</p>	<p>89169-000</p>
	<p>Hazmat lab spill kit</p>	<p>Includes pads, socks, nitrile gloves, safety goggles and water-resistant yellow bag with tie</p>	<p>89168-998</p>

SPILLSOLV® LABORATORY SPILL KITS, MILLIPORESIGMA

- Agents are formulated to rapidly clean up chemical spills and vapors
- Each bottle has a convenient dispensing cap for shaking or pouring



Description	Cat. No.
Six Replacement Bottles for Acid, Caustic, Solvent Spills	EMD-SX1300R-1
Six Replacement Bottles for Acid Spills	EMD-SX1310R-1
SpillSolv® Multipurpose Kit for Acid, Caustic, Solvent Spills	EM-SX1300-1
SpillSolv® Acid Spill Kit for Acid Spills	EM-SX1310-1
SpillSolv® Caustic Spill Kit for Caustic Spills	EM-SX1320-1
SpillSolv® Mercury Spill Kit for Mercury Spills	EM-SX1350-1

SPILL CLEAN-UP CENTERS AND KITS, J.T. BAKER®

- To neutralize, clean up, and safely dispose of acid and flammable solvent spills
- NEUTRASORB provides rapid, controlled neutralization of concentrated acids, and visible color change as indication of complete neutralization
- SOLUSORB reacts immediately with the solvent, reducing solvent vapors and raising the flash point of the mixture
- Supplied with the appropriate neutralizer, safety glasses, scoops, gloves, disposal bags and ties, and labels replacement kits, available separately



Description	Cat. No.
SAF-T-SPILL™ Acid Spill Kit and Components (NEUTRASORB®)	JT4442-2
SAF-T-SPILL™ Solvent Spill Kit and Components (SOLUSORB®)	JT4437-2

PIG® LAB AND CHEMICAL CLEANUP KITS, NEW PIG

- Compact design lets you store a spill kit virtually anywhere you need one for fast response
- Easy-open, resealable bag protects kit contents from dirt and moisture

Description	Details	For use with	Absorbency	Packaging	Cat. No.
PIG® Lab and Chemical Cleanup Kit	3x10x13" PIG® HazMat Chemical Absorbent Mat Pad; 1x3.5 oz. Acid Encapsulating/Neutralizing Absorbent; 1x 3.5 oz. Base Encapsulating/Neutralizing Absorbent; 1x Disposable Scoop and Scraper; 1x 9.25x13x4" Bag Single Use - Lab and Chemical Cleanup Kit; 1x 12" L SHOWA NITRI-DEX® Nitrile Gloves ; 1x18x30" Polyethylene Disposal Bags	Acids, bases, unknowns	Up to 25.2 oz. per kit	Single kit	76326-534
PIG® Lab and Chemical Cleanup Kit	30x10x13" PIG® Absorbent Mat Pad; 10x3 oz. PIG® Sheen Clean® Loose Absorbent; 10x9.25x13x4" Bag Single use - Blood, Vomit and Urine Cleanup Kit; 10x 12" L SHOWA NITRI-DEX® Nitrile Gloves (GLV970-XL); 10x Biohazard Waste Bag; 10x Disposable Scoop and Scraper	Acids, bases, unknowns	Up to 1.9 gal. per case	10 kits/case	76326-536



PIG® SPILL KIT IN BUCKET, NEW PIG

- Prepacked container provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- Tamper-proof seals help prevent pilfering of spill response supplies
- Use as refill for wall-mount holder (sold separately)
- No wheels



Capacity	Cat. No.
Up to 15.1 L (4 gal.)	56620-414

PIG® HAZMAT SPILL KIT IN EXTRA-LARGE RESPONSE CHEST, NEW PIG

- Prepacked chest provides easy access to contents
- Large, color-coded label makes identification fast and accurate
- Tamper-proof seals help prevent pilfering of spill response supplies
- Four-way forklift entry for easy moving



Description	Cat. No.
Spill Kit, 5" Rubber Wheels	56620-462

PIG® HAZMAT YOU-SUPPLY-THE-DRUM SPILL KIT, NEW PIG

- Temporary disposal bags help make cleanup easier
- Includes "Spill Kit" decals for easy identification



Capacity	Cat. No.
Up to 128.7 L (34 gal.)	56620-452

SPILL CONTROL & WASTE DISPOSAL

PIG® HAZMAT ECONOMY SPILL KITS IN DUFFEL BAG, NEW PIG

- Rugged duffel bag is packed with four kits
- Absorb spills, then keep the bag
- Makes a great vehicle spill kit



Capacity	Cat. No.
Absorbs up to 75.7 L (20 gal.)	56620-492

SPILFYTER® HAZMAT CLEANROOM SPILL KIT, NPS CORP

- Built-in disposal container in manageable, lightweight size
- Ideal for labs and cleanroom environments



Description	Absorbency	Color	Cat. No.
Spilfyter® HazMat Drum Spill Kit	10 gal.	White	15551-792

ALL-PURPOSE SPILL CLEAN UP BAG, SPILL MAGIC

- 12 oz. bag of absorbent powder
- Quick and easy to use
- Non-toxic
- Absorbs spill instantly leaving the surface clean and dry
- For any spill (except Hydrofluoric Acid)
- Single use plastic bag for one time clean up



Description	Length	Width	Packaging	Weight	Cat. No.
Absorbent Powder	11.25"	2"	Bag	12 oz.	76327-186

SPILFYTER® CHEMICAL SPILL CENTER

- Space-saving cabinet contains emergency response products and protective gear
- Provides quick response capability for liquid spills
- Cabinet measures 15⁵/₈ Wx18¹/₂ Hx9¹/₈ D"



Description	Cat. No.
Chemical Spill Center	56609-224

UNIVERSAL PLUS SPILL RESPONSE KIT, 2 GALLON, BRADY®

- This 2-gallon universal absorbent spill kit is ideal for small spill responses
- Kit includes 2 gallon container, 20 pads, 1 bag, tie, a pair of gloves, goggles, and instruction sheet



US ONLY

Description	Absorbency	Cat. No.
Portable Spill Kit	4.5 gal.	10796-470

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

SPILFYTER® MERCURY SPILL KIT, NPS

- Kit includes MERCSORB® amalgamation powder for absorbing mercury droplets plus mercury indicator powder to identify the presence of mercury in suspected contaminated areas
- Mercury indicator powder changes color from yellow to brown upon contact with mercury metal or vapor



Description	Cat. No.
Mercury Spill Kit	56609-203

SPILFYTER® CHEMICAL CLASSIFIER STRIPS, NPS

- Strips simultaneously test for acid/base, oxidizer, fluoride, petroleum product/organic solvent, and iodine/bromine/chlorine risks
- Laminated chemical classifier chart determines possible presence of chemical types according to color changes in strip



Description	Cat. No.
Chemical Classifier Strips Only	15552-166
Chemical Classifier Kit	56609-230
Chemical Classifier Color Chart	56609-254
Chemical Classifier Strips Only	56616-372



PIG® HAZMAT MAT PAD, NEW PIG

- Absorbs the widest range of acids, bases and unknown liquids, even 98% sulfuric acid and 30% sodium hydroxide
- Chemical resistant, won't degrade or cause reaction upon contact with corrosive spills
- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue

Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1x50.8 cm (15x20")	200 Pads	56620-688
Heavyweight	38.1x50.8 cm (15x20")	100 Pads	56220-194



PIG® UNIVERSAL PADS AND ROLLS, NEW PIG

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and a broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid
- Can be incinerated after use to reduce waste

Description	Capacity	WxL	Weight	Cat. No.
Lightweight Pads	83.3 L (22 gal.)	38.1x50.8 cm (15x20")	7.7 kg (17 lbs.)	56620-034
Heavyweight Roll	152.2 L (40.2 gal.)	76.2 cmx45.7 m (30"x150')	13.6 kg (30 lbs.)	56620-040



PIG® ABSORBENT MAT PADS, NEW PIG

- Polypropylene (made with 50% recycled content) soaks up and retains liquids
- Dimpled for quicker absorption of water-based liquids, petroleum products, solvents, and broad range of chemicals
- Choose light, medium, or heavyweight depending on the amount of liquid you need to absorb
- Can be incinerated after use to reduce waste

Description	Dimensions	Packaging	Cat. No.
Heavyweight	38.1x50.8 cm (15x20")	50 Pads	56620-726
Heavyweight	76.2x76.2 cm (30x30")	50 Pads	56620-544
Heavyweight	38.1x50.8 cm (15x20")	100 Pads	56620-032
Mediumweight	38.1x50.8 cm (15x20")	125 Pads	56620-044



PIG® ABSORBENT MAT PADS IN DISPENSER BOX, NEW PIG

- Eight-layer pads and rolls combine grip and strength to reduce slip hazards and keep floors clean
- Dispenser box makes it easy to take, carry and store mats while protecting from dirt and moisture

Description	Dimensions	Packaging	Cat. No.
Lightweight	38.1x50.8 cm (15x20")	200 Pads	56620-556
Mediumweight	38.1x50.8 cm (15x20")	100 Pads	89073-820
Mediumweight	38.1x50.8 cm (15x20")	125 Pads	89073-814
Heavyweight	25.4x33 cm (10x13")	100 Pads	94001-112
Heavyweight	38.1x50.8 cm (15x20")	100 Pads	46000-492

Designed specifically for acids, bases and corrosives

PIG HAZMAT ABSORBENTS

SAFELY ABSORBS HIGH CONCENTRATIONS LIKE 98% SULFURIC ACID AND 30% SODIUM HYDROXIDE.

- Chemical-resistant mat won't degrade or cause a dangerous reaction upon contact with corrosive liquids
- Won't rip, tear or fray even when saturated
- Liquids absorb quickly for faster, easier cleanups and safer workplaces
- High-viz pink color is designated for hazardous chemicals and easy to identify in a spill emergency or cleanup

Safely soak up acids, bases, corrosives and hazardous chemical spills with our HazMat absorbents.

Description	Size, in.	Package	Cat. No.
PIG HazMat Absorbent Pads	15 x 20	100 Heavyweight Pads	56220-194
PIG HazMat Absorbent Pads in a Dispenser box	15 x 20	100 Heavyweight Pads	89094-218
PIG HazMat Absorbent Roll	30 x 150	1 Heavyweight Roll	56620-086



SCIENCEWARE® LABMAT™ BENCH LINER, BEL-ART

- Disposable
- Supplied in dispenser carton
- Absorbent upper surface and flexible plastic non-skid backing
- Roll length: 15.2 m (50')



Description	Cat. No.
Safety Orange, Biohazard Designated, 50 ft. roll	13196-048
White Cut Sheets, Box of 100, 50.8x61 cm (20x24")	47727-664
White Labmat Liner, 50 ft. roll	54110-300



HIGH VISIBILITY ABSORBENT MAT PAD, PIG®

- High-visibility yellow color
- Won't rip, tear or fray even when saturated
- Absorbs most common industrial liquids



Description	Dimensions	Absorbency	Cat. No.
PIG® High-Visibility Absorbent Mat Pad	15" Wx20" L	Up to 22 gallons per bag	10860-054

PIG® BARREL TOP ABSORBENT MAT, NEW PIG

- Absorbs and retains oils, coolants, solvents, and water
- Dark gray color hides grime, so mat stays on the job longer
- Fits 55-gallon steel drum tops; pre-cut with holes for 3/4" and 2" bungs to provide a perfect fit
- Dispenser box makes it easy to carry and store mats while protecting them from dirt and moisture
- Heavyweight construction is highly durable and absorbent to handle pump drips and dispensing spills

Description	For use with	Packaging	Cat. No.
Lightweight	For 55-Gallon Steel Drum	25 Pads	56620-678
Heavyweight	For 30-Gallon Steel Drum	25 Pads	89073-834
Heavyweight	For 55-Gallon Steel Drum	25 Pads	56620-036
Heavyweight	For 55-Gallon Steel/Poly Drum	25 Pads	89073-836

PIG® HAZMAT MAT ROLL, NEW PIG

- Absorbs the widest range of acids, bases and unknown liquids, even 98% sulfuric acid and 30% sodium hydroxide
- Chemical resistant, won't degrade or cause reaction upon contact with corrosive spills
- Eight layers of 100% polypropylene are thermally bonded; won't rip, tear or fray even when saturated
- Dimple pattern speeds wicking for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue



Description	Dimensions	Cat. No.
Lightweight	76.2 cmx91 m (30x300)"	89205-910
Heavyweight	76.2 cmx46 m (30x150)"	56620-086

SPILFYTER® HANDS-IN-BAG® ATMOSPHERIC CHAMBERS

- Made of 3mil, high-clarity polyethylene
- Chambers have two or four inlets per side
- Listed dimensions refer to uninflated chambers



Description	Volume	Opening dimensions	Overall dimensions	Max. working pressure	Cat. No.
4-Hand Chamber	500 l (17.65 cu. ft.)	76.2 cm (30")	147.3Lx114.3W cm (58x45")	690341	15552-194
2-Hand Chamber	520 L (18.36 cu.ft.)	91.4 cm (36")	147.3Lx129.5W cm (58x51")	690321	56616-258

SPILFYTER® KOLLECT-A-KEM® H-TECH LIQUID SORBENT PADS AND PILLOWS, NPS

- Low-linting polypropylene fabric rapidly collects essentially all chemicals, acids, or combinations (including water and hydrofluoric acid)
- Soaks up 8 to 10 times its weight in most tough chemicals
- Material will not disintegrate and can be burned, leaving little ash



Description	Size	Cat. No.
2-Ply Pads	45.7x45.7 cm (18x18)"	56609-223
Pillows	21.6x21.6 cm (8 1/2 x 8 1/2)"	56616-342
Pillows	21.6x44.5 cm (8 1/2 x 17 1/2)"	56616-344



PIG® HAZMAT CHEMICAL ABSORBENT SOCK, NEW PIG

- Made of 100% chemical-resistant skin and fast-wicking filler

Capacity	Dimensions	Packaging	Cat. No.
Absorbs up to 3 L (100 oz.) per Sock	7.6x116.8 cm (3x46")	12 Socks	56620-082
Absorbs up to 7.6 L (2 gal.) per Sock	7.6 cmx3 m (3"x10')	6 Socks	46000-772

PHENOLIC FOAM SPILL CONTROL PILLOWS, NPS

- Able to absorb 98% of their capacity in 30 seconds
- Pillows absorb a total of 10 to 20 times their weight of almost any liquid
- Treat through elution, evaporation, or incineration in accordance with local regulations



Dimensions	Absorbency	Cat. No.
21.6x21.6 cm (8 1/2 x 8 1/2")	0.51-0.69 L (0.14-0.18 gal.)	56616-330
21.6x43.1 cm (8 1/2 x 17")	1.6-2.2 L (0.43-0.58 gal.)	56609-220



ALLWIK® UNIVERSAL ABSORBENT SOCKS, BRADY® SPC® ABSORBENTS

- Moldable SOCs wrap around machinery and conform to uneven surfaces to prevent leaks from reaching walkways
- Highly versatile, gray absorbents pick up water-based, petroleum-based, and non-aggressive chemical fluids
- Gray color masks spills and stains, helping users resist the urge to pick up the absorbent before it is fully saturated
- Made of all-purpose polypropylene, suitable for most industrial applications

Description	Diameter	Length	Color	Cat. No.
ALLWIK® Universal Absorbent Socks	3"	12'	Gray	10810-746

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



MAINTENANCE SPILL BERM, JUSTRITE

- No assembly required; simply unfold and use
- Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp
- Walls quickly spring back into place with no memory loss

Description	Ext. dimensions	Cat. No.
Spill Berm	36 Wx4 Hx60 L"	10861-176



NONMETALLIC LIQUID DISPOSAL CANS, JUSTRITE®

- High-density polyethylene cans safely contain corrosives or liquid flammable wastes
- Flame arrester guards against outside ignition
- Built-in carbon insert provides grounding path
- Large openings are strategically placed for controlled filling and pouring
- Fixed-position handle keeps lid open for easier pouring
- When closed, lid automatically vents at 5psig
- FM approved

Capacity	O.D.xH	Cat. No.
18.9 L (5 gal.)	30.5x50.8 cm (12x20)"	56609-187
7.6 L (2 gal.)	30.5x37.5 cm (12x14 ^{3/4})"	56610-174

Description	Cat. No.
Accessories	
Stainless Steel Flame Arrester	56609-751



CENTURA® PREFABRICATED QUICK-DISCONNECT SAFETY DISPOSAL CANS, JUSTRITE®

- Provide convenient, hands-free system for safe collection, transfer, and disposal of HPLC solvents
- Durable polyethylene safety cans are suitable for pump-fed or gravity-flow waste methods
- Safeguard against accidents and increase vapor and fire protection
- Outfitted with quick-disconnect intake and vapor release fittings
- Compliant with OSHA 29 CFR 1910.106; EPA 40 CFR 264.173
- FM approved

Capacity	Dimensions	O.D.xH	Liquid intake fitting/O-ring material	Vapor release fitting/O-ring material	Shipping weight	Cat. No.
Round Safety Disposal Cans						
7.6 L (2 gal.)	30.5O.D.x37.5H cm (12x14 ^{3/4})"	30.5x37.5 cm (12x14 ^{3/4})"	Stainless Steel/Fluoropolymer Resin	Stainless Steel/Fluoropolymer Resin	3.2 kg (7 lbs.)	37001-286
18.9 L (5 gal.)	30.5O.D.x50.8H cm (12x20)"	30.5x50.8 cm (12x20)"	Stainless Steel/Fluoropolymer Resin	Stainless Steel/Fluoropolymer Resin	4.5 kg (10 lbs.)	37001-288
7.6 L (2 gal.)	30.5O.D.x37.5H cm (12x14 ^{3/4})"	30.5x37.5 cm (12x14 ^{3/4})"	Polypropylene/EPDM	Polypropylene/EPDM	3.2 kg (7 lbs.)	55100-020
18.9 L (5 gal.)	30.5O.D.x50.8H cm (12x20)"	30.5x50.8 cm (12x20)"	Polypropylene/EPDM	Polypropylene/EPDM	4.5 kg (10 lbs.)	55100-022
7.6 L (2 gal.)	30.5O.D.x37.5H cm (12x14 ^{3/4})"	30.5x37.5 cm (12x14 ^{3/4})"	Stainless Steel/Fluoropolymer Resin	Polypropylene/EPDM	4.5 kg (10 lbs.)	82003-632
18.9 L (5 gal.)	30.5O.D.x50.8H cm (12x20)"	30.5x50.8 cm (12x20)"	Stainless Steel/Fluoropolymer Resin	Polypropylene/EPDM	4.5 kg (10 lbs.)	82003-634
Oval Safety Disposal Can						
3.8 L (1 gal.)	19.4Hx11.7Wx32.4D cm (7 ^{5/8} x4 ^{5/8} x12 ^{3/4})"	32.4x19.4 cm (12 ^{3/8} x7 ^{5/8})"	Polypropylene/EPDM	Polypropylene/EPDM	1.4 kg (3 lbs.)	82013-208

Description	Cat. No.
Accessories	
Coalescing/Carbon Filters For Cans with Polypropylene Vapor Release Fitting	82001-070
Coalescing/Carbon Filters For Cans with Stainless Steel Vapor Release Fitting	82001-072
Coalescing/Carbon Filters Carbon Filter Replacements	82001-075
HPLC Manifold Kit	82017-696

OILY WASTE CANS, JUSTRITE®

- Can be operated by hand or foot-lever opening device
- Lid closes automatically when not in use
- Round construction and elevated bottom encourage circulation of air
- One-piece cover facilitates use of collection bags
- Steel construction with powder coat paint finish



Description	Capacity	Dimensions	Color	Cat. No.
Oily Waste Can with Foot-Operated Cover	22.7 L (6 gal.)	30.1O.D.x40.3H cm (11 ⁷ / ₈ x15 ⁷ / ₈)"	Red	56610-539
Oily Waste Can with Foot-Operated Cover	37.9 L (10 gal.)	35.3O.D.x46.3H cm (13 ¹⁵ / ₁₆ x18 ¹ / ₄)"	Red	56610-541
Oily Waste Can with Foot-Operated Cover	79.5 L (21 gal.)	46.6O.D.x59.5H cm (18 ³ / ₈ x23 ³ / ₁₆)"	Red	56610-540
Oily Waste Can with Hand-Operated Cover	10 gal.	35.4O.D.x46.4H cm (13 ¹⁵ / ₁₆ x18 ¹ / ₄)"	Red	10836-818

NALGENE® BIOHAZARDOUS WASTE CONTAINERS, THERMO SCIENTIFIC

- Convenient one-step sterilization, with no need to remove autoclavable bag
- Port opening in cover allows convenient one-handed disposal of materials, limiting exposure to infectious waste
- Holds standard-size autoclavable bags
- Red universal biohazard symbol is molded in English and Spanish
- Leakproof side and bottom construction



Capacity	Dimensions	Cat. No.
5.5 L (1.5 gal.)	21O.D.x26.7H cm (8 ¹ / ₄ x10 ¹ / ₂)"	16211-136
18.9 L (5 gal.)	27.9O.D.x38.1H cm (11x15)"	16211-134
56.8 L (15 gal.)	33O.D.x68.6H cm (13x27)"	16211-138

TERMINAL® BIOHAZARD BENCHTOP KEEPER™ CONTAINERS, WHITNEY PRODUCTS

- For collection of biohazardous items such as pipet tips, petri dishes, test tubes, and slides
- Sturdy, plastic-lined paperboard construction
- Leak-resistant and autoclavable



Capacity	Dimensions	Cat. No.
1.4 L (47.3 oz.)	10.2Lx10.2Wx17.8H cm (4x4x7)"	11214-708
3 L (101.4 oz.)	15.2Lx15.2Wx25.4H cm (6x6x10)"	11214-711

TERMINAL® SAFE KEEPER™ WASTE CONTAINER, WHITNEY PRODUCTS

- Equipped with reinforced hole for wall-hanging
- Completely closed bottom to avoid leakage
- Self-adhesive hook is included in each case
- Constructed of sturdy, plastic-lined paperboard for leak resistance
- Autoclavable



Description	Capacity	LxHxW	Cat. No.
Terminal Safe-Keeper Container	1.1 L (37.2 oz.)	14.6x27.9x5.1 cm (5 ³ / ₈ x11x2")	11214-717

BIOHAZARD WASTE CANS, JUSTRITE®

- Cans are designed for the safe, temporary collection of biological waste



Description	Capacity	Cat. No.
Biohazard Waste Can, 6G Red	6 gal.	10836-824
Biohazard Waste Can, 10G Red	10 gal.	10836-912
Biohazard Can, 10G White with Soundguard	10 gal.	10836-914



BIOHAZARDOUS WASTE CANS, EAGLE MFG

- Meets OSHA requirements for exposures to bloodborne pathogens
- Red color with biohazard symbol

Model	Capacity	Height	Color	Weight	Cat. No.
943BIO	22.8 L (6 gal.)	40.7 cm (16")	Red	4.1 kg (9 lbs.)	56610-177
947BIO	53 L (14 gal.)	53.4 cm (21")	Red	7.3 kg (16 lbs.)	56610-181
945BIO	37.9 L (10 gal.)	45.8 cm (18")	Red	6.4 kg (14 lbs.)	56610-226

SPILL CONTROL & WASTE DISPOSAL

LABORATORY SAFETY CANS, EAGLE MANUFACTURING

- Flame arrester reduces the possibility of ignition of flammable liquid vapors
- Spout cap with nitrile rubber gasket ensures a leakproof seal
- Electrically welded construction
- Oval shape conserves space
- Rolled edge pour spout



Material	Capacity	Height	Cat. No.
Type 316 Stainless Steel	3.8 L (1 gal.)	33 cm (13")	56609-970

LIQUID DISPOSAL SAFETY CANS, JUSTRITE®

- An ideal solution for the containment of liquid flammable or corrosive waste
- Current-carrying, patented carbon insert embedded in the container for proper grounding



Description	Capacity	Cat. No.
Disposal Can, 2G Poly With Gauge	2 gal.	10836-902
Disposal Can, 5G Poly With Gauge	5 gal.	10836-904

NONMETALLIC SELF-CLOSING LABORATORY CONTAINERS, JUSTRITE®

- Specially designed to resist acids and caustics
- Translucent, high-density polyethylene containers are marked in liters, quarts, and gallons for accurate filling and dispensing
- Spring-closing cap provides tight seal



Shape	Capacity	Dimensions	O.D.xH	Cat. No.
Round	9.5 L (2.5 gal.)	27.3O.D.x36.1H cm (10 ³ / ₄ x14 ¹ / ₄ "	27.3x36.1 cm (10 ³ / ₄ x14 ¹ / ₄ "	56610-192

TYPE I NONMETALLIC SAFETY CANS, JUSTRITE®

- Inert and resistant to tough acids, corrosives, and heat
- Feature dual-density flame arrester, self-closing cap, and pressure relief mechanism
- Current-carrying carbon insert imbedded in the can provides proper grounding
- Insert prevents the creation of arc during filling or pouring
- All cans are FM approved
- Round cans are UL and C-UL listed

Shape	Capacity	Dimensions	O.D.xH	Cat. No.
Oval	1.9 L (0.5 gal.)	11.7Wx19.4Lx24.1H cm (4 ⁵ / ₈ x7 ⁷ / ₈ x9 ¹ / ₂ "	—	56609-592
Oval	3.8 L (1 gal.)	11.7Wx19.4Lx32.4H cm (4 ⁵ / ₈ x7 ⁷ / ₈ x12 ³ / ₄ "	—	56609-594
Round	9.5 L (2.5 gal.)	27.3 O.D.x36.2H cm (10 ³ / ₄ x14 ¹ / ₄ "	27.3x36.2 cm (10 ³ / ₄ x14 ¹ / ₄ "	56609-595
Round	18.9 L (5 gal.)	32.4 O.D.x40.6H cm (12 ³ / ₄ x16"	32.4x40.6 cm (12 ³ / ₄ x16"	56609-621

BEL-ART DISPOSAL CARTON FOR GLASS, SP SCIENCEWARE

- Sturdy design
- Packaged flat and easy to assemble
- Corrugated cardboard construction
- Supplied with polyethylene bag



Model	LxWxH	Cat. No.
Benchtop	20x20x25 cm (8x8x10")	30617-648

VWR® BIOHAZARD INCINERATOR CARTONS

- Allows safe, convenient disposal and incineration of biohazardous waste
- Negates the need to transfer contents
- The snug-fitting lid has a flap for easily inserting waste material



Description	Dimensions	Cat. No.
Floor Incinerator Carton	30.5Lx30.5Wx68.5H cm (12x12x27")	56617-807
Benchtop Incinerator Carton	20.3Lx20.3Wx25.4H cm (8x8x10")	56617-810

VWR® BROKEN GLASS DISPOSAL CARTONS

- Easy to Assemble
- Disposable Cardboard Construction
- Safe and Convenient Disposal of Broken Glassware
- Color-Coded Lids



Description	Dimensions	Cat. No.
Benchtop Disposal Carton	20.3Lx20.3Wx25.4H cm (8x8x10")	56617-804
Floor Disposal Carton	30.5Lx30.5Wx68.5H cm (12x12x27")	56617-801

VWR® AUTOCLAVABLE BAGS, NONHAZARDOUS WASTE

- High-integrity polypropylene
- Superior tear resistance
- Welded seals



WxH	Cat. No.
20.3x30.5 cm (8x12")	14220-036
35.6x48.3 cm (14x19")	14220-038
48.3x58.4 cm (19x23")	14220-040
63.5x88.9 cm (25x35")	14220-042
91.4x114.3 cm (36x45")	14220-044

VWR® HIGH STRENGTH AUTOCLAVABLE INFECTIOUS WASTE BAG

- Designed to handle dangerous materials
- High-strength
- Autoclavable



WxH	Cat. No.
Printed Bags	
20.3x30.5 cm (8x12")	14230-910
30.5x61 cm (12x24")	14220-090
48.3x61 cm (19x24")	14230-912
61x76.2 cm (24x30")	14220-092
61x91.4 cm (24x36")	14220-096
63.5x88.9 cm (25x35")	14220-094
76.2x91.4 cm (30x36")	11215-816
96.5x121.9 cm (38x48")	14220-098
Plain Bags	
30.5x61 cm (12x24")	14220-100
61x76.2 cm (24x30")	14220-102
61x91.4 cm (24x36")	14220-104



SCIENCEWARE®, LEAD-LINED POLYETHYLENE STORAGE BOXES, BEL-ART

- For safe storage of gamma or beta radiation-emitting substances
- Store vials, instruments, samples, solutions or waste

Dimensions	Cat. No.
15Lx15Wx20H cm (6x6x8")	62866-196
25Lx25Wx25H cm (10x10x10")	62866-290

RADIATION PROTECTION/SHIELDS

SCIENCEWARE® RADIATION DOTS, BEL-ART



Description	Diameter	Cat. No.
Radioactive Indicator Dots	6.4 mm (1/4")	62866-186

POCKET-SIZE PORTABLE RADIATION ALERT® MONITORS, S.E. INTERNATIONAL

- Audible beeper can be switched on or off
- Built-in battery check, long battery life
- Carrying case is included



Description	Cat. No.
Monitor 4	55408-531
Monitor 4EC	55408-553
MCIK	55408-576

RADIATION ALERT® PEN DOSIMETERS, S.E. INTERNATIONAL

- They measure and directly read, at any time, accumulated dose of gamma and x-ray exposure
- Hermetically sealed and immersion proof
- Available in several scale ranges, 200mR, 500mR, 2R, 5R, 20R, 2mSv, 5mSv (sold separately)



Description	Cat. No.
Direct Reading Dosimeters, PEN	89068-906

NALGENE® BENCHTOP BETA WASTE CONTAINER (WITH BOTTLE); ACRYLIC, PE BOTTLE, THERMO SCIENTIFIC

- Constructed of 0.95 cm (3/8") thick acrylic
- Cylindrical shield protects personnel from waste material



Capacity	Cat. No.
2 L (64 oz.)	56616-035

RADIOACTIVE WASTE POLY BAGS, ASSOCIATED BAG


- Translucent yellow polyethylene is preprinted with repeating message that meets Federal Regulation 10-20.203
- Bottom-sealed bags are perforated on a roll for easy tear-off access



Size	Thickness	Cat. No.
24x36"	3 mil	47744-622

SAFETY SHIELDS, MITCHELL PLASTICS™

- Each shield tapers back at an angle for easy viewing and protection
- A variety of shield styles and designs accommodate varied workplace requirements
- Different sizes of balance shields are also available for use with Mettler, Sartorius, and general balances



Description	Dimensions	Thickness	Cat. No.
Biohazard Shield, Cell-Counter	26Hx20.3Wx17.1D cm (10 1/4x8x6 3/4")	9.5 mm (3/8")	25405-328
Tapered Biohazard Shield	52Hx45.7Wx30.5D cm (20 7/8x18x12")	6.4 mm (1/4")	25405-332

SCIENCEWARE® ADJUSTABLE SPLASH SHIELDS, BEL-ART

- Ergonomically shaped, handles are easily adjusted horizontally and vertically
- Can be pulled close to the body for comfortable working position
- Available in four different styles to fit any bench space or work style



Size	Type	Cat. No.
Single	Wall	16667-108
Single	Island Bench	16667-110
Double	Wall	16667-114

SCIENCEWARE® LARGE WEIGHTED SAFETY SHIELDS, BEL-ART

- 4.7mm (3/16") clear polycarbonate barrier
- Exceptional impact resistance and optical clarity




Height	Weight	Cat. No.
76.2 cm (30")	8.4 kg (18.5 lbs.)	13197-366
91.4 cm (36")	8.9 kg (19.6 lbs.)	47750-422

ACCU-SHIELD™ SG CLEAR BARRIER COUNTERTOP PANEL, ACCUFORM®

- Thick, clear plastic shield is highimpact and shatter-resistant
- Maintains optical clarity, even after repeated wipe- and wash-downs
- Includes two 5x5" legs, which easily slide into the precut slits at the base for stability
- Notch cut-out at the top for easy-to-carry mobile portability
- Lightweight and versatile for set-up, take-down, and stores flat when not in use



Description	Dimensions	Color	Cat. No.
Accu-Shield™ SG Barrier Countertop Panel	24Hx36"W	Clear	76421-984



ACCU-SHIELD™ SG CLEAR BARRIER COUNTERTOP PANEL WITH SIDE WINGS AND PASS-THROUGH, ACCUFORM®

- Place atop table, desk, or counter, with added protection from side wing panel shields
- Panel features 4x12" lower center cut-out for pass through
- Adjustable angle 19.75Hx10"W side wing panels are attached by plastic hinges
- Thick, clear plastic shield is high-impact and shatter-resistant
- Lightweight and versatile for set-up, take-down, and portability

Description	Dimensions	Color	Cat. No.
Accu-Shield™ SG Barrier Countertop Panel with Side Wings and Pass-through	24Hx36"W (Overall: 24Hx56"W)	Clear	76421-994

COMBINATION LOCKOUT SACHEL, BRADY WORLDWIDE®



Description	Cat. No.
Combination Lockout Satchel	89008-133
Combination Lockout Satchel, with Brady® Safety Lockouts and Tags	89008-135
Combination Lockout Satchel, with Brady® Steel Padlocks and Tags	89008-137

CIRCUIT BREAKER LOCKOUTS, BRADY®

- Rugged polypropylene and glass-filled, impact-modified nylon
- Accept lock shackles up to 7mm (9/32") in diameter and are easily installed
- Snap-On lockout snaps into place
- Clamp-On and Oversized lockouts do not require screwdriver due to the patented thumbscrew design



Description	Cat. No.
Oversized Lockout for 480/600V Breakers	12222-756
Clamp-On Lockout for 120/277V Breakers	12222-830
Clamp-On Lockout for 120/277V Breakers	12222-832
Clamp-On Lockout for 480/600V Breakers	12222-834
Snap-On Lockout for 120V Breakers	12222-840



EXTRA-LARGE LOCKOUT STATION (STATION ONLY), BRADY WORLDWIDE®

- Pegboard-style holes for hooks are drilled into the back (8 hooks supplied standard)
- Built-in lock rail holds 20 to 25 locks, depending on lock size
- Components sold separately

Description	Size	Material	Color	Cat. No.
Extra-Large Lockout Station (Station Only)	30"Hx25"Wx5.25"D	Polystyrene	Red on White	89007-236

LOCKOUT/TAGOUT

LOCKOUT TAGS, BRADY WORLDWIDE®

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- 3/8" diameter brass eyelet accepts most padlock shackles
- Tag size is 5.75"Hx3"W
- Standard package includes 25 tags and nylon fasteners



Description	Size	Material	Color	Cat. No.
Lockout Tags, Economy Polyester	5.5"Hx3"W	Economy Polyester	Black/Red on White	12222-044
Lockout Tags, Economy Polyester	5.5"Hx3"W	Economy Polyester	Black/Red on White	12222-076
Lockout Tags, Cardstock	5.5"Hx3"W	Cardstock	Black/Red on White	89007-180

PRINZING® SAFETEE DONUT™ ROUND VALVE LOCKOUTS, BRADY®

- Multiple sizes and colors available



Fits valve handle diameter	Color	Cat. No.
2.5–6.4 cm (1–2 1/2")	Red	56606-581
6.4–12.7 cm (2 1/2–5")	Red	56606-582
12.7–16.5 cm (5–6 1/2")	Red	56606-584

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



UNIVERSAL MULTI-POLE BREAKER LOCKOUT, BRADY®

- Durable, impact-modified nylon, compatible with most two- or three-pole breakers with a tie-bar
- Tighten thumbscrew to clamp lockout securely over tie-bar, insert lock to prevent clamp from being loosened

Description	Cat. No.
Universal Multi-Pole Breaker Lockout	12222-768
Universal Multi-Pole Breaker Lockout	12222-770

ACCREDO SAFETY BALL VALVE LOCKOUT, ZING ENTERPRISES


- High quality
- Effective lockout device
- Very durable



Description	Material	Width	Cat. No.
Ball Valve Lockout, 3/8 - 1.4" Dia	Plastic	3.75"	76026-336
Ball Valve Lockout, 1.5 - 2.5" Dia	Plastic	4"	76026-338
Ball Valve Lockout, 2 - 8" Dia	Plastic	4.75"	76026-340

ACCREDO SAFETY CABLE LOCKOUT HASP, ZING ENTERPRISES

- High quality
- Effective lockout device
- Very durable



Description	Material	Width	Cat. No.
Cable Lockout 3'	Plastic	4"	76026-392
Cable Lockout 6'	Plastic	4"	76026-394
Cable Lockout 9'	Plastic	4"	76026-396
Cable Lockout 15'	Plastic	4"	76026-398



ACCREDO SAFETY CLAMP-ON BREAKER LOCKOUT-CLEAT, ZING ENTERPRISES

- No Tools Required for Installation
- Effective lockout device
- High quality

Description	Material	Width	Cat. No.
120/277V Clamp-on Breaker Lockouts w/ cleat	Plastic	1"	76026-350
480/600V Clamp-On Breaker Lockout w/ cleat	Plastic	2"	76026-352
Oversized Breaker Lockout, 480/600V, Switches up to 2 1/4" Wide - 7/8" Thick	Plastic	4"	76026-354

ACCREDO SAFETY ELECTRICAL PANEL HANDLE LOCKOUT, ZING ENTERPRISES

- Nylon Base
- Stainless Steel Strip
- High quality



Description	Material	Width	Cat. No.
Electrical Panel Handle Lockout	Nylon	2.25"	76026-342

ZING GREEN SAFETY RECYCLOCK SAFETY PADLOCK, KEYED ALIKE, 1-1/2" SHACKLE, 1-3/4" BODY, ZING ENTERPRISES

- Solid aluminum body
- Steel shackle
- Covered with plastic for corrosion resistance



Description	Width	Cat. No.
ZING Padlock, Keyed Alike, Red	1.5"	76026-028
ZING Padlock, Keyed Alike, Blue	1.5"	76026-032
ZING Padlock, Keyed Alike, Green	1.5"	76026-036

ZING GREEN SAFETY RECYCLOCKOUT CABLE/HASP LOCKOUT DEVICE, ZING ENTERPRISES

- Made in USA
- Eco-friendly
- High quality



Description	Width	Cat. No.
ZING Cable/Hasp Lockout Device - 6'	3"	76026-272
ZING Cable/Hasp Lockout Device - 10'	3"	76026-274

ZING GREEN SAFETY RECYCLOCKOUT GROUP LOCKOUT BOX, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Width	Cat. No.
ZING Group Lockout Box (Red)	Stainless Steel	4"	76025-968
ZING Group Lockout Box (Yellow)	Stainless Steel	4"	76025-970

ZING GREEN SAFETY RECYCLOCKOUT LOCKOUT TAGOUT STATION, 8 PADLOCK, ZING ENTERPRISES

- Capacity to hold 16 safety padlocks
- 4 lockout hasps
- 10 safety tags with ties

Description	Width	Cat. No.
ZING Lockout Tagout Station, 8 Aluminum Padlocks	15"	76024-248

ECO SAFETY TAG CENTER, 8 HOOK

- Made in USA
- High Quality
- Helps organize tags

Description	Material	Width	Cat. No.
ZING Sign Tag Center	Plastic	15"	76024-808

NMC JUMBO SELF-LAMINATING LOCKOUT TAGS

- Jumbo tags are easy to see from a distance
- Self-laminating polyester overlay



Size	Material	Legend	Cat. No.
18.73x10.16 cm (7 3/8x4")	Hvy Paper Self Laminating	Danger Equipment	
		Locked Out By. . .	94016-252
18.73 x 10.16 cm (7 3/8 x 4")	Hvy Paper Self Laminating	Danger Do Not Operate	94016-254



VWR® CHEMICAL CAPTURE FILTRATION SYSTEM

- Continuously recirculates
- Captures any potential emissions
- Eliminates hazardous vapors

Description	Cat. No.
Unit	
VWR® Chemical Capture Filtration System, 65 W	52428-821
Filters	
AS: Carbon filter for use with volatile organic compounds	10812-238


MONITORING AND DETECTION

ACCURO® GAS DETECTOR PUMP, DRAEGER

- For use with Short-Term Detector Tubes (see 13453-238 series)
- Low-cost, one-handed bellows pump is ideal for measurements in hard-to-reach areas
- Takes short-term measurements with reasonably few strokes when used with Draeger short-term detector tubes



Description	Cat. No.
accuro® Gas Detector Pump	34330-068
accuro® Soft Side Kit	34330-070
accuro® Hard Side Kit	34330-072



SHORT-TERM DETECTOR TUBES, DRAEGER

- Draeger Tubes are glass vials filled with a chemical reagent that reacts to a specific chemical or family of chemicals
- A variety of tubes are available for the measurement of numerous different gases and vapors

Gas or vapor tube	No. of strokes	Standard measurement range	Cat. No.
Hydrogen Sulfide	1	20–200 ppm, 2–20 ppm	34331-688
Hydrogen Sulfide	1, 10	10–200 ppm, 1–20 ppm	13450-568
Hydrogen Sulfide	1	1–60 ppm	13453-108
Hydrogen Sulfide	1	0.2–6 ppm	13453-112
Hydrogen Sulfide	10	0.2–5 ppm	13453-144
Hydrogen Sulfide	1	100–2000 ppm	13453-218
Hydrogen Sulfide	10, 1	5 - 60 ppm	13453-220
Hydrogen Sulfide	1	0.2– 7% volume	13453-364
Hydrogen Sulphide	10	0.5–15 ppm	13453-262
Nitrogen Dioxide with SEI Certification	2, 5	5–25 ppm, 0.5–10 ppm	13453-222
Oil		0.1–1 mg/m ³	13453-394
		1–10 mg/m ³ , discoloration compared to color standard	13453-434
Oil Mist	100		
Oxygen	1	5–23% volume	13450-214
Phosgene	20, 40	0.02–1 ppm, 0.02–6 ppm	13453-152
Sulfur Dioxide	10	1–25 ppm	13453-232
Sulfur Dioxide	10, 20	1–25 ppm, 0.5–5 ppm	13453-280
Sulfuric Acid	100	1–5 mg/m ³	13453-412
Water Vapor	1	20–40 mg/L	13453-158
Water Vapor		5–250 mg/m ³	13453-350
Water Vapor	3	0.1 - 1.0 mg/L	13453-370

GAS DETECTION PUMP KIT AND HYDROGEN SULFIDE DETECTION TUBES, SENSIDYNE®

- Measures gas and vapor concentrations in work area as easily as reading a thermometer
- Calibration marks indicate gas concentration
- Synthetic rubber sheath allows pump to be held firmly, even with wet gloves
- Fail-safe handle locks in two positions (50 or 100cc)
- Flow finish indicator makes viewing instantaneous and easy



Description	Range	Cat. No.
Hydrogen Sulfide Detection Tubes	0.75–300 ppm	13502-596
Hydrogen Sulfide Detection Tubes	1–60 ppm	13502-610
Hydrogen Sulfide Detection Tubes	0.5–1.2%	13502-638
Hydrogen Sulfide Detection Tubes	0.2–6 ppm	13502-650
Hydrogen Sulfide Detection Tubes	0.5–40 ppm	14231-018
Gas Detection Pump Kit	-	14236-032

ORGANIC VAPOR MONITORS, 3M™

- Meet and exceed OSHA accuracy requirements
- Overall accuracy is ±25% at a 95% confidence level
- Shelf life of 18 months



Description	Cat. No.
Monitor Only	56614-743
Monitor and Analysis	56614-746

SENSORS FOR PAC III PERSONAL GAS MONITORS, DRAEGER

- Various sensors for the Pac III portable single gas monitor
- Monitors and sensors are ordered separately



Description	Max. range	Cat. No.
Sensors for Standard and Hygiene Monitors		
Carbon Dioxide (CO ₂)	0 - 5% volume	34330-607
Chlorine (Cl ₂)	0 - 200 ppm	47729-634
Hydrogen Chloride (HCl) and Hydrogen Fluoride (HF)	0 - 30 ppm	47729-640
Hydrogen Cyanide (HCN)	0 - 50 ppm	47729-638
Hydrogen Peroxide (H ₂ O ₂)	0 - 20 ppm	47729-642
Nitrogen Dioxide (NO ₂)	0 - 50 ppm	47729-650
Sulfur Dioxide (SO ₂)	0 - 100 ppm	47729-662



MICRO IV SINGLE-GAS DETECTORS, GFG INSTRUMENTATION

- Highly configurable smart sensor design
- Full 3-year warranty on O₂, CO and H₂S sensors
- Event/datalogging standard
- Three programmable ceiling, STEL and TWA alarms
- AutoCal[®] automatic calibration

Range	Includes	Resolution	Sensor	Cat. No.
Micro IV Single-Gas Detector with 3-Year Sensor Warranty				
0 - 300 ppm	Value kit	1 ppm	Carbon monoxide (CO)	76334-654
0 - 300 ppm	Value kit	1 ppm	Carbon monoxide (CO-H) reduced H ₂ sensitivity	76334-658
0 - 100 ppm	Value kit	1 ppm	Hydrogen sulfide (H ₂ S)	76334-650
0 - 500 ppm	Value kit	1 ppm	Hydrogen sulfide (H ₂ S)	76334-664
0 - 25% vol	Value kit	0.1% vol	Oxygen (O ₂)	76334-624
Micro IV Single-Gas Detector with 2-Year Sensor Warranty				
0 - 10 ppm	Value kit	0.1 ppm	Chlorine (Cl ₂)	76334-688
0 - 50 ppm	Value kit	0.5 ppm	Hydrogen cyanide (HCN)	76334-676
0 - 50 ppm	Value kit	0.2 ppm	Nitrogen dioxide (NO ₂)	76334-672
0 - 10 ppm	Value kit	0.05 ppm	Sulfur dioxide (SO ₂)	76334-668
Micro IV Single-Gas Detector with 1-Year Sensor Warranty				
0 - 200 ppm	Value kit	1 ppm	Ammonia (NH ₃)	76334-692
0 - 30 ppm	Value kit	0.2 ppm	Hydrogen chloride (HCl)	76334-680
0 - 10.0 ppm	Value kit	0.1 ppm	Hydrogen fluoride (HF)	76334-684

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

COMPRESSED BREATHING AIR ANALYSIS KIT, SENSIDYNE[®]

- The flowmeter is adjustable from 50 to 600cc/minute
- System accepts up to 3000psi with a standard No. 346 CGA fitting



Description	Cat. No.
Compressed Breathing Air Kit	32011-233

Description	Color change	Flow rate	Measurement range	Cat. No.
Detector Tubes				
Carbon Monoxide	From Yellow to Dark Brown	175 mL/min.	5-100 ppm	13502-660
Water Vapor	From Yellow to Yellowish Green/Blue	500 mL/min.	20-160 mg/m ³	14233-747
Oil Mist	From Yellow to Pale Blue	470 mL/min.	0.3-1.5 mg/m ³	14233-749
Carbon Dioxide	From Purplish Blue to Pale Pink	175 mL/min.	100-3000 ppm	14233-751
Oxygen	From White to Brown	50 mL/min.	2-24%v	14233-753

ALTAIR[®] MAINTENANCE-FREE SINGLE-GAS DETECTORS, MSA

- Rated to IP67 protection levels for dust / water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm

Detectable gas	Cat. No.
Oxygen	300072-528

ALTAIR[®] SINGLE-GAS DETECTORS, MSA

- Rated to IP67 protection levels for dust /water ingress
- Triple -alarm system featuring two bright flashing LEDs, a piercing audible alarm, and a vibrating alarm



Detectable gas	Cat. No.
Hydrogen Sulfide	300008-962
Carbon Monoxide	300072-526

VWR[®] BARRIER TAPE

- 3 mm non-adhesive polyethylene film
- Yellow or red film with BOLD black print



Description	Length	Width	Cat. No.
Yellow "Caution/Cuidado" Tape	1,000'	3"	10841-228
Red "Danger Do Not Enter/Peligro No Entrar" Tape	1,000'	3"	10841-230

BARRIER TAPES, NATIONAL MARKER

- Durable, lightweight polyethylene
- Red-orange barrier tape offers 4X the visibility of other colors
- Reusable, non-adhesive, chemical resistant, weatherproof, fade resistant



Description	WxL	Color	Cat. No.
Striped Barrier Tapes	1.9 cm x 45.7 m (3/4" x 50 yds.)	Magenta/Yellow Stripe	36434-301
Striped Barrier Tapes	5.1 cm x 91.4 cm (2" x 36')	Black/Yellow Stripe	36434-302
Printed Barricade Tapes, "Danger - Danger"	7.6 cm x 304.8 m (3" x 1000')	Red	36434-321
Printed Barricade Tapes, "Danger Asbestos Hazard"	7.6 cm x 304.8 m (3" x 1000')	Red	36434-327
Printed Barricade Tapes, "Caution Biohazard"	7.6 cm x 304.8 m (3" x 1000')	Orange	36434-330
Printed Barricade Tapes, "Caution Chemical Spill"	7.6 cm x 304.8 m (3" x 1000')	Yellow	36434-332
Printed Barricade Tapes, "Caution - Cuidado"	7.6 cm x 304.8 m (3" x 1000')	Yellow	36434-334

PRINTERS, LABELS, & SIGNS

BIOHAZARD WARNING LABEL, NATIONAL MARKER

- Pressure-sensitive paper rolls can be written on to provide additional information



Material	Height	Width	Cat. No.
Plastic	7.6 cm (3")	7.6 cm (3")	36434-434

HAZARDOUS WASTE LABELS, EPA AND DOT, NATIONAL MARKER

- Pressure-sensitive 0.004 mm thick vinyl labels
- For use with hazardous materials which are transported off-site
- Comply with EPA and DOT regulations


Height	Width	Legend	Cat. No.
10.2 cm (4")	15.2 cm (6")	Hazardous Waste—Handle With Care (with Accumulation Start Date)	56606-701
15.2 cm (6")	15.2 cm (6")	Notice—This Container Has Been Triple Rinsed	56606-703
15.2 cm (6")	15.2 cm (6")	Caution—Contains PCBs	56606-705
15.2 cm (6")	15.2 cm (6")	Hazardous Waste—Handle With Care (with Generator Information)	56606-706
15.2 cm (6")	15.2 cm (6")	Non-Regulated Waste	56607-792

ACETONE OSHA GHS LABEL, HCL LABELS

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



Format	Material	Length	Width	Color	Cat. No.
No NFPA	Laminated Adhesive Vinyl	4"	7"	Red/White	103042-990



WRITE-ON HAZARD WARNING LABELS, NATIONAL MARKER

Height	Width	Legend	Cat. No.
2.2 cm (7/8")	7.3 cm (2 7/8")	Chemical	56607-837
2.2 cm (7/8")	7.3 cm (2 7/8")	Hazard Warning Checklist & Color Bar	56607-838
2.2 cm (7/8")	7.3 cm (2 7/8")	Biohazard	56607-839
2.2 cm (7/8")	7.3 cm (2 7/8")	Biohazard Infectious Waste	56607-840
2.2 cm (7/8")	7.3 cm (2 7/8")	Biohazard	56607-841

ISOPROPYL ALCOHOL 70% OSHA GHS LABEL, HCL LABELS

- Comply with labeling requirements
- Chemical resistant lamination
- Two-year shelf/outdoor life



Format	Length	Width	Color	Cat. No.
Without NFPA	2"	3"	Red/White	103043-514

HAZARDOUS WARNING LABELS

- Writable surface
- Protects label from solvents, acids, and more



Height	Width	Cat. No.
5.0 cm (2")	9.5 cm (3 7/8")	36433-435
10.2 cm (4")	17.8 cm (7")	36433-437



NMC RIGHT-TO-KNOW LABELS

Description	Material	Dimensions	Color	Cat. No.
Write-On Color Bar Labels, English	PS Vinyl	15.24 x 15.24 cm (6 x 6")	Black/Yellow/White/Red	94015-948



NMC WRITE-ON INSPECTION LABELS

- Rectangular shape
- UV resistant
- Chemical resistant
- Graffiti Proof

Description	Material	Height	Width	Color	Legend	Packaging	Cat. No.
Inspection Label Accepted	Pressure-Sensitive Vinyl	1"	2 1/4"	Green/white	Accepted	27 labels per pack	94016-074
Inspection Label Repaired	Pressure-Sensitive Vinyl	1"	2 1/4"	Blue/white	Repaired By	27 labels per pack	94016-076
Inspection Label Calibrated	Pressure-Sensitive Vinyl	1"	2 1/4"	Black/white	Calibrated	27 labels per pack	94016-080
Inspection Label Calibrated	Pressure-Sensitive Vinyl	1"	2 1/4"	Green/white	Calibrated	27 labels per pack	94016-082
Inspection Label Do Not Use	Pressure-Sensitive Vinyl	1"	2 1/4"	Red/white	Do Not Use	27 labels per pack	94016-084
Inspection Label Certification	Pressure-Sensitive Vinyl	1"	2 1/4"	Black/white	Certification	27 labels per pack	94016-086
Inspection Label Qa Approved	Pressure-Sensitive Vinyl	1"	2 1/4"	Green/white	Qa Approved	27 labels per pack	94016-088
Inspection Label Inspected	Pressure-Sensitive Vinyl	1"	2 1/4"	Black/white	Inspected	27 labels per pack	94016-090
Inspection Label Rejected	Pressure-Sensitive Vinyl	1"	2 1/4"	Red/white	Rejected	27 labels per pack	94016-092
Inspection Label Maintenance	Pressure-Sensitive Vinyl	1"	2 1/4"	Black/white	Maintenance	27 labels per pack	94016-094



LABXPRT™ FREEZERBONDZ™ POLYESTER LABELS, B-490, BRADY


- Good print smudge resistance, solvent resistance
- High/low temperature performance from -196 to 100 °C
- It does not provide viewing window for liquid level inside vial
- All-in-one cartridge includes label supply and R4300 series ribbon

Material	For use with	Height	Width	Color	Packaging	Cat. No.
Polyester	LABXPRT™ and IDXPRT™ Printers	41.910 mm	12.700 mm	Black on White	225 Labels/Roll	80090-412
Polyester	LABXPRT™ and IDXPRT™ Printers	45.720 mm	15.240 mm	Black on White	225 Labels/Roll	80090-416
Polyester	LABXPRT™ and IDXPRT™ Printers	44.450 mm	25.400 mm	Black on White	225 Labels/Roll	80090-414
Polyester	LABXPRT™ and IDXPRT™ Printers	9.530 mm	31.750 mm	Black on White	450 Labels/Roll	89005-244
Polyester	LABXPRT™ and IDXPRT™ Printers	55.880 mm	38.100 mm	Black on White	175 Labels/Roll	89005-246
Polyester	LABXPRT™ and IDXPRT™ Printers	95.250 mm	38.100 mm	Black on White	100 Labels/Roll	89005-248

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

LABXPRT™ FREEZERBONDZ II LAB LABELS, B-492, BRADY

- Good solvent resistance
- Good high and low temperature performance
- Permanent acrylic



Material	Diameter	Height	Width	Color	Cat. No.
Polyester	0.375"	0.375"	1"	Black on White	89209-512
Polyester	0.375"	0.5"	1"	Black on White	89209-514
Polyester	0.440"	0.5"	1"	Black on White	89209-510
Polyester	1"	1.25"	0.25"	Black on White	89209-516

BRADY® BRADYPRINTER™ M611 MOBILE PRINTER WITH BRADY WORKSTATION MOBILE OR DESKTOP SOFTWARE, BRADY WORLDWIDE

- Maximum label/tape with 2" width
- Single color printing capability
- 3.5" display size
- Thermal transfer print technology
- Can be used to process maximum 750 labels per day



Description	Cat. No.
Mobile Label Printer	76304-346

This specific product is not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

PRINTERS, LABELS, & SIGNS

BRADY® BRADYJET™ J2000 INKJET FULL COLOR LABEL PRINTER, BRADY WORLDWIDE

- Maximum label/tape with 4" width
- Full color printing capability
- Ink jet print technology
- Can be processed maximum 3000 labels per day
- Maximum print speed of 2.5"/second
- Easy to change the labels in less than 20 seconds



Description	Cat. No.
Printer, Brady Workstation	76304-320
Printer with Brady Workstation Safety and Facility ID Software Suite	76304-322
Printer with Brady Workstation Lab Software Suite	76304-324

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.

BRADYPRINTER I5100 INDUSTRIAL LABEL PRINTER, BRADY®

- Single color printing
- 5000 labels per day (8.5 hours)
- Intuitive touchscreen to easily change settings
- Easy lock design for changing and placing materials
- Interchangeable rollers
- Manual or auto-cutter options
- Five year warranty



Description	Print speed	Weight	Cat. No.
i5100 Standard Version	11.8"/s	13.6 lbs.	76305-440
i5100 Standard Version	11.8"/s	13.6 lbs.	76305-444
i5100 Auto Cutter Version	11.8"/s	14.6 lbs.	76305-442
i5100 Auto Cutter Version	11.8"/s	14.6 lbs.	76305-446

HANDY CONE™ FLOOR SIGN, NMC

- Lightweight and compact
- Collapsible for quick storage
- Includes mountable storage tubes



Size	Legend	Cat. No.
45.72 cm (18")	Wet Floor	94015-626
78.74 cm (31")	Wet Floor (Bilingual)	94015-630
45.72 cm (18")	Caution Watch Your Step	94015-634
45.72 cm (18")	Caution Wet Floor	94015-636
45.72 cm (18")	Warning People Working	94015-640

RUBBERMAID® COMMERCIAL "CAUTION WET FLOOR" FLOOR SIGN

- Bright yellow plastic wet floor sign can be read from far away
- 2-sided sign is ideal for doorways and narrow spaces
- ANSI- and OSHA compliant color and graphics
- Folds flat for storage or transport carts
- Built in carrying handle makes it easy to move and also clean
- Measures 12" deep when open



Material	Depth	Height	Color	Cat. No.
Plastic	12"	25"	Yellow	89073-790

WALK ON FLOOR SIGNS, NMC

- Pressure sensitive vinyl polyester
- Anti-skid laminate

Diameter	Legend	Cat. No.
43.18 cm (17")	Emergency Shower	36434-564
43.18 cm (17")	Fire Extinguisher	36434-570
43.18 cm (17")	Restricted Area	36434-572
43.18 cm (17")	Watch Your Step	94023-516
43.18 cm (17")	Caution Radiation Area	94023-528
43.18 cm (17")	Do Not Enter	94023-532
	Area In Front Of Electrical Panel	
43.18 cm (17")	Must Be Kept Clear For 36 Inches	94023-538



NMC ACCIDENT PREVENTION TAGS

- Warn off potential hazards and provide information on the job site
- Tags sold in packs of 25
- Include self-locking nylon fasteners



Size	Legend	Cat. No.
12.54x7.62 cm (6x3")	Notice	56606-596
12.54x7.62 cm (6x3")	Danger Do Not Operate	89186-010
12.54x7.62 cm (6x3")	Ladder Inspection	89195-014
12.54x7.62 cm (6x3")	Confined Space Entry Permit	94020-306
12.54x7.62 cm (6x3")	Confined Space Inspection	94020-308
12.54x7.62 cm (6x3")	Do Not Operate This Switch	94020-310
12.54x7.62 cm (6x3")	Do Not Start (Bilingual)	94020-312
12.54x7.62 cm (6x3")	Do Not Start Men Working (Bilingual)	94020-314
12.54x7.62 cm (6x3")	Do Not Use	94020-316
12.54x7.62 cm (6x3")	Equipment Needs Repair	94020-318
12.54x7.62 cm (6x3")	Inspection Record	94020-332
12.54x7.62 cm (6x3")	Out Of Service	94020-386
12.54x7.62 cm (6x3")	Temporarily Out Of Service	94020-390
12.54x7.62 cm (6x3")	Out Of Order	94020-432
12.54x7.62 cm (6x3")	Fire Extinguisher Recharge And Inspect.	94020-436
12.54x7.62 cm (6x3")	Empty Cylinder Do Not Use	94020-452
12.54x7.62 cm (6x3")	Emergency Shower And Eye Wash Test Record	94020-456
12.54x7.62 cm (6x3")	Hazardous Materials Nfpa	94020-492

PERSONAL PROTECTION (PPE) OSHA NOTICE SIGNS, NATIONAL MARKER

- Alert your employees and guests when a hazard is present
- Comply with OSHA 29 CFR 1910
- Each sign header reads "Notice"



Size	Material	Legend	Cat. No.
25.4x35.56 cm (10x14)"	.040 Alum	Safety Glasses Required Beyond This Point	94017-800
17.78x25.4 cm (7x10)"	PS Vinyl	Safety Glasses Required Beyond This Point	94017-802
17.78x25.4 cm (7x10)"	PS Vinyl	Protective Clothing Required In This Area	94018-004
17.78x25.4 cm (7x10)"	Rigid Plastic	Protective Clothing Required In This Area	94018-008
25.4x35.56 cm (10x14)"	PS Vinyl	Face Shield Required In This Area	94018-272
25.4x35.56 cm (10x14)"	Rigid Plastic	Hearing Protection Must Be Worn In This Area	94018-352
25.4x35.56 cm (10x14)"	Rigid Plastic	No Eating or Drinking in This Area	94018-490
25.4x35.56 cm (10x14)"	Rigid Plastic	Personal Protection Required In This Area	94018-622
25.4x35.56 cm (10x14)"	PS Vinyl	Safety Glasses With Side Shields Required In This Area	94018-696
25.4x35.56 cm (10x14)"	Rigid Plastic	Safety Shoes Required In This Area	94018-710
17.78x25.4 cm (7x10)"	PS Vinyl	Safety Glasses Required In This Area	94018-920

SEE SIGN™ GRAPHIC SAFETY SIGNS AND LABELS, NMC

- Alert employees to the location of restrooms, emergency devices and areas which may cause bodily harm



Material	Dimensions	Legend	Cat. No.
PS Vinyl	10.16x10.16 cm (4x4)"	Danger High Voltage	36434-498
PS Vinyl	10.16x10.16 cm (4x4)"	Flammable	36434-500
PS Vinyl	10.16x10.16 cm (4x4)"	Ear Protection Required (Graphic)	36434-502
PS Vinyl	10.16x10.16 cm (4x4)"	Emergency Eye Wash (Graphic)	36434-512
PS Vinyl	10.16x10.16 cm (4x4)"	Biohazard (Graphic)	36434-514
PS Vinyl	17.78x17.78 cm (7x7)"	Emergency Shower (W/Graphic)	56606-717
PS Vinyl	17.78x17.78 cm (7x7)"	Biohazard (W/Graphic)	56606-779
PS Vinyl	17.78x17.78 cm (7x7)"	Emergency Eye (W/Graphic)	56606-788
PS Vinyl	17.78x17.78 cm (7x7)"	Flammable (W/Graphic)	94020-548
Rigid Plastic	17.78x17.78 cm (7x7)"	No Smoking (W/ Graphic)	94020-572
Rigid Plastic	17.78x17.78 cm (7x7)"	In Case Of Fire Do Not Use Elevators Use.. (W/ Graphic)	94020-596
PS Vinyl	10.16x10.16 cm (4x4)"	Fire Door Please Keep Closed (Graphic)	94020-606
PS Vinyl	17.78x17.78 cm (7x7)"	Exit (W/Graphic)	94020-668
PS Vinyl	17.78x17.78 cm (7x7)"	Hot Surface (W/Graphic)	94020-672
Rigid Plastic	17.78x17.78 cm (7x7)"	Hot Surface (W/ Graphic)	94020-674
Rigid Plastic	17.78x17.78 cm (7x7)"	Electrical Hazard (W/ Graphic)	94020-678
Rigid Plastic	17.78x17.78 cm (7x7)"	Radiation Hazard (W/ Graphic)	94020-696
PS Vinyl	10.16x10.16 cm (4x4)"	Biohazard Sharps (Graphic)	94020-728

SAFETY MOTIVATION SIGNS, SAFETY FIRST, NMC

- Motivate employees to follow safety procedures and avoid costly accidents and injuries on the job



Material	Dimensions	Legend	Header	Cat. No.
Rigid Plastic	17.78x25.4 cm (7x10)"	Bend Knees While Lifting	Safety First	94020-894
Rigid Plastic	17.78x25.4 cm (7x10)"	Use Proper Lifting Techniques	Safety First	94020-956
Rigid Plastic	17.78x25.4 cm (7x10)"	The Safe Way Is The Best Way	Safety First	94021-234
.040 Alum	25.4x35.56 cm (10x14)"	Report All Unsafe Conditions	Safety First	94020-942
Rigid Plastic	25.4x35.56 cm (10x14)"	Don'T Try To Lift More Than You Are Able	Safety First	94020-990
Rigid Plastic	25.4x35.56 cm (10x14)"	Is Our Responsibility Each And Every One Of Us	Safety First	94021-050
Rigid Plastic	25.4x35.56 cm (10x14)"	Safety Is Everybody'S Job	Safety First	94021-104
Rigid Plastic	25.4x35.56 cm (10x14)"	Be Careful	Safety First	94021-218

DIGITAL SCOREBOARDS, NMC

- Eliminates manual process of erasing and writing in the number of safe days
- Automated system updates every 24hrs, can be set for actual time to change
- Safe days stand out in brightly lit numbers



Material	Dimensions	Legend	Cat. No.
0.085 Styrene	71.12 x 50.8 cm (28 x 20")	Safety First This Department Has Worked Xxx Days Without An Osha Recordable Injury On The Job Safety Begins With You	94012-450

ZING GREEN SAFETY ECO SAFETY SIGN, BIOHAZARD NO EATING, SMOKING OR DRINKING, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Plastic	7"	10"	76023-294
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Aluminum	7"	10"	76023-296
ZING Sign BIOHAZARD NO EATING, SMOKING OR DRINKING	Self-Adhesive	7"	10"	76025-038

PRINTERS, LABELS, & SIGNS

ZING GREEN SAFETY ECO SAFETY TAG, EMERGENCY EYEWASH AND SHOWER INSPECTION, ZING ENTERPRISES

- High quality 70% post-consumer recycled plastic with a surface that is easy to write on
- Made in USA
- Exceeds OSHA 50 pound pull test

Description	Material	Length	Width	Cat. No.
ZING Eco Safety Tag, EYE WASH, 10/Pack	Plastic	5.75"	3"	76026-020

ZING GREEN SAFETY ECO GHS POSTER, ZING ENTERPRISES

- Made in USA
- Educational
- High Quality



Description	Material	Length	Width	Cat. No.
ZING GHS Poster, Safety Data	Plastic	18"	24"	76025-952
ZING GHS Poster, Intro To GHS	Plastic	18"	24"	76026-044
ZING GHS Poster, Labeling	Plastic	18"	24"	76026-046

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, CHEMICAL STORAGE AREA, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Chemical Storage Area	Plastic	7"	2.5"	76025-180
ZING Sign Chemical Storage Area	Plastic	7"	12"	76025-370

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, EXIT, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Exit	Plastic	7"	12"	76024-084
ZING Sign Exit	Plastic	7"	2.5"	76024-086

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, EMERGENCY SHUT OFF, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Emergency Shut-Off	Plastic	7"	12"	76024-080
ZING Sign Emergency Shut-Off	Plastic	7"	2.5"	76024-082

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, EYE WASH BILINGUAL, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	2.5"	76024-126
ZING Sign Eye Wash/Lavado De Ojos	Plastic	11"	10.6"	76025-390

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, FIRST AID STATION, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign First Aid Station	Plastic	7"	12"	76024-030
ZING Sign First Aid Station	Plastic	7"	2.5"	76024-032

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, SAFETY SHOWER, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Safety Shower	Plastic	7"	12"	76024-042
ZING Sign Safety Shower	Plastic	7"	2.5"	76024-044
ZING Sign Safety Shower	Plastic	10"	10"	76024-732

ZING GREEN SAFETY ECO SAFETY PROJECTING SIGN, SPILL STATION, ZING ENTERPRISES

- UL Validated for recycled content
- Made in USA
- High quality



Description	Material	Length	Width	Cat. No.
ZING Sign Spill Station	Plastic	7"	12"	76024-118
ZING Sign Spill Station	Plastic	7"	2.5"	76024-120

ZING GREEN SAFETY ECO GHS-SDS BINDER, ZING ENTERPRISES

- Manufactured from recycled materials
- High Quality
- Very durable



Description	Material	Length	Width	Cat. No.
ZING SDS Binder, 1.5" Ring (300 Sheets)	Plastic	12"	1.5"	76025-944
ZING SDS Binder, 2.5" Ring (500 Sheets)	Plastic	12"	2.5"	76025-946
ZING SDS Binder, 3.0" Ring (600 Sheets)	Plastic	12"	3"	76025-948
ZING SDS Binder, 1.5" Ring Bilingual (300 Sheets)	Plastic	12"	1.5"	76025-950
ZING SDS Binder, 2.5" Ring Bilingual (500 Sheets)	Plastic	12"	2.5"	76026-040
ZING SDS Binder, 3.0" Ring Bilingual (600 Sheets)	Plastic	12"	3"	76026-042



BRADY® COVID-19 VINYL FLOOR SIGNS; THANK YOU FOR SOCIAL DISTANCING, BRADY WORLDWIDE

- B-819 Anti-Skid Vinyl features a velvet-embossed rigid overlaminat
- Minimum application temperature of 0° F (-18° C)
- Self adhesive

Material	Depth	Height	Width	Color	Legend	Language	Cat. No.
B-819 Vinyl	0.012"	8.5"	11"	Blue	THANK YOU FOR PRACTICING SOCIAL DISTANCING	English	76420-460
B-819 Vinyl	0.012"	8.5"	11"	Green	THANK YOU FOR PRACTICING SOCIAL DISTANCING	English	76420-458
B-819 Vinyl	0.012"	8.5"	11"	Orange	THANK YOU FOR PRACTICING SOCIAL DISTANCING	English	76420-462
B-819 Vinyl	0.012"	8.5"	11"	Red	THANK YOU FOR PRACTICING SOCIAL DISTANCING	English	76420-464



COVID-19 DIGI-DAY® 3 ELECTRONIC SCOREBOARD, ACCUFORM®

- Tamper-proof operation is managed with an easy-to-use handheld remote
- All information is stored if a power failure occurs (indicator notifies when a hold or power failure has occurred)
- Operates on 110/120 VAC with 8' power cord and AC adapter
- IP65 tested for dust and water resistance
- Lightweight, sturdy aluminum construction
- Low profile, 1" deep frameless visual edge design and hidden rear mounting brackets

Material	Dimensions	Legend	Cat. No.
Aluminum	28x20"	STAY SAFE, COVID-19 FREE FOR __ DAYS	76459-022
Aluminum	28x20"	HEALTHY TOGETHER, __ DAYS COVID-19 FREE	76459-024
Aluminum	28x20"	WE ARE COVID-19 FREE FOR __ DAYS	76459-026
Aluminum	28x20"	TOGETHER WE ARE COVID-19 FREE __ DAYS	76459-028
Aluminum	28x20"	COVID-19 FREE __ DAYS, WEAR A MASK	76459-030
Aluminum	28x20"	COVID-19 FREE __ DAYS, WASH YOUR HANDS	76459-032




SAFETY POSTER™ SIGN, "COVID-19 CORONAVIRUS DISEASE HELP STOP THE SPREAD" ACCUFORM®

- Multiple material and size options available

Size	Material	Legend	Language	Cat. No.
28x22"	Laminated	COVID-19 CORONAVIRUS DISEASE HELP STOP THE SPREAD	English	76442-718
22x17"	Laminated	COVID-19 CORONAVIRUS DISEASE HELP STOP THE SPREAD	Spanish	76442-722

These specific products are not available in Canada. Please contact your Avantor Sales Representative to learn about easy access to similar options available in your region.



BRADY® COVID-19 SIGNS; PLEASE SANITIZE AFTER USE, BRADY WORLDWIDE

- Signs are available in B-302 polyester, B-555 aluminum, or B-401 polystyrene
- B-302 polyester signs are self adhesive
- B-555 aluminum and B-401 polystyrene signs feature corner holes for mounting and placement

Material	Depth	Height	Width	Color	Legend	Language	Cat. No.
B-302 Polyester	0.006"	10"	7"	Blue	PLEASE SANITIZE AFTER USE	English	76420-500
B-302 Polyester	0.006"	14"	10"	Blue	PLEASE SANITIZE AFTER USE	English	76420-506

SLIP-GARD™ FLOOR MARKING TAPES, ACCUFORM®

- Constructed of thick adhesive vinyl
- Subsurface printed and laminated to protect the graphics and message from heavy pedestrian traffic
- Non-slip, pebble-textured surface provides added durability
- Strong, permanent, self-adhesive vinyl has peel-off back liner
- Adheres firmly to smooth, clean, dry surfaces

Description	Length	Width	Color	Cat. No.
Slip-Gard™ Floor Marking Tape	100'	2"	Red	76405-778
Slip-Gard™ Floor Marking Tape	100'	3"	Blue	76405-786
Slip-Gard™ Floor Marking Tape	100'	3"	Green	76405-788




PIG® FLOOR SIGNS WITH NON-SLIP SURFACE, NEW PIG

- Grippy® material has been proven in years of commercial and retail use to withstand full foot traffic, floor scrubbing, and disinfectant use
- Low profile does not create issues for heavy foot, cart, wheelchair, or walker traffic
- Clear, durable, high-contrast marking will not wear off
- Leave in place and sanitize with mop or floor scrubber (can be scrubbed, vacuumed, or swept)
- Sticks to most commercial floor surfaces including concrete, VCT, linoleum, ceramic tile, quarry tile, and laminate flooring

Description	Dimensions	Color	Cat. No.
Social Distance Floor Sign with Non-slip Surface	8Wx26"L	Black	76415-104
Social Distance Floor Sign with Non-slip Surface	9Wx9"L	Black	76415-106
Hand Sanitizer Station Floor Sign with Non-slip Surface	24Wx17"L	Black	76415-108
Health Precaution Floor Sign with Non-Slip Surface	24Wx17"L	Black	76415-102
Social Distance Floor Sign with Non-slip Surface	24Wx17"L	Black	76415-098
Wash your Hands Floor Sign with Non-slip Surface	24Wx17"L	Black	76415-100

Uncomplicated, uncompromising protection



DUPONT TYCHEM® GARMENTS AND GLOVES

WHEN PAIRED WITH A SUITABLE TYCHEM® GARMENT, TYCHEM® GLOVES PROVIDE A SINGLE SYSTEM FOR WORKPLACE CHEMICAL HAZARD PROTECTION NEEDS.

Tychem® 4000 SL122T coveralls deliver effective protection against a range of bloodborne pathogens and chemical environments. A rugged and durable fabric, Tychem® 4000 provides at least 30 minutes of protection against more than 124 chemical challenges. Taped seams provide strong chemical resistance against heavy liquid splashes.

Tychem® Nitrile NT470 gloves are resistant to a range of biohazards, solvents, and other chemicals. The bisque finish allows for secure handling in wet and dry conditions.

*Other styles available at vwr.com

Description	Size	Cat. No.
Tychem® 4000 Hooded Coverall with Attached Socks and Taped Seams	MD	13451-034
	LG	13451-036
	XL	13451-038
	2X	13451-040
	3X	13451-042
	4X	13451-044
	5X	10016-782
Tychem® Nitrile NT470 Gloves, 15 mil	6X	10016-786
	06	76323-480
	07	76323-482
	08	76323-484
	09	76323-486
	10	76323-488
	11	76323-490



DuPont™, the DuPont Oval Logo, and all products, unless otherwise noted, denoted with ™, SM or ® are trademarks, service marks or registered trademarks of affiliates of DuPont de Nemours, Inc.

FOCUS: SAFETY

VOLUME 3



VWR.COM

Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by country, federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. Offers valid in countries listed above, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit vwr.com to view our privacy policy, trademark owners, and additional disclaimers. © 2021 Avantor, Inc. All rights reserved.



AVANTOR MARKETING RESOURCE CENTER

c/o RRD
700 Nestle Way
Breinigsville, PA 18031

ATTN - POST OFFICE: ELECTRONIC SERVICE REQUESTED

ATTN - MAILROOM:

If addressee is no longer with the organization, please deliver to safety products buyer. Thank you.

PRSR STD
US POSTAGE
PAID PERMIT 909
Hbg. Pa



From scientific discovery to scale-up and commercial delivery, you need mission-critical products, services and solutions on a global scale.

Avantor® offers global access to our own portfolio of trusted, quality brands and critical products through our premier delivery platform, VWR®. All of this, combined with infrastructure strategically located to help serve your specific needs, helps move science forward – fast. That's **science delivered**.

Get the mission-critical scientific products and solutions you need from Avantor, delivered through VWR.

➔ vwr.com/science-delivered

 **avantor**™
delivered by **VWR**™