

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version 1.3

### **SECTION 1.Identification**

### **Product identifier**

Product number 119770

Product name Aluminium standard solution traceable to SRM from NIST Al(NO<sub>3</sub>)<sub>3</sub> in

HNO<sub>3</sub> 0.5 mol/l 1000 mg/l Al Certipur®

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

# Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821.

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

### **SECTION 2. Hazards identification**

### **GHS Classification**

Corrosive to Metals, Category 1, H290 Skin irritation, Category 2, H315 Eye irritation, Category 2A, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **GHS-Labeling**

Hazard pictograms



Signal Word Warning

Hazard Statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO<sub>3</sub>)<sub>3</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Al Certipur®

Precautionary Statements

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P390 Absorb spillage to prevent material damage.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

#### Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

#### Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

nitric acid (>= 1 % - < 5 %)

7697-37-2

Exact percentages are being wihtheld as a trade secret.

#### **SECTION 4. First aid measures**

#### Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO<sub>3</sub>)<sub>3</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Al Certipur®

## Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5. Fire-fighting measures**

### Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

#### Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H+, Art. No. 101595).

Dispose of properly. Clean up affected area.

### SECTION 7. Handling and storage

### Precautions for safe handling

Observe label precautions.

### Conditions for safe storage, including any incompatibilities

Tightly closed.

Requirements for storage areas and containers

No metal containers.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

Store at +15°C to +25°C (+59°F to +77°F).

### SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

nitric acid 7697-37-2

ACGIH Time Weighted Average 2 ppm

(TWA):

Short Term Exposure

4 ppm

Limit (STEL):

NIOSH/GUIDE Recommended

Recommended 2 ppm exposure limit (REL): 5 mg/m³

Short Term Exposure

Limit (STEL):

4 ppm 10 mg/m<sup>3</sup>

OSHA TRANS PEL:

2 ppm 5 mg/m³

Z1A

Time Weighted Average 2 ppm

(TWA):

5 mg/m³

Short Term Exposure Limit (STEL):

4 ppm 10 mg/m<sup>3</sup>

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection

Safety glasses

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:

protective clothing

### Respiratory protection

required when vapors/aerosols are generated.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO<sub>3</sub>)<sub>3</sub> in HNO<sub>3</sub> 0.5

mol/I 1000 mg/I Al Certipur®

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor odorless

Odor Threshold Not applicable

pH ca. 0.5

at 68 °F (20 °C)

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) Not applicable

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density ca.1.017 g/cm<sup>3</sup>

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

Explosive properties Not classified as explosive.

Oxidizing properties none

Corrosion May be corrosive to metals.

### SECTION 10. Stability and reactivity

### Reactivity

See below

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### Possibility of hazardous reactions

increased reactivity with:

oxidizable substances, organic solvent, Metals, metal alloys, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

#### Conditions to avoid

Heating.

### Incompatible materials

Metals, metal alloys (generation of hydrogen)

#### Hazardous decomposition products

no information available

# **SECTION 11. Toxicological information**

### Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

teeth

Acute oral toxicity

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Skin irritation

Mixture causes skin irritation.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

Eye irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

### Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

#### **Further information**

Quantitative data on the toxicity of this product are not available.

Other information

The following applies to aluminum compounds in general: After swallowing: only slightly absorbable via the gastrointestinal tract. Serious disorders in man (from about 4000 mg aluminum up): phosphate metabolism, calcium metabolism.

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### Ingredients

nitric acid

Skin irritation

Rabbit

Result: Causes severe burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 ma/I Al Certipur®

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

### **SECTION 12. Ecological information**

### **Ecotoxicity**

No information available.

#### Persistence and degradability

No information available.

### Bioaccumulative potential

No information available.

### Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form. Hazard for drinking water supplies.

#### Further information on ecology

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

### Ingredients

nitric acid

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 72 mg/l; 96 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant
2482 Pa\*m³/mol
Method: (calculated)

(Lit.) Distribution preferentially in air.

### **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

**SECTION 14. Transport information** 

Land transport (DOT)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous ---

Air transport (IATA)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID SOLUTION)

Class 8
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

NITRIC ACID NOT MORE THAN 5%)

Class 8
Packing group III
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

## **SECTION 15. Regulatory information**

#### **United States of America**

### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Ingredients

nitric acid 7697-37-2 2.4067 %

**SARA 302** 

The following components are subject to reporting levels established by SARA Title III, Section 302:

Ingredients

nitric acid 7697-37-2

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

**DEA List I** 

Not listed

**DEA List II** 

Not listed

### **US State Regulations**

# Massachusetts Right To Know

*Ingredients* nitric acid

## Pennsylvania Right To Know

Ingredients nitric acid

### New Jersey Right To Know

*Ingredients* nitric acid

## California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### **Notification status**

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

#### **SECTION 16. Other information**

#### Training advice

Provide adequate information, instruction and training for operators.

### Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 119770 Version 1.3

Product name Aluminium standard solution traceable to SRM from NIST Al(NO₃)₃ in HNO₃ 0.5

mol/I 1000 mg/I Al Certipur®

### Precautionary Statements

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

#### Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals. H315 Causes skin irritation.

H319 Causes serious eye irritation.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/26/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.