

02/2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Papanicolaou Stain, OG-6

SYNONYMS: None

PRODUCT CODES: ES712, ES713, ES714

MANUFACTURER: Azer Scientific, Inc.

ADDRESS: 701 Hemlock Rd, Morgantown, PA 19543

CHEMTREC PHONE: 800-424-9300 SUPPORT: 610-524-5810 FAX: 610-901-3046

PRODUCT USE: Laboratory Reagent

PREPARED BY: CB
SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Danger!



. Hazard Phrases	
H225	Highly flammable liquid and vapor.
H303	May be harmful if swallowed.
H320	Causes eye irritation.
H370	Causes damage to organs.

Precautionary Phrases			
P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.		
P260	Do not breathe dust/fume/gas/mist/vapors/spray		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P307+P311	If exposed: Call a POISON CENTER or doctor/physician.		

SECTION 2 NOTES:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:	CAS NO.	<u>% WT</u>
Methanol	67-56-1	<5
Ethanol	64-17-5	<84
Phosphotungstic Acid	12501-23-4	<2
Orange G	1936-15-8	<1
Water	7732-18-5	<12



02/2015

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes,

occasionally lifting the upper and lower eyelids. Get medical attention immediately.

SKIN: In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and

shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

INGESTION: Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless

directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical

attention immediately.

INHALATION: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide

artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get

medical attention immediately.

SECTION 4 NOTES:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABILITY OF THE PRODUCT: Flammable liquid. In a fire or if heated, a pressure increase will occur and the container may

burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

FLASH POINT: Not available

AUTOIGNITION TEMPERATURE: Not available

NFPA HAZARD CLASSIFICATION

HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0

OTHER:

HMIS HAZARD CLASSIFICATION

HEALTH: 2 FLAMMABILITY: 3 REACTIVITY: 0

PROTECTION:

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide

NOT SUITABLE: Do not use water jet.

SPECIAL FIRE FIGHTING PROCEDURES: Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray

to keep fire-exposed containers cool.

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

SECTION 5 NOTES:



02/2015

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Small spill and leak: Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill and leak: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

SECTION 6 NOTES:

SECTION 7: HANDLING AND STORAGE

HANDLING: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use non-sparking tools. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Use empty containers to retain product, residue can be hazardous. Do not reuse container.

STORAGE: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

RESPIRATORY PROTECTION: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

EYE PROTECTION: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles

HANDS PROTECTION: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: Neoprene.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

WORK HYGIENIC PRACTICES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

EXPOSURE GUIDELINES:

Ingredient Exposure limits

Methanol ACGIH TLV (United States, 3/2012). Absorbed through skin.

TWA: 200 ppm 8 hour(s). TWA: 262 mg/m³ 8 hour(s).

PAGE 3 OF 8



02/2015

STEL: 250 ppm 15 minute(s). STEL: 328 mg/m³ 15 minute(s).

OSHA PEL 1989 (United States, 3/1989). Absorbed through skin.

TWA: 200 ppm 8 hour(s). TWA: 260 mg/m³ 8 hour(s). STEL: 250 ppm 15 minute(s). STEL: 325 mg/m³ 15 minute(s).

NIOSH REL (United States, 1/2013). Absorbed through skin.

TWA: 200 ppm 10 hour(s). TWA: 260 mg/m³ 10 hour(s). STEL: 250 ppm 15 minute(s). STEL: 325 mg/m³ 15 minute(s). OSHA PEL (United States, 6/2010).

TWA: 200 ppm 8 hour(s). TWA: 260 mg/m³ 8 hour(s).

Ethanol ACGIH TLV (United States, 3/2012).

STEL: 1000 ppm 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 1900 mg/m³ 8 hour(s). TWA: 1000 ppm 8 hour(s).

NIOSH REL (United States, 1/2013).

TWA: 1000 ppm 10 hour(s). TWA: 1900 mg/m³ 10 hour(s). OSHA PEL (United States, 6/2010).

TWA: 1000 ppm 8 hour(s). TWA: 1900 mg/m³ 8 hour(s).

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Orange

ODOR: Characteristic, Alcohol-like

PHYSICAL STATE: Liquid

pH AS SUPPLIED: Not Available
BOILING POINT: Not Available
MELTING POINT: Not Available
FREEZING POINT: Not Available

VAPOR PRESSURE (mmHg): Not Available

VAPOR DENSITY (AIR = 1): Not Available

EVAPORATION RATE: Not Available

SOLUBILITY IN WATER: Soluble in water

MOLECULAR WEIGHT: Mixture

VISCOSITY: Not established

SECTION 9 NOTES:



02/2015

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Product is stable under normal conditions of use.

CONDITIONS TO AVOID (STABILITY): Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

INCOMPATIBILITY (MATERIAL TO AVOID): Reactive or incompatible with the following materials with oxidizing materials, acids.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

HAZARDOUS POLYMERIZATION: No hazardous polymerization

CONDITIONS TO AVOID (POLYMERIZATION): N/A

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. Causes respiratory tract irritation.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

Signs and Symptoms of Exposure:

Warning: contains methanol. May be fatal or cause blindness if swallowed. Cannot be made nonpoisonous. Effects Due to ingestion may include:, Gastrointestinal disturbance, Headache, Nausea, Vomiting, Dizziness, Weakness, Confusion, Drowsiness, Unconsciousness. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ROUTES OF ENTRY: Skin/eye contact, inhalation, and ingestion.

ACUTE HEALTH HAZARDS: See above, potential health effects.

TARGET ORGANS: Central Nervous system, Cardiovascular system, Eyes, Kidney, Liver, Gastrointestinal tract



02/2015

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil no data available

no data avaliable

PBT and vPvB assessment

no data available

Other adverse effects

no data available

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

DOT (US)

UN number: 1170

Class: 3

Packing group: II

Proper shipping name: Ethanol solutions

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1170

Class: 3

Packing group: II EMS-No: F-E, S-D

Proper shipping name: Ethanol solutions

Marine pollutant: No

IATA

UN number: 1170

Class: 3

Packing group: II

Proper shipping name: Ethanol solutions

Marine pollutant: No

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

United States

HCS Classification: Flammable liquid, Highly toxic material, Irritating material, Target organ effects



02/2015

U.S. Federal regulations: TSCA 8(a) IUR: Partial exemption

United States inventory (TSCA 8b): All components are listed or exempted.
TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Light Green SF, Yellowish; Ethyl Alcohol; Methanol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification Eosin Y: Immediate (acute) health hazard; Methanol: Fire hazard, Immediate (acute) Health hazard, Delayed (chronic) health hazard; Ethanol: Fire hazard, Immediate (acute)

Health hazard, Delayed (chronic) health hazard

SARA 313

	Product name	CAS number	Concentration
Form R - Reporting			
Requirements:	Methanol	67-56-1	99 - 100
Supplier notification:	Methanol	67-56-1	99 - 100

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall\ include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were found. Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

DEA List I & II Chemicals

(Precursor Chemicals): Not listed

Connecticut Carcinogen Reporting:

Connecticut Hazardous Material Survey:

Florida substances:

Illinois Chemical Safety Act:

Illinois Toxic Substances

None of the components are listed.

None of the components are listed.

None of the components are listed.

Disclosure to Employee Act:None of the components are listed.Louisiana Spill:None of the components are listed.Louisiana Reporting:None of the components are listed.Massachusetts Spill:None of the components are listed.

Massachusetts Substances: The following components are listed: Ethyl alcohol, Methanol

Minnesota Hazardous Substances:

Michigan Critical Material:

None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: Ethyl alcohol, Methanol

New York Toxic Chemical Release Reporting: None of the components are listed.

New York Acutely Hazardous Substances: The following components are listed: Methanol

Pennsylvania RTK Hazardous Substances: The following components are listed: Ethyl Alcohol, Methanol

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Ingredient name	<u>Cancer</u>	Reproductive	No significant risk level	Maximum acceptable dosage level
Methanol	No	Yes	No	No
CANADA				

Canadian lists:

WHMIS (Canada): Class B-2: Flammable liquid

Class D-1B: Material causing immediate and serious toxic effects (Toxic).

Class D-2A: Material causing other toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).
CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: The following components are listed: Ethanol; Methanol Alberta Designated Substances: None of the components are listed. Ontario Designated Substances: None of the components are listed. Quebec Designated Substances: None of the components are listed.

CEPA DSL / CEPA NDSL: All components are listed or exempted.

PAGE 7 OF 8

SDS - Papanicolaou Stain - OG-6



02/2015

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations International lists:

Australia inventory (AICS): All components are listed or exempted. **China inventory (IECSC)**: All components are listed or exempted.

Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

SECTION 16: OTHER INFORMATION

National Fire Protection Association (U.S.A.)



DISCLAIMER: This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS). To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries makes any warranty of merchantability or any other warranty, expressed or implied, which respect to such information, and we assume no liability resulting from its use. In no event shall Azer Scientific be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from use of or reliance upon this information.

PREPARATION INFORMATION: Prepared 02/2015 REV1