

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : HYDRANAL™ Water Standard Oil

Number : 000000020646

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid

Color : colourless

Hazard Summary : None known.

Classification of the substance or mixture

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

Precautionary statements : **Prevention:**
Use personal protective equipment as required.

Carcinogenicity

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Substance

Chemical name	CAS-No.	Concentration
White mineral oil (petroleum)	8042-47-5	<=100.00 %

SECTION 4. FIRST AID MEASURES

- General advice : First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.
- Inhalation : Remove to fresh air. Keep patient warm and at rest. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water. If skin irritation persists, call a physician.
- Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Protect unharmed eye.
- Ingestion : When swallowed, allow water to be drunk. Do NOT induce vomiting. Call a physician immediately.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO2)

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Provide adequate ventilation.

Environmental precautions : Should not be released into the environment.
Do not flush into surface water or sanitary sewer system.

Methods for cleaning up : Soak up with oil absorbent material.
Sweep up and shovel into suitable containers for disposal.

SECTION 7. HANDLING AND STORAGE

Handling

Handling : Wear personal protective equipment.
When using do not eat or drink.
Avoid breathing vapours, mist or gas.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Protect from extreme heat and cold.

Advice on common storage : Do not store together with:
Oxidizing agents

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Avoid breathing vapours, mist or gas.
- Engineering measures : Use with local exhaust ventilation.
- Eye protection : Safety goggles
- Hand protection : Wear nitrile rubber gloves to avoid contact with the skin.
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
White mineral oil (petroleum)	8042-47-5	TWA : Time weighted average	5 mg/m3	01 2010	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure : Inhalable fraction.			

White mineral oil (petroleum)	8042-47-5	REL : Recommended exposure limit (REL):	5 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information	:	Form of exposure : Mist			

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

White mineral oil (petroleum)	8042-47-5	STEL : Short term exposure limit	10 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information	:	Form of exposure : Mist			

White mineral oil (petroleum)	8042-47-5	PEL : Permissible exposure limit	5 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Further information	:	Form of exposure : Mist			

White mineral oil (petroleum)	8042-47-5	TWA : Time weighted average	5 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further information	:	Form of exposure : Mist			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colourless
Freezing point	: -15 °C
Boiling point/boiling range	: > 280 °C
Flash point	: 392 °F (200 °C)
Lower explosion limit	: 1 %(V) Note: no data available
Upper explosion limit	: 10 %(V) Note: no data available

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

Vapor pressure : < 0.005 hPa
at 20 °C(68 °F)Note: estimated

Density : 0.856 g/cm³ at 15 °C

Water solubility : Note: practically insoluble

Ignition temperature : Note: no data available

Auto-ignition temperature : > 320 °C

Decomposition temperature : Note: No decomposition if used as directed.

Viscosity, kinematic : 22 mm²/s at 40 °C

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Heat

Incompatible materials to avoid : Strong oxidizing agents

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 5,000 mg/kg

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

Species: Rat

Acute inhalation toxicity : LC50: > 5 mg/l
Exposure time: 4 h
Species: Rat

Acute dermal toxicity : LD50: > 5,000 mg/kg
Species: Rabbit

Skin irritation : Result: non-irritant

Eye irritation : Note: no data available

Sensitisation : Note: no data available

Aspiration toxicity : No aspiration toxicity classification

SECTION 12. ECOLOGICAL INFORMATION

Further information on ecology

Ecotoxicology Assessment

Results of PBT assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

TDG Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SAFETY DATA SHEET



F34694 HYDRANAL-H2O-STD OIL ,080L

000000020646

Version 1.0

Revision Date 09/26/2016

Print Date 10/17/2019

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Acute Health Hazard

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK : White mineral oil (petroleum) 8042-47-5

New Jersey RTK : White mineral oil (petroleum) 8042-47-5

Pennsylvania RTK : White mineral oil (petroleum) 8042-47-5

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	0
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group