Material Safety Data Sheet Gram Stain, Iodine, Stabilized

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	Gram Stain, Iodine, Stabilized
Product code:	6082, 6162, 6253, 6552, 6472

Astral Diagnostics Inc. 800-441-0366 Technical Service Monday-Friday: 8:00 -5:00 PM

Synonym:None.Material uses:Laboratory Reagent.Validation date:12/18/2013In case of emergency:800-424-9300 CHEMTREC (USA)24 Hours/Day: 7 Days/Week

2. HAZARDS IDENTIFICATION

Emergency Overview Warning



Supplier:

Hazard statement(s):

May cause an allergic skin reaction. Harmful to aquatic life.

Precautionary statement(s):

Wear protective gloves.

HMIS Classification

Health hazard: 0 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 0 Fire: 0 Reactivity Hazard: 0

Potential Health Effects

Inhalation - May be harmful if inhaled. May cause respiratory tract irritation. Skin - May be harmful if absorbed through skin. May cause skin irritation. Eyes - May cause eye irritation. Ingestion - May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS number	% by weight
Povidine Iodine	25655-41-8	<12
Potassium Iodide	7681-11-0	<2
Water	7732-18-5	<98

4. FIRST AID MEASURES

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact:	In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation:	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion:	Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Flammability of the product: In a fire or if heated, a pressure increase will occur and the container may burst.		
Extinguishing media :	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable:	None Known.	
Special exposure hazards:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk.	
Hazardous thermal	Decomposition products may include the following materials:	
decomposition products:	carbon dioxide	
	carbon monoxide	
	nitrogen oxides	
	halogenated compounds	
	metal oxide/oxides	
Special protective		
equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precaution	s :Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and
	sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Spill:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container

7. HANDLING AND STORAGE Handling: Avoid exposure during pregnancy. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Storage: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container, protected from direct sunlight. Eliminate all ignition sources.

Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Consult local authorities for acceptable exposure limits.

Engineering measures:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Respiratory:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene
Eyes:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: splash goggles
Skin:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat
Environmental exposure	
controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CH	IEMICAL PROPERTIES		
Physical state:	Liquid.	Color:	Brown.
Flash Point:	Not available.	Odor:	Pungent.
pH:	Not available.	Boiling/condensation	point: Not available.
Melting/freezing point:	Not available.	Relative density:	Not available.
Vapor pressure:	Not available.	Vapor density:	Not available.
Odor threshold:	Not available.	Evaporation rate:	0.36 (Water) compared with
VOC:	0% (w/w)		(n-Butyl Acetate =1).
Solubility:	Soluble in the following materia	als: water	

10. STABILITY AND REACTIVITY

Chemical stability: Possibility of hazardous	The product is stable.
reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization:	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid:	No specific data.
Materials to avoid:	Highly reactive or incompatible with the following materials: combustible materials, metals and alkalis. Incompatible with the following materials: oxidizing materials.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral LD50 no data available Inhalation LC50 no data available **Dermal LD50** no data available Other information on acute toxicity no data available Skin corrosion/irritation no data available Serious eye damage/eye irritation Eyes: no data available Respiratory or skin sensitization no data available Germ cell mutagenicity no data available Specific target organ toxicity - single exposure (Globally Harmonized System) no data available Specific target organ toxicity - repeated exposure (Globally Harmonized System) no data available Aspiration hazard no data available Potential health effects Inhalation Toxic if inhaled. Causes respiratory tract irritation. Ingestion Toxic if swallowed. Skin Toxic if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation. Signs and Symptoms of Exposure To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

12. ECOLOGICAL INFORMATION

Toxicity
no data available
Persistence and degradability
no data available
Bioaccumulative potential
no data available
Mobility in soil
no data available
PBT and vPvB assessment
no data available
Other adverse effects
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT (US) Not Regulated.

15. REGULATORY INFORMATION

13. REGULATORT INFORMATION		
United States		
HCS Classification: Irritating m	aterial	
· · · · · · · · · · · · · · · · · ·	Target organ effects	
U.S. Federal regulations: United State		
	I) H and S data reporting:	
	inents of this product are listed on or compliant with the TSCA Inventory.	
	2/304/311/312 extremely hazardous substances: No products were	
found.		
SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Potassium lodide		
	1/312 MSDS distribution - chemical inventory - hazard identification:	
	n lodide : Immediate (acute) health hazard, Delayed (chronic) health hazard	
	Clean Water Act (CWA) 307: No products were found.	
	Clean Water Act (CWA) 311: No products were found.	
	Act (CAA) 112 accidental release prevention: No products were found.	
	Act (CAA) 112 regulated flammable substances: No products were	
found.		
	Act (CAA) 112 regulated toxic substances: No products were found.	
DEA List I & II Chemicals		
(Precursor Chemicals) : Not listed		
Connecticut Carcinogen Reporting:	None of the components are listed.	
Connecticut Hazardous Material Survey:	None of the components are listed.	
Florida substances:	None of the components are listed.	
Illinois Chemical Safety Act:	None of the components are listed.	
Illinois Toxic Substances		
Disclosure to Employee Act:	None of the components are listed.	
Louisiana Spill:	None of the components are listed.	
Louisiana Reporting:	None of the components are listed.	
Massachusetts Spill:	None of the components are listed.	
Massachusetts Substances:	None of the components are listed.	
Minnesota Hazardous Substances:	None of the components are listed.	
Michigan Critical Material:	None of the components are listed.	
NJ Toxic Catastrophe Prevention Act:	None of the components are listed.	
New Jersey Spill:	None of the components are listed.	
New Jersey Hazardous Substances:	None of the components are listed.	
NY Toxic Chemical Release Reporting:	None of the components are listed.	
New York Acutely Hazardous Substances:	None of the components are listed	
Pennsylvania RTK Hazardous Substances:	None of the components are listed.	
Rhode Island Hazardous Substances:	None of the components are listed.	
CANADA		
WHMIS (Canada):	Class D-2A: Material causing other toxic effects (Very toxic).	
Canadian lists:	CEPA Toxic substances: None of the components are listed.	
	Canadian ARET: None of the components are listed.	
	Canadian NPRI: None of the components are listed.	
	Alberta Designated Substances: None of the components are listed.	
	Ontario Designated Substances: None of the components are listed.	
	Quebec Designated Substances: None of the components are listed.	
	•	

CEPA DSL / CEPA NDSL:

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations

Risk phrases : This product is not classified according to EU legislation.

International regulations International lists:

Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): Not determined. Japan inventory: components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): All components are listed or exempted.

16. OTHER INFORMATION

National Fire Protection Association (U.S.A.)



Notice to reader

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Astral Diagnostics Inc. shall not be liable for any damage resulting from handling of contact with this product.