

# Safety Data Sheet

According to Hazardous Products Regulation (SOR/2015-17)

Revision date: 31.03.2020

Version: 6.3

Print date: 31.03.2020

## SECTION 1: Identification

### Product identifier

|                                |   |
|--------------------------------|---|
| Trade name/designation:        | Acetonitrile HiPerSolv CHROMANORM® for HPLC LC-MS grade - suitable for UPLC/UHPLC instruments |
| Product No.:                   | BDH83640  |
| Synonymes:                     | none/none   |
| CAS No.:                       | 75-05-8   |
| Other means of identification: |   |

### Relevant identified uses of the substance or mixture and uses advised against

|                       |                                    |
|-----------------------|------------------------------------|
| Recommended Use:      | For Further Manufacturing Use Only |
| Uses advised against: | Not for Human or Animal Drug Use   |

### Details of the supplier of the safety data sheet

#### Supplier

##### **VWR International**

|                  |  |
|------------------|--|
| Street           | 2360 Argentia Road                         |
| Postal code/City | Mississauga, Ontario                       |
|                  | Canada L5N 5Z7                             |
| Telephone        | +1-800-932-5000 toll-free within US/Canada |
| Telefax:         | +1-610-728-2103                            |

## Emergency phone number

Telephone

+1-613-996-6666 (Canutec, 24 hrs/day, 7 days/week, Canada)

## Preparation Information

VWR International - Product Information Compliance

E-mail

sds@vwr.com

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

#### Classification according to Hazardous Products Regulation (SOR/2015-17)

| Hazard classes and hazard categories   | Hazard statements |
|--|-------------------|
| Flammable liquid, category 2           | H225              |
| Acute toxicity, category 3, oral       | H301              |
| Acute toxicity, category 3, inhalation | H331              |
| Acute toxicity, category 4, dermal     | H312              |
| Eye irritation, category 2             | H319              |

### 2.2 Label elements

#### Labelling in accordance with (SOR/2015-17)

#### Hazard pictograms



**Signal word:** Danger

| Hazard statements |                                    |
|-------------------|------------------------------------|
| H225              | Highly flammable liquid and vapor. |
| H301              | Toxic if swallowed.                |
| H331              | Toxic if inhaled.                  |
| H312              | Harmful in contact with skin.      |
| H319              | Causes serious eye irritation.     |

| Precautionary Statements |  |
|--------------------------|--|
| P210                     | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P280                     | Wear protective gloves/protective clothing/eye protection/face protection.   |
| P305+P351+P338           | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P310                | IF exposed or concerned: Immediately call a POISON CENTER/doctor.  |

Hazards not otherwise classified (HNOC)

none/none

## SECTION 3: Composition / information on ingredients

### 3.1 Substances

|                   |                    |
|-------------------|--------------------|
| Substance name    | Acetonitrile       |
| Molecular formula | H <sub>3</sub> CCN |
| Molecular weight  | 41.05 g/mol        |
| CAS No.           | 75-05-8            |

## SECTION 4: First aid measures

### 4.1 General information

If exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps. Change contaminated, saturated clothing. Do not leave affected person unattended.

#### In case of inhalation

Call a POISON CENTER/doctor. Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin reactions, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye. Remove contact lenses, if present and easy to do. Continue rinsing.

#### In case of ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Give nothing to eat or drink.

### 4.2 Most important symptoms/effects, acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### 4.4 Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.5 Information to physician

no data available

## SECTION 5: Fire fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray  
ABC-powder  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen

#### Extinguishing media which must not be used for safety reasons

no restriction

### 5.2 Specific hazards arising from the chemical

In case of fire may be liberated:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

DO NOT fight fire when fire reaches explosives.  
Protective equipment and precautions for firefighters  
Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.  
Do not inhale explosion and combustion gases.  
Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.  
Use water spray/stream to protect personnel and to cool endangered containers.  
In case of fire: Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

In case of major fire and large quantities: Remove persons to safety.

### 6.2 Environmental precautions

Discharge into the environment must be avoided.

### 6.3 Methods and material for containment and cleaning up

Spilled product must never be returned to the original container for recycling. Collect in closed and suitable containers for disposal.

### 6.4 Additional information

Clear spills immediately.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

All work processes must always be designed so that the following is as low as possible:

Inhalation

skin contact

Eye contact

Keep away from sources of ignition - No smoking.

Usual measures for fire prevention.

Take precautionary measures against static discharges.

Protect from moisture.

### 7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: Ambient temperature

Keep container tightly closed and in a well-ventilated place. Keep/Store away from combustible materials.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Ingredient<br>(Designation) | Regulatory<br>information | Country | Limit value type<br>(country of origin) | Limit value                    |
|-----------------------------|---------------------------|---------|---|--------------------------------|
| Acetonitrile                | CNESST                    | CA      | VECD                                    | 101 mg/m <sup>3</sup> - 60 ppm |
| Acetonitrile                | CNESST                    | CA      | VEMP                                    | 67 mg/m <sup>3</sup> - 40 ppm  |

### 8.2 Engineering controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Personal protection equipment (PPE)

Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.

#### *Eye/face protection*

Eye glasses with side protection

#### *Skin protection*

Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.

By short-term hand contact

|   |                      |
|---|----------------------|
| Suitable material:                        | NBR (Nitrile rubber) |
| Thickness of the glove material:          | 0,425 mm             |
| Breakthrough time (maximum wearing time): | 14 min               |

By long-term hand contact

|   |                                 |
|---|---------------------------------|
| Suitable material:                        | Butyl caoutchouc (butyl rubber) |
| Thickness of the glove material:          | 0,30 mm                         |
| Breakthrough time (maximum wearing time): | > 480 min                       |

*Respiratory protection*

Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

*Additional information*

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

*Environmental exposure controls*

no data available

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                      |                   |
|----------------------|-------------------|
| (a) Appearance       |                   |
| Physical state:      | liquid            |
| Color:               | colorless         |
| (b) Odour:           | ether-like        |
| (c) Odour threshold: | no data available |

#### Safety relevant basic data

|  |                                    |
|--|------------------------------------|
| (d) pH:                                      | no data available                  |
| (e) Melting point/freezing point:            | -45.7 °C                           |
| (f) Initial boiling point and boiling range: | 81.6 °C (1013 hPa)                 |
| (g) Flash point:                             | 2 °C (closed cup)                  |
| (h) Evaporation rate:                        | no data available                  |
| (i) Flammability (solid, gas):               | Highly flammable liquid and vapor. |
| (j) Flammability or explosive limits         |                                    |
| Lower explosion limit:                       | 3 % (v/v)                          |
| Upper explosion limit:                       | 17 % (v/v)                         |
| (k) Vapour pressure:                         | 97 hPa (20 °C)                     |
| (l) Vapour density:                          | 1.42 (20 °C)                       |
| (m) Relative density:                        | 0.782 g/cm <sup>3</sup> (20 °C)    |
| (n) Solubility(ies)                          |                                    |
| Water solubility (g/L):                      | soluble (20 °C)                    |
| Soluble (g/L) in Ethanol:                    | no data available                  |
| (o) Partition coefficient: n-octanol/water:  | -0.34 (20 °C; IUCLID)              |
| (p) Auto-ignition temperature:               | 524 °C                             |
| (q) Decomposition temperature:               | no data available                  |
| (r) Viscosity                                |                                    |
| Kinematic viscosity:                         | no data available                  |
| Dynamic viscosity:                           | 0.316 mPa*s (25 °C)                |
| (s) Explosive properties:                    | not applicable                     |
| (t) Oxidising properties:                    | not applicable                     |

### 9.2 Other information

|                        |                         |
|------------------------|-------------------------|
| Bulk density:          | no data available       |
| Refraction index:      | 1.34604 (589 nm; 20 °C) |
| Dissociation constant: | no data available       |
| Surface tension:       | no data available       |
| Henry's Law Constant:  | no data available       |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixtures with air.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Violent reaction with:

Oxidising agent

Reducing agent

Acid

Alkali metals

## 10.4 Conditions to avoid

UV-radiation/sunlight

Heat

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

## 10.5 Incompatible materials

Rubber articles

Plastic articles

## 10.6 Hazardous decomposition products

no data available

## 10.7 Additional information

no data available

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

### Acute effects

*Acute oral toxicity:*

LD50: < 2730 mg/kg - Rat - (Merck KGaA)

TDLo: > 64 mg/kg - Human

*Acute dermal toxicity:*

LD50: > 988 mg/kg - Rabbit - (IUCLID)

*Acute inhalation toxicity:*

LC50: > 27.3 mg/l (4h) - Rat



**Irritant and corrosive effects**

*Primary irritation to the skin:*

not applicable

*Irritation to eyes:*

Causes serious eye irritation.

*Irritation to respiratory tract:*

not applicable

**Respiratory or skin sensitization**

In case of skin contact: not sensitising

In case of inhalation: not sensitising

**STOT-single exposure**

not applicable

**STOT-repeated exposure**

not applicable

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| no data available | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|------|-----|------|
|                   |       |      |     |      |

**Germ cell mutagenicity**

No indications of human germ cell mutagenicity exist.

**Reproductive toxicity**

No indications of human reproductive toxicity exist.

**Aspiration hazard**

not applicable

**Other adverse effects**

no data available

**Additional information**

no data available

## SECTION 12: Ecological information

### 12.1 Ecotoxicity

**Fish toxicity:**

LC50: 1640 mg/l (96 h) - Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*), Vol. 1. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI :414

**Daphnia toxicity:**

LC50: 3600 mg/l (48 h) - Tong, Z., Z. Huailan, and J. Hongjun 1996. Chronic Toxicity of Acrylonitrile and Acetonitrile to *Daphnia magna* in 14-d and 21-d Toxicity Tests. *Bull. Environ. Contam. Toxicol.* 57(4):655-659

**Algae toxicity:**

no data available

**Bacteria toxicity:**

no data available

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: -0.34 (20 °C; IUCLID)

### 12.4 Mobility in soil:

no data available

### 12.5 Results of PBT/vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6 Other adverse effects

no data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Appropriate disposal / Product**

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: no data available

#### Appropriate disposal / Package

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself.

#### Additional information

no data available

## SECTION 14: Transport information

### Land transport (TDG)

|                               |              |
|-------------------------------|--------------|
| UN-No.:                       | 1648         |
| Proper Shipping Name:         | ACETONITRILE |
| Class(es):                    | 3            |
| Packing group:                | II           |
| Environmental hazards:        | No           |
| Marine pollutant:             | No           |
| Special precautions for user: |              |

### Sea transport (IMDG)

|  |              |
|--|--------------|
| UN-No.:  | 1648         |
| Proper Shipping Name:  | ACETONITRILE |
| Class(es):   | 3            |
| Classification code:   |              |
| Hazard label(s):   | 3            |
| Packing group:   | II           |
| Environmental hazards:   | No           |
| Marine pollutant:  | No           |
| Special precautions for user:  |              |
| Segregation group:   | -            |
| EmS-No.  | F-E S-D      |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | not relevant |

### Air transport (ICAO-TI / IATA-DGR)

|                               |              |
|-------------------------------|--------------|
| UN-No.:                       | 1648         |
| Proper Shipping Name:         | ACETONITRILE |
| Class(es):                    | 3            |
| Classification code:          |              |
| Hazard label(s):              | 3            |
| Packing group:                | II           |
| Special precautions for user: |              |

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Domestic Substance List:

## SECTION 16: Other information

### Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists  
DOT - Department of Transportation  
IARC - International Agency for Research on Cancer  
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations  
ICAO-TI - International Civil Aviation Organization-Technical Instructions  
IMDG - International Maritime Code for Dangerous Goods  
LTV - Long Term Value  
NIOSH - National Institute for Occupational Safety and Health  
NTP - National Toxicology Program  
OSHA - Occupational Safety & Health Administration  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
STV - Short Term Value  
SVHC - Substances of Very High Concern  
TDG - Transport of Dangerous Goods  
TLV - Threshold Limit Value  
vPvB - very Persistent, very Bioaccumulative

### Additional information

Indication of changes:                      general update

*The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guidance. The information in this document is based on the present state knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. VWR International and his Affiliates shall not be held liable for any damage resulting from handling.*