

## Certificate of Quality

| VWR Catalogue Number       | See List                                 |  |
|----------------------------|--|--|
| Description                | VWR® Nichrome/Aluminum Inoculating Loops |  |
| Country of Origin          | Manufactured in Pakistan                 |  |
| Date of Issue (yyyy-mm-dd) | 2021-04-13                               |  |

Single Wire Inoculating Loops - Aluminum Handle/Nichrome Wire

| VWR Catalogue<br>Number | Loop Hole<br>Diameter<br>[mm] | Gauge | Length                                |
|-------------------------|-------------------------------|-------|---------------------------------------|
| 10806-354               | 2                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-356               | 3                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-358               | 4                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-360               | 5                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-216               | 2                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-218               | 3                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-220               | 4                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-222               | 5                             | 25    | Handle: 203 mm (8"), Wire: 76 mm (3") |

Braided/Twisted Wire Inoculating Loops - Aluminum Handle/Nichrome Wire

| VWR Catalogue<br>Number | Loop Hole<br>Diameter<br>[mm] | Gauge | Length                                |
|-------------------------|-------------------------------|-------|---------------------------------------|
| 10806-224               | 2                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-226               | 3                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-228               | 4                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-230               | 5                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-232               | 2                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-234               | 3                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-236               | 4                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |
| 10806-238               | 5                             | 26    | Handle: 203 mm (8"), Wire: 76 mm (3") |



## **Quality System Compliance**

Products are manufactured under the ISO 9001:2008 & ISO 13485:2003 & F-899 standard. Products are inspected and controlled through whole production processing in accordance with current applicable product specifications and QC SOP.

## **QC** Testing

Representative products samples are collected and inspected in accordance with current applicable QC requirements.

Following tests are performed as per procedure:

- Material Chemical Analysis 7-element Test
- Boil Test
- Passivation

## **Product Specifications**

Material Super Alloy Nichrome Wire (A) TYPE.

**Sterilization** Not applicable.

ATP Assay Not applicable.

**DNase & RNase Free** Not applicable.

BSE/TSE No use of any raw material produced from or substances derived from

animal origin. The manufacturing process of the product does not use any ingredient of animal origin and no material derived from or exposed to animals affected by or under quarantine for transmitting

Animal Bovine Spongiform Encephalopathy/Spongiform

Encephalopathy (BSE)/(TSE).

Cytotoxicity Not applicable.

Non-Pyrogenic Statement Not applicable.

**Latex Statement** The product is latex free.

BPA Statement Not applicable.

DEHP Statement Not applicable.

RoHS Not applicable.

**REACH Statement** Not applicable.

Storage Conditions Store at dry place.

Shelf Life Not applicable.



Disclaimer: VWR states that this declaration will not discharge the user from their obligation to ensure the product is suitable for the intended use. The purpose of the product is for use in laboratory only. This document has been produced electronically and is valid without a signature.