

PX1824	
<i>n</i> -Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry Sas Chromatography OmniSolv®	and
71-23-8	
e substance or mixture and uses advised against	
Reagent for analysis	
afety data sheet	
EMD Millipore Corporation   290 Concord Road, Billerica, MA 0182 United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	21,
800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International)	
	<ul> <li><i>n</i>-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry  Gas Chromatography OmniSolv® 71-23-8</li> <li><b>e substance or mixture and uses advised against</b> Reagent for analysis</li> <li><b>safety data sheet</b></li> <li>EMD Millipore Corporation   290 Concord Road, Billerica, MA 0182 United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)</li> <li>800-424-9300 CHEMTREC (USA)</li> </ul>

## SECTION 2. Hazards identification

GHS Classification
Flammable liquid, Category 2, H225
Acute toxicity, Category 4, Oral, H302
Serious eye damage, Category 1, H318
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336
For the full text of the H-Statements mentioned in this Section, see Section 16.

## **GHS-Labeling**

## Hazard pictograms



*Signal Word* Danger

*Hazard Statements* H225 Highly flammable liquid and vapor.

Product number	PX1824	Version 1.0	
Product name	<i>n</i> -Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry <t< td=""><td colspan="2">1-Propanol] For HPLC, Spectrophotometry  and Gas</td></t<>	1-Propanol] For HPLC, Spectrophotometry and Gas	
	Chromatography OmniSolv®		

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

### Precautionary Statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

- P330 Rinse mouth.
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P403 + P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Formula	CH₃CH₂CH₂OH	C₃H₅O (Hill)
Molar mass	60.1 g/mol	

## Hazardous ingredients

Chemical Name (Concentration) CAS-No. 1-Propanol (>= 90 % - <= 100 % ) 71-23-8 Exact percentages are being wihtheld as a trade secret.

## SECTION 4. First aid measures Description of first-aid measures

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry 	and Gas
	Chromatography OmniSolv®	

### Inhalation

After inhalation: fresh air. Consult doctor if feeling unwell.

### Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing.

### Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

### Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Prevent vomiting if possible. Aspiration hazard Subsequently administer: activated charcoal (20 - 40 g in 10% slurry). Consult a physician.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

irritant effects, Cough, respiratory paralysis, Shortness of breath, Drowsiness, Unconsciousness, narcosis, inebriation, Headache, drowziness, Vertigo, Coma Risk of serious damage to eyes.

### Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

### SECTION 5. Fire-fighting measures

### Extinguishing media

*Suitable extinguishing media* Carbon dioxide (CO2), Foam, Dry powder

*Unsuitable extinguishing media* For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Combustible material, Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures. Pay attention to flashback. Development of hazardous combustion gases or vapors possible in the event of fire.

### Advice for firefighters

*Special protective equipment for fire-fighters* In the event of fire, wear self-contained breathing apparatus.

### Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry	/ and Gas
	Chromatography OmniSolv®	

### **Environmental precautions**

Do not empty into drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### SECTION 7. Handling and storage

### Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

### SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
1-Propanol 71	-23-8		
ACGIH	Time Weighted Average (TWA):	100 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	200 ppm 500 mg/m³	
	Short Term Exposure Limit (STEL):	250 ppm 625 mg/m³	
	Skin designation:		Can be absorbed through the skin.
OSHA_TRANS	PEL:	200 ppm 500 mg/m³	
Z1A	Short Term Exposure Limit (STEL):	250 ppm 625 mg/m³	
	Time Weighted Average (TWA):	200 ppm 500 mg/m³	

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Product number	PX1824	Version 1.0
Product name	-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry and Gas	
	Chromatography OmniSolv®	

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Work under hood. Do not inhale substance/mixture.

*Eye/face protection* Tightly fitting safety goggles

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## *Other protective equipment:* Flame retardant antistatic protective clothing.

### Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	alcohol-like
Odor Threshold	No information available.
рН	7 at  200 g/l 68 °F ( 20 °C)
Melting point	-127 °C
Boiling point/boiling range	205.7 - 208 °F ( 96.5 - 98 °C) at 1,013 hPa Method: DIN 53171
Flash point	59 °F(15 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.

Product number Product name	PX1824 Version 1.0 <i>n</i> -Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®
Lower explosion limit	2.1 %(V)
Upper explosion limit	19.2 %(V)
Vapor pressure	19 hPa at   68 °F ( 20 °C)
Relative vapor density	2.1
Density	0.80 g/cm³ at  68 °F ( 20 °C) Method:  DIN 51757
Relative density	No information available.
Water solubility	at  68 °F ( 20 °C) miscible in all proportions
Partition coefficient: n- octanol/water	log Pow: 0.25 (experimental) (IUCLID) Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	2.3 mPa.s at   68 °F ( 20 °C)
Explosive properties	No information available.
Oxidizing properties	No information available.
Ignition temperature	680 °F ( 360 °C) Method: DIN 51794

## SECTION 10. Stability and reactivity

## Reactivity

Vapors may form explosive mixture with air.

## **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Exothermic reaction with:

Alkali metals, Hydrogen

Exothermic reaction with:

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry 	and Gas
	Chromatography OmniSolv®	

Alkaline earth metals, alcoholates

Violent reactions possible with:

Strong oxidizing agents

### Conditions to avoid

Warming.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### Incompatible materials

rubber, various plastics

### Hazardous decomposition products

no information available

## SECTION 11. Toxicological information

## Information on toxicological effects

*Likely route of exposure* Inhalation, Eye contact, Skin contact

*Target Organs* Eyes Skin Respiratory system gastrointestinal tract Central nervous system

Acute oral toxicity Rapid absorption. Symptoms: Headache, Vertigo, inebriation, Unconsciousness, Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Drowsiness, drowziness

*Skin irritation* Rabbit Result: No irritation OECD Test Guideline 404

*Eye irritation* Rabbit Result: Severe irritations OECD Test Guideline 405

Causes serious eye damage.

Sensitization Sensitization test: Guinea pig Result: negative (IUCLID)

Patch test: human Result: negative (IUCLID)

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophoto	ometry and Gas
	Chromatography OmniSolv®	

Genotoxicity in vitro Ames test Escherichia coli/Salmonella typhimurium Result: negative Method: OECD Test Guideline 471 (IUCLID) Mutagenicity (mammal cell test): Result: negative Method: OECD Test Guideline 476 Mutagenicity (mammal cell test): chromosome aberration. Result: negative Method: OECD Test Guideline 473 Specific target organ systemic toxicity - single exposure May cause drowsiness or dizziness. Specific target organ systemic toxicity - repeated exposure The substance or mixture is not classified as specific target organ toxicant, repeated exposure. Aspiration hazard Regarding the available data the classification criteria are not fulfilled. Carcinogenicity IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **OSHA** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. ACGIH No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information Systemic effects: narcosis After uptake of large quantities: respiratory paralysis, Coma Further data: Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information Ecotoxicity

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry <t< p=""></t<>	or/>and Gas
	Chromatography OmniSolv®	

Toxicity to fish LC50 Pimephales promelas (fathead minnow): 4,630 mg/l; 96 h (IUCLID) flow-through test LC50 Pimephales promelas (fathead minnow): 4,555 mg/l; 96 h Analytical monitoring: yes **OECD Test Guideline 203** Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): 3.644 mg/l; 48 h DIN 38412 EC50 Tetrahymen pyriformis: 4,168 mg/l; 48 h (IUCLID) Toxicity to algae IC0 Pseudokirchneriella subcapitata (green algae): 1,150 mg/l; 48 h (IUCLID) static test EC50 Pseudokirchneriella subcapitata (green algae): 9,170 mg/l; 48 h (ECHA) Toxicity to bacteria microtox test EC50 Photobacterium phosphoreum: 17,700 mg/l; 5 min (IUCLID) EC50 activated sludge: > 1,000 mg/l; 3 h **OECD Test Guideline 209** static test IC50 activated sludge: > 1,000 mg/l; 3 h OECD Test Guideline 209 Toxicity to daphnia and other aquatic invertebrates ( Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): > 100 mg/l; 21 d **OECD Test Guideline 211** Persistence and degradability Biodegradability 75 %; 20 d; aerobic (IUCLID) Readily biodegradable. Chemical Oxygen Demand (COD) 2,230 mg/g (IUCLID) Theoretical oxygen demand (ThOD) 2,400 mg/g (Lit.) Ratio BOD/COD 73 % (IUCLID) **Bioaccumulative potential** Partition coefficient: n-octanol/water log Pow: 0.25 (experimental) (IUCLID) Bioaccumulation is not expected. Mobility in soil No information available.

*Additional ecological information* Discharge into the environment must be avoided. Product numberPX1824Version 1.0Product namen-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry <br/>Chromatography OmniSolv®Version 1.0

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

## SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	II
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	II
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	П
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-D

SECTION 15. Regulatory information

## United States of America

### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Product number	PX1824	Version 1.0
Product name	n-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry 	nd Gas
	Chromatography OmniSolv®	

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I Not listed

DEA List II Not listed

### US State Regulations

### Massachusetts Right To Know

*Ingredients* 1-Propanol

### Pennsylvania Right To Know

*Ingredients* 1-Propanol

New Jersey Right To Know

*Ingredients* 1-Propanol

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

## SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

# Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Product numberPX1824Version 1.0Product namen-Propyl Alcohol [1-Propanol] For HPLC, Spectrophotometry <br/>Chromatography OmniSolv®Version 1.0

Date of issue:10/27/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.